



*Zootaxa* 4381 (1): 001–095  
<http://www.mapress.com/j/zt/>

Copyright © 2018 Magnolia Press

# Monograph

ISSN 1175-5326 (print edition)

**ZOOTAXA**

ISSN 1175-5334 (online edition)

<https://doi.org/10.11646/zootaxa.4381.1.1>

<http://zoobank.org/urn:lsid:zoobank.org:pub:8B3C4355-AEF7-469B-BEB3-FFD9D02549EA>

# ZOOTAXA

4381

## **Nomenclatural studies toward a World List of Diptera genus-group names. Part VI: Daniel William Coquillett**

NEAL L. EVENHUIS

*J. Linsley Gressitt Center for Entomological Research, Bishop Museum, 1525 Bernice Street, Honolulu, Hawaii 96817-2704, USA.*

*E-mail: [NealE@bishopmuseum.org](mailto:NealE@bishopmuseum.org)*



Magnolia Press  
Auckland, New Zealand

*Accepted by D. Bickel: 21 Dec. 2017; published: 19 Feb. 2018*

*Licensed under a Creative Commons Attribution License <http://creativecommons.org/licenses/by/3.0>*

NEAL L. EVENHUIS

**Nomenclatural Studies Toward a World List of Diptera Genus-Group Names. Part VI: Daniel William Coquillett**

(*Zootaxa* 4381)

95 pp.; 30 cm.

19 Feb. 2018

ISBN 978-1-77670-308-1 (paperback)

ISBN 978-1-77670-309-8 (Online edition)

FIRST PUBLISHED IN 2018 BY

Magnolia Press

P.O. Box 41-383

Auckland 1346

New Zealand

e-mail: [magnolia@mapress.com](mailto:magnolia@mapress.com)

<http://www.mapress.com/j/zt>

© 2018 Magnolia Press

ISSN 1175-5326 (Print edition)

ISSN 1175-5334 (Online edition)

## Table of contents

Abstract .....	3
Introduction .....	4
Biography .....	4
Early years .....	5
Life in California .....	7
Locusts .....	9
Vedalia Beetles and Cyanide .....	9
A Troubled Marriage .....	11
Life and Work in Washington, D.C. ....	12
Trouble with Townsend .....	14
Trouble with Dyar .....	16
Later Years .....	17
Note on Nomenclatural Habits .....	19
Collections .....	19
Context of the catalog .....	19
Format of Catalog .....	20
Catalog of the Diptera Genus-Group Names of Daniel William Coquillett .....	21
Names Incorrectly Attributed to Coquillett .....	50
List of Diptera Genus-Group Names of Coquillett by Family .....	52
Index of Diptera Species-Group Names Proposed by Coquillett .....	53
Acknowledgments .....	64
References .....	64
APPENDIX I. Bibliography of Works by Daniel William Coquillett .....	83
APPENDIX II. Taxa Named for Daniel William Coquillett .....	92
APPENDIX III. List of Works Treating <i>Paracantha</i> Coquillett, 1899f as a Valid Taxon .....	94

## Abstract

The Diptera genus-group names of Daniel William Coquillett are reviewed and annotated. A total of 136 available genus-group names in 53 families of Diptera are listed alphabetically, and for each name giving author, year and page of original publication, originally included species, type species and method of fixation, current status of the name, family placement, and a list of any emendations of it that have been found in the literature. Remarks are given to clarify nomenclatural or taxonomic information. In addition, an index to all the species-group names of Diptera proposed by Coquillett (1,218, of which 1,214 are available names) is given with bibliographic reference (year and page) to each original citation. Appended to this study is a full bibliography of Coquillett's published works.

Name found to be unavailable: *Philhelius* Coquillett, 1910.

Name found not to be preoccupied: *Petia* Coquillett, 1910 [Tachinidae].

Corrections to and clarifications of type species designations are made for the following: *Isostomyia* Coquillett, 1906 [Culicidae]; *Micraedes* Coquillett, 1906 [Culicidae]; *Roederiodes* Coquillett, 1901 [Empididae]; *Stilbometopa* Coquillett, 1899 [Hippoboscidae]; *Tinolestes* Coquillett, 1906 [Culicidae].

Previous First Reviser actions for multiple original spellings missed by previous workers include: *Ateloglossa* Coquillett, 1899 [Tachinidae]; *Boreodromia* Coquillett, 1903 [Brachystomatidae]; *Mythicomyia* Coquillett, 1893 [Mythicomyiidae].

The following are new synonymies of their respective senior synonyms: *Acemyia* Coquillett, 1897b under *Acemya* Robineau-Desvoidy, 1830, **n. syn.** [Tachinidae]; *Clytiomyia* Coquillett, 1897b under *Clytiomya* Rondani, 1861, **n. syn.** [Tachinidae]; *Linnaemyia* Coquillett, 1897b under *Linnaemya* Robineau-Desvoidy, 1830, **n. syn.** [Tachinidae]; *Xanthogramma* Schiner, 1860 under *Philhelius* Stephens, 1841, **n. syn.** [Syrphidae].

Using Reversal of Precedence (ICZN Code Art. 23.9), *Scriptotricha* Cockerell, 1889 [Tephritidae] is declared a **nomen oblitum** and *Paracantha* Coquillett, 1899f [Tephritidae] is declared a **nomen protectum**.



**FIGURES 1–2.** 1. Portrait of Daniel William Coquillett, ca. 1896. Photo possibly dates from his wedding or employment with USDA. 2. Signatures of Daniel William Coquillett. A. Signature when dealing professionally. B. Personal signature keeping the final “e” of his family surname.

## Introduction

Coquillett’s work encompassed a short 25 years, but in that time he proposed 136 genus-group names and 1,214 available species-group names in 53 families of Diptera. As one of the first native-born American dipterists, his work lays the foundation for the taxonomy of many Diptera families and it is thus important to better understand the names he proposed.

In this study, I review all genus-group names (available and unavailable) that Coquillett proposed. Genus-group entries are presented alphabetically and list all originally included species, type species, current status, and the emendations that I have been able to locate. A list of all species-group names of Diptera proposed by Coquillett is also given with date and page combinations that link to the original publication of these nominal species in his bibliography. Additionally, a full bibliography of all written works by Coquillett is given in an Appendix.

## Biography<sup>1</sup>

Coquillett’s name is found in most economic entomology textbooks referring to the person having been involved in helping save the citrus industry in California through his and Albert Koebele’s work with the predatory *Vedalia* ladybird beetle. The beetle was purposefully introduced from Australia to control the scale insect that was damaging many orange and other orchard crops. Although his work in entomology is fairly well-known, little is known of his personal life. This was most likely due to his quiet and private nature as described by his colleagues:

“Personally Mr. Coquillett was an ascetic. Rarely did he speak of his past, or home life, and only occasionally would he discuss with his associates matters of scientific interest”. (Banks *et al.* 1911: 199).

He was tall and lanky, and census registers describe him with gray eyes and brown hair. He had a rather long beard at the sides when he lived in California (Fig. 4) but cropped it short when he moved to Washington, D.C.

1. The information provided here is primarily an updating and expansion of Evenhuis (2017) but also derives from biographies by Banks *et al.* (1911) and Cresson (1911) as well as newspaper articles, and archival and genealogical research conducted. The information on the Dyar and Mitchell episode derives in large part from Epstein (2016).

(Fig. 1). Banks *et al.* (1911) indicated that his natural diffidence kept him from public speaking. Although he was President of the Entomological Society of Washington in 1904, he generally avoided attending meetings of the societies of which he was a member, and instead sent papers to be read by others [even a Presidential Address for the Entomological Society of Washington (Coquillett, 1904d) was read by the Recording Secretary due to his absence]. Some of those papers that were read and noticed in the minutes of some societies were never published and it could have been that his meekness caused him to fail to follow up with questions posed to him in order to get them into print. That shyness seems evident in the only known photo of him with fellow entomological staff of the U.S. National Museum (Fig. 9). Rather than show himself, he preferred to remain partially hidden in the back where only the top of his head is visible. He was a night-owl, often working at odd hours, and Banks *et al.* (1911) further said he was punctual, arriving at the office on time in the morning, working steadily till the closing hour, and “then was lost to his associates”.

His work in economic entomology is best known, but not much has been said concerning his taxonomic efforts. This is fairly surprising since, in Diptera taxonomy, Coquillett was a founder of sorts in his field. He and Samuel Wendell Williston (1851–1918) were the first American-born entomologists to be truly called “dipterists”, devoting the vast majority of their taxonomic papers to Diptera. Coquillett’s experience with and publications on the Diptera of the Western United States came from spending more than 10 years living in California and traveling throughout the state collecting Diptera. The significance of his publications to our knowledge of the Diptera of the region is bested only by the seminal work on western U.S. Diptera by Osten Sacken (1877). His early papers on Bombyliidae still comprise some of the only revisions of groups of bee flies from the Western United States and the keys, although more than 100 years old, still work well for most species encountered.

### **Early years<sup>2</sup>**

Daniel William Coquillett (born as “Coquillette” but he dropped the final “e” in his published works although documents show his legal name was still spelled as “Coquillette” at the time of his death) was born on 23 January 1856 in Franklinville, a small community outside of Woodstock, Illinois (Coquillett’s early publications have the byline as Woodstock when the family lived in Dorr Township). His father, a farmer, was Francis Marquis Lafayette Coquillette and his mother was a distant cousin of his father, Sarah Anne Cokelet (relatives spelled the surname either as “Coquillette”, “Cocalet”, or “Cokelet”). His great-great grandfather was François Marquis Lafayette Capet, a half-brother to King Louis XIV of France. The Capet family were well-to-do Huguenot’s living on their estate in La Rochelle on the coast in western France, but eventually had to flee the country in the late 1600s to avoid the Roman Catholic persecution at the time. The family changed their surname to Coquillette when they arrived in New Rochelle, New York and settled in New City near Rockland, New York. Coquillett’s father, Francis, was a blacksmith, operating the vocation with his brother, Daniel. After many years in New City, Francis moved to Illinois in 1851 where he and his family engaged in agriculture in Franklinville for a few years before moving to Dorr Township in late 1856 and operated a farm there until the fall of 1882.

Daniel William Coquillett (Figs. 1,3,4) was the seventh of nine siblings (six brothers and two sisters). All were either home-schooled or attended rural district schools. Coquillett was a quick learner and his schooling and self-education were enough to allow him to teach a few terms in a district school in McHenry County in 1876.

During his childhood years helping his father on the Dorr farm, Coquillett expressed an early interest in entomology, collecting and rearing various insects, especially moths and butterflies. He used his lunch hours to rush to the nearby woods and collect caterpillars and kept them in boxes. He saved his money to buy books on entomology, but when he could not identify his creatures, he would send Lepidoptera to Augustus Radcliffe Grote (1841–1903) in Buffalo and Coleoptera to George Henry Horn (1840–1897) in Philadelphia, who helped provide identifications. In 1880, he published his first paper in the *Canadian Entomologist* “On the early stages of some moths” (Coquillett 1880: 43–46). His enthusiasm for entomology led to publishing many short notes in the weekly newspaper out of Philadelphia published every Saturday, *The Germantown Telegraph*, as well as the short-lived journal *Papilio*.

- 
2. The family history mentioned here derives primarily from one done by Daniel Coquillett’s brother, Benjamin Franklin Coquillette (Coquillette 1894). The digital copy online was scanned from the personal copy of Daniel Coquillett, in which he wrote on the flyleaf “Presented to Daniel W. Coquillette by his Parents”. It also contains a bookplate of the Boston Public library with a notation that it was given to them by “E.G. Mitchell” [= Evelyn Groesbeeck Mitchell], his long-time friend and colleague in mosquito studies.



His papers caught the attention of Illinois State entomologist Cyrus Thomas, whose encouragement and collaboration led Coquillett to become Assistant State Entomologist in Illinois and to publish more detailed articles on various insects for the tenth annual report of noxious and beneficial insects of Illinois (Thomas 1881). In conducting the research for this series of reports, Coquillett was at times assisted by his brother George Alonzo Coquillette, who helped with the rearing of some insects and supplying hibernating broods of others. Coquillett also wrote much of the Eleventh Report of the [Illinois] State Entomologist for Thomas published the following year (see Coquillett 1882).



**FIGURES 3–4.** Portraits of Daniel William Coquillett. **3.** Age 17 (standing left with brother Abraham). Photo from Coquillette, B.F., 1894. *History of the Coquillette family*. (D.W. Coquillett personal copy now in Boston Public Library). **4.** Age ca. 27; possibly taken when Coquillett started working for the State of California in 1883. Photographer is T.E. Stanton in Los Angeles who was in business under that name from 1883–1884. Business name changed to Elite Photography in 1885. Photo courtesy Florence Hill via Coquillette family album.



**FIGURE 5.** Aerial view of Anaheim area circa 1876. Photo: Wikimedia Commons.

Unfortunately, in 1882 Coquillett became ill and was thought to possibly have incipient tuberculosis. There was no cure for tuberculosis at the time and physicians in the East were telling patients to go west and get fresh air and plenty of sunshine, thinking that would cure them. So, to bring Daniel to warmer, drier, sunnier climes to help improve his health, his father sold their farm and moved the whole family to the agricultural community of Anaheim in southern California, where they continued the farming they had done in Illinois.

The Anaheim region was founded in the 1850s by Germans who, by the 1870s, had turned the fertile southern California soil into what became at the time the state's largest wine producing region (Fig. 5) with at its height some fifty wineries and 5,000 hectares of vineyards. The completion of the Southern Pacific Railroad connecting the other more eastern rails had just been completed allowing ease of travel from the East Coast and a resulting large influx of new residents to southern California. Unfortunately, Pierce's disease in 1885 and 1886 wiped out the grape vines and farmers quickly changed crops to oranges and walnuts. According to the Coquillette family history (Coquillette 1894), Daniel Coquillett's family were fruit farmers in California, but exactly what crop they maintained and harvested is unknown. Coquillett's brother Abraham is listed as a vintner in the 1888 directory of California grape growers and wine makers (Wetmore 1888), so he apparently stayed on in California for a short period of time after his parents had left in 1886 (see below) before he too returned to Illinois.

### *Life in California*

Daniel's health quickly improved soon after the move to southern California and when not working in the orchards, he began to collect insects, mostly Diptera, and especially Bombyliidae. It is possible that because of the remarkably quick improvement in his health—he and his family arrived in southern California in the fall of 1882 and by the spring of the following year he had taken up some short-term contractual work in northern California—he may not have had tuberculosis, but instead something not nearly as serious. In any case, his health having improved and he having gained employment, Daniel stayed on in California even after his family moved back to Illinois in June 1886, this time to Marengo, a town not far from their previous farm. Coquillett remained with his family until they left as is shown in the by-lines of his papers indicating his residence as “Anaheim”. After 1886, he moved to Los Angeles and this was indicated as such in his papers, until his move to Washington, D.C.

In California, Coquillett had built up an extensive entomological library and continued correspondence with colleagues that he had begun while in Illinois. His many papers on economic insects and control methods over the years had attracted the attention of many. After starting work on Diptera taxonomy while still living with his parents in Anaheim, he soon was sent specimens from many people for identification. There were really only two active American-born workers on Diptera residing in the United States during the 1880s: Samuel Wendell Williston (1851–1918) and Coquillett. While preparing notes for his upcoming synopsis of the Diptera families and genera of North America (Williston 1888), Williston sent Coquillett some bee flies he had collected in Arizona, which Coquillett was able to append to his *Anthrax* “monograph” (Coquillett 1887c). Williston had obtained his PhD in paleontology at Yale College in 1885 and conducted post-doctoral studies there for a few years thereafter. The two were apparently exchanging specimens as Williston (1892) thanked “his friend” D.W. Coquillett for sending him specimens of a species of the syrphid *Criorhina*, which Williston described as new and named after Coquillett. Coquillett was also grateful for specimens given to him or for help that he received from correspondents, and would express his thanks by naming species after them. A quick scan of the names he gave to Diptera species show that most were named for Annie Trumbell Slosson (1836–1926), botanist, entomologist, author, and first woman member of the New York Entomological Society. Others were named for collectors or colleagues.

Away from the many institutions, libraries, and many entomological colleagues of the mid-western and eastern United States, Coquillett was forced to make do with what he could while residing in southern California. He therefore networked with many local naturalists, purchased necessary literature, subscribed to a few entomological journals, and acquired specimens on exchange. He also was a founding member and second vice president of the Southern California Academy of Sciences (founded as the Southern California Science Association in 1891) (Anonymous 1891) in Los Angeles and read papers on butterflies and other insects at their meetings (Splitter 1956). He maintained his membership after his move to Washington, D.C. as can be seen in one membership list from 1895 (Anonymous 1895b).


Many of his local contacts were agricultural contacts assisting his economic work, but others were companions on his various collecting trips throughout the southern parts of the state. One of these traveling companions was Charles Russell Orcutt (1864–1929) of San Diego. Orcutt was a botanist who edited his own journal, the *West*



*American Scientist*, which was to be the medium for a number of Coquillett's taxonomic papers in the first couple of years of the 1890s before he moved to Washington, D.C. Coquillett also sent insects to colleagues, including Abbé Léon Provancher (1820–1892) in Quebec, John LeConte (1818–1891) at Berkeley, California, and G.H. Horn in Philadelphia. Horn even traveled to meet Coquillett in May 1893 to examine his collection and discovered that Coquillett had collected males and females of an interesting meloid beetle, the alate males of which Horn identified as *Calospasta* LeConte, but which previously was known only from apterous females that Horn had described in the genus *Megetra* LeConte (Horn 1895: 438). Coquillett's discovery of both sexes collected together allowed Horn to transfer his "*Megetra*" *opaca* to *Calospasta*.

Coquillett's early papers were primarily on Bombyliidae, but also included Asilidae and related families. During his years in California, he amassed a substantial collection which can be seen in the eventual donations of thousands of specimens of it (including all of his types) to the U.S. National Museum over many years. Many of the localities where he collected were in and around the San Gabriel Mountains near Los Angeles. Coquillett did not provide much information of localities on the insect labels—usually only the city or county—but often supplemented that information in the publication itself with dates of collection, habits of the flies he collected, and sometimes flowers they visited. Coquillett's personal collection was comprised primarily of his own collecting but also contained a number of specimens collected by others he obtained as gifts or exchanges. Some of the places he collected that are labeled simply as "Los Angeles" may well have been destroyed with the sprawling urbanization of the city. Remarkably, that was the reason one entomologist gave for the apparently quick demise of a population of the mosquito *Psorophora ciliata* (Fabricius) in 1899 that had been collected there by Coquillett only a few years earlier:

"A specimen is in the collection of the U.S. National Museum, taken by Mr. D.W. Coquillett in Los Angeles. I did not meet with the species [in 1899], and it is quite likely that the remarkable growth of the city has destroyed the breeding places since the time that Mr. Coquillett collected it there." (Dyar 1907: 122).



**FIGURE 6.** Request in 1884 for specimens by Coquillett in the journal *Papilio*. NB: Coquillett's residence of Anaheim is misspelled as "Andheim".



He advertised in the early 1880s for exchange of specimens in issues of the short-lived journal *Papilio* (Fig. 6), where he interestingly desired Bibionidae and other families of Diptera that he never published on while in California. This may have been to help get a better idea of the variety of Diptera that existed where he lived by comparison of other forms or more likely to help put names to specimens of various families that he had been collecting. Although specializing in a few asiloid Diptera families and apparently collecting many other families, Coquillett's collections included more than Diptera. In reporting on the condition of the U.S. National Museum in one of their annual reports, Howard (1898: 313) mentioned Coquillett's donation of a large collection of "Coleoptera, Hymenoptera, Lepidoptera, and Orthoptera" from "south California".

### ***Locusts***

In April 1883, through the recommendation of Cyrus Thomas (who was by that time working for the U.S. Department of Agriculture), Coquillett began an association with the State of California in economic entomology, staying as a guest of California State economic entomologist Matthew Cooke (1829–1887) in Sacramento, where he was said to be "stationed" for two or three months (Anonymous 1883)—it turned out to be four or more. During this time he helped Cooke work on two books: (1) a textbook of beneficial and injurious insects that was introduced into schools in the State (Cooke 1883a)—the work was popular enough to have gone to three editions within five years; and (2) a much larger book published the same year that was based just on injurious insects and their remedies (Cooke 1883b).

In early 1885, Charles Valentine Riley (1843–1895), the nation's entomologist at the U.S. Department of Agriculture in Washington, D.C., received word that there was a grasshopper outbreak in the Central Valley of California that was plaguing crops. Riley needed someone there and Coquillett was his choice. Rather than spend funds to send out someone, he made Coquillett a field agent of the U.S.D.A. and Riley became Coquillett's new supervisor. Coquillett's first mission was to investigate the grasshopper outbreak and report back to Riley. After receiving a telegram from Riley on 1 June 1885 to head to Merced County to start his investigations, newspaper reports have Coquillett on the job on 5 June 1885 where he began his work in Atwater. His report, made just three months later and published in Coquillett (1886d), gives a summary of his study of the problem at one ranch in Atwater that had significant locust damage to trees and alfalfa. In the typical attention to detail that characterized Coquillett's subsequent economic reports, he gave life histories and observations on all species encountered and details on remedies he witnessed and recommended. His recommendation of a poison mash to kill the locusts turned out to be extremely successful. This report was his first as a federal entomologist and set him on a course to become one of the renowned economic entomologists in the State of California.

### ***Vedalia Beetles and Cyanide***

Back in Washington, Coquillett's supervisor C.V. Riley was constantly "putting out fires" of complaints of farmers, vintners, dairymen, etc. nationwide with regard to injurious insects causing damage to crops, trees, vines, and domestic animals. One particular set of complaints was coming from [no surprise] California (and had been for a few years). Riley was obviously impressed (or at least satisfied) enough with Coquillett's locust report to send him on a new mission. Orange groves were being subjected to damage by the introduced cottony-cushion scale. Coquillett was to join forces with exploratory entomologist Albert Koebele and find a solution to the problem. Riley had theorized that going to the home of the scale (Australia, where it was not causing the unchecked damage that it was in California) might prove successful in finding what insect or other organism was keeping populations of the scale in check or possibly could help eradicate it. In late 1885, the two began work. But, due to the diametrically opposed personalities of the two men, trouble soon ensued. Koebele discredited Coquillett's work and the two feuded over who was in charge. Coincidentally or not, funds for Coquillett's position ran out in the summer of 1886 and his employment with the U.S. Department of Agriculture was terminated. He was re-employed the next year, but the short time in between federal paychecks proved a useful period for Coquillett.

Loss of employment with the federal government seemed not to deter the fervor Coquillett had for his work and, after meeting with two California agriculturalists who had begun the process, he began experiments with hydrocyanic-acid gas treatments for trees to rid them of scale insects. The gas was released under a tent covering a tree by mixing potassium cyanide with sulfuric acid<sup>3</sup>. The previous methodology using this gas took many hours

---

3. This of course is the same concoction of chemicals prisons use for executing prisoners by lethal gas.

for each tree and the method of mixing the two chemicals caused the gas to kill parts of the trees. By conducting trials with different dosages and tent designs, Coquillett was able to reduce the treatment to 15 minutes per tree. However, one day while experimenting with this gas treatment, Coquillett almost met an unfortunate fate. California State Quarantine Officer Alexander Crow (1899) related the story of he and Mr. J.R. Wolfskill (the latter the owner of the groves in Los Angeles where Coquillett was working; Fig. 7) going out into the groves to see how Coquillett was doing and saw evidence that he had left in a hurry. They finally tracked him down in his apartment (only a block away from the orchard—see below) and found out he had come into contact with the gas and feared for his life. He vowed never to work with the gas again. They finally convinced him to wear a suit for safety while using the gas and he reluctantly went back to work. Coquillett's work on the gas treatment was a tremendous success and was publicized throughout the world as the method for getting rid of pestiferous insects, especially scales, in orchards. Riley was disappointed that the U.S.D.A. would not get credit for this but that did not stop him from publicizing it in many reports and newspaper articles, which made it seem as though the gas treatment discovery was the result of the U.S.D.A.



**FIGURE 7.** The Wolfskill groves where Coquillett did his experimentation of hydrocyanic gas fumigation.

Back in the employ of Riley a few months later, Coquillett returned to work with Koebele to solve the scale problem. Koebele went to Australia to find insects that might control the scale, and Coquillett would be the experimenter who received the shipments, maintained the colonies, and reared them in cages to see which worked best. Various parasites and predators were shipped and tested in cages and in the field, but one in particular became world famous: the Vedalia ladybird beetle, *Rodolia cardinalis*, a ladybird beetle as conspicuous as the cottony-cushion scale on which it readily fed. The beetles multiplied rapidly, were easily transferred from grove to grove, and were voracious feeders. Within a year, the scale was virtually eliminated from the region and California's citrus industry was saved.

And, thus, more trouble ensued for Coquillett. Friction between state and federal officials over credit for the success resulted in a number of attacks on Coquillett and the federal government that were printed in the local papers. Coquillett remained quiet and did not respond to most of the disparaging remarks and personal attacks. In 1893, Riley had endured enough of the bad press the U.S.D.A. was getting in California and, after communicating the situation to the Secretary of Agriculture, the latter recalled both Koebele and Coquillett to Washington to separate them from California officials. Coquillett wrote to the *Pacific Rural Press* and they posted the letter from the Secretary of Agriculture. In that newspaper piece, Coquillett much lamented his having to go:

“I regret very much the necessity that bids me leave this interesting field of labor where the principal work of my life thus far has been wrought, and where many pleasant friendships have been formed. My relations with the honest soil-tillers have been of the most agreeable kind, and I need hardly assure them that in whatever field I may be called upon to labor in the future, I carry with me the most pleasant remembrances of them and the good people of this peerless State—California.” (Anonymous 1893a: 264).

The reaction to the recall by growers in California was disappointment verging on outrage at State officials. The Pomological Society and Farmers’ Institute of Southern California at their joint 1893 convention in Ontario, California went so far as to sign the following resolution:

“Whereas, the action of the National Department of Agriculture in withdrawing the two entomologists stationed in California, namely Professor D.W. Coquillett at Los Angeles and Professor Albert Koebele at Alameda, is due solely to the hostile attitude of the State Board of Horticulture, and particularly its secretary and president, to the authorities at Washington by persistently libeling Professors C.V. Riley and D.W. Coquillett and by further seeking to secure the discharge of the former entomologist of the department;

Therefore, be it resolved by the Pomological Society and Farmers’ Institute of Southern California, in joint convention assembled, November 2 and 3, 1893, in the city of Ontario, that the said State Board of Horticulture in no way represents the fruit-growers in their attacks upon Professors Riley and Coquillett. To the contrary, this convention deeply regrets the course pursued by the said State Board of Horticulture and strongly condemns it for robbing the great industry of horticulture of valuable aid at Washington.” Anonymous (1893b: 2).

Despite the apologies from their grower friends, the recall was a done deal, but the reactions to the recall by the two field agents were quite different from one another. Koebele had had enough of Riley and Washington and took a job in Hawaii working as exploratory entomologist for the new provisional government there; and eventually for R.C.L. Perkins and the Hawaii Sugar Planters’ Association; and Coquillett, unsure of his future, moved to Washington to continue his employment with the U.S.D.A.

Only after he was “safely” back in D.C. did Coquillett respond to the newspaper attacks on him (Coquillett 1893i). Coquillett never returned to California, but during his stay there he had purchased land, which he apparently kept until his death. While working for the U.S.D.A., he resided at 236 Winston Street (a building of small apartments), a few blocks away from the main rail station near downtown Los Angeles. That location no doubt allowed him a convenient hub of operations when he needed to travel to the various places that Riley would send him, but it was also only a block away from the Wolfskill orange groves where he developed the procedure for hydrocyanic gas to fumigate orange trees and where he would test the *Vedalia* beetle.

### ***A Troubled Marriage***

After the recall to Washington, Coquillett continued his work on economic entomology as Assistant Entomologist, initially under the supervision of Riley and then, after Riley’s resignation in 1894, under Leland Ossian Howard (1857–1950). During his first few years, his publications on economic subjects were mixed with taxonomic work on Diptera. After a little more than two years in Washington, D.C., Howard in October 1895 appointed Coquillett as Honorary Custodian of Diptera at the United States National Museum.

Apparently having a secure source of employment figured into his personal life as four months later he got married. On 28 February 1896 Coquillett was betrothed to Anne Chew Dorsey (1860–1928), daughter of John Thomas Beale Dorsey (1821–1898), a Captain for the Confederate States during the U.S. Civil War and State Attorney and Chief Justice for Maryland, and Dorsey’s third wife, Katherine Murray Chew Mason (1828–1893), a great granddaughter of George Mason IV, a Virginia delegate to the first U.S. Constitutional Convention and considered one of the “Founding Fathers of the United States”. Anne was also distantly related to General Robert E. Lee and was a life-long member of the Stonewall Jackson chapter of the United Daughters of the Confederacy, publishing poems in their journals and writing a little-known work entitled “The Old Gray Coat”.

The Coquilletts had no children and the marriage was a turbulent one that eventually led to a bitter divorce that was followed in the local newspapers; and, after Coquillett’s death in 1911, Anne even contested his will and claimed their divorce was not legal (both contests to no avail). Although the court upheld the legality of the 1910 divorce, her gravestone in an Alexandria, Virginia cemetery is inscribed as “Anne / wife of D.W. Coquillett / and daughter of / J.T.B. & K.C. Dorsey / 1860–1928”.

In February 1909, Coquillett’s wife Anne sued him for maintenance claiming he deserted her. Her suit (see



Anonymous 1909a) alleged that Coquillett had separated from her on 3 October 1905 because “he had irreparably injured a young lady” and desired to make the amends honorable. She claimed he said to her that he initiated a divorce in 1905 because of “certain complications arising from his acquaintance with a young woman” and that he felt obligated to marry her. However, that initial divorce was never finalized (but see below). Coquillett had given Anne \$500 in 1905, but after she had run through that in nine months she appealed to the Secretary of Agriculture, who made an arrangement with Coquillett to give her \$50 a month from Coquillett’s paycheck but it was not enough and she demanded more (NB: that may not seem like much, but his salary at the time was \$150 a month). In her suit, she also claimed he was a man of great wealth [she assumed him to be worth \$160,000 = ca. \$1.2 million in 2017 dollars] stating that had property of great value in Los Angeles as well as property in Washington, D.C. and Marengo, Illinois, plus numerous investments and bank holdings. Local Washington, D.C. papers were immediately filled with headlines such as “Mrs. D.W. Coquillett Sues Entomologist”, “Desertion is Charged”, “Says Husband Gave as His Reason for Leaving Her That ‘He Had Irreparably Injured a Young Lady’”, and “Coquillett Suit to be Sensation” while labeling Coquillett as “a wealthy Governmental entomologist”. The court ordered Coquillett to pay his estranged wife \$50 per month alimony pending the result of the court case and costs of the proceedings.

Coquillett’s counter to the court said that, in fact, his wife deserted him in October 1905 and he had not heard from her until the current court proceedings. He claimed she had persistently nagged and harassed him in their marriage, to which he endured as “pacifically as possible until she left him”. He further claimed that it was “utterly impossible to live with his wife and were he compelled to do so, it would result, he believes, in his mind becoming impaired.” (Anonymous 1909b). The matter was settled in late February 1910 where the court found for the plaintiff and awarded alimony, counsel fees and costs. The “injured” young lady to whom Coquillett felt obligated to marry was never named in any of the newspaper reports.

### ***Life and Work in Washington, D.C.***

Whatever personal difficulties Coquillett may have had, he did not bring his problems to work. With his new custodial posting in Washington, D.C., Coquillett’s agriculturally-related papers became fewer while his taxonomic papers increased. He still published on Bombyliidae (his first interest), but his Diptera work now spanned many different families. In all, Coquillett described almost 1,220 species of Diptera in 77 families during his lifetime; or about 51 species per year of work. There were complaints by some workers that his descriptions were sometimes too short or vague. The possible reason for this was pointed out by Cresson (1911), who conjectured that Coquillett’s attention to helping others with their identifications caused him to neglect his own work and, in order to do both, he resorted to writing short descriptions. There were hundreds of specimens of new species coming in to the museum that Coquillett possibly felt compelled to describe; and juggling the time needed to do both the describing of all the new species and simultaneously providing identifications for everyone resulted in him having to shorten his descriptions. A quick check of descriptions in the 1880s and 1890s compared with those made in the 1900s does indeed show more condensed descriptions in those later years and many more species described per paper than in the earlier years. Table 1 gives a summary of the numbers of new taxa described by Coquillett by year; table 2 gives a summary of the numbers of new taxa per family. In 26 years of publishing, he only failed to describe a new taxon in two years (1888 and 1911; the latter year he was in failing health). His proclivity in describing can be seen in Table 1 as clearly increasing shortly after his arrival in Washington, D.C. with the only anomaly being the year 1896, which was when he got married. He definitely tapered off in his descriptions and numbers of pages published after 1905 and this could also have been due to his health or a reaction to the time having to spend on court matters and resulting stress.

At the time Coquillett was working at the U.S. National Museum, the entomology collection was housed in what is now the Arts and Industries Building (Fig. 8) on the opposite site of the mall where the current natural history museum is located. The Diptera collection Coquillett was responsible for was in dire need of improvement and curation when he became Honorary Custodian on 8 October 1895<sup>4</sup>. The only type material it contained consisted primarily of material from Williston. From 1894 through 1905 Coquillett donated his personal collection,

4. Some biographies and his gravestone have this date as 1896 but the honorary custodial appointment was recorded in the *Annual Report of the Smithsonian Institution* for 1896 as being 8 October 1895 and concurrent with honorary custodial appointments of W.H. Ashmead for Hymenoptera, E.A. Schwarz for coleopterous larvae, and O.F. Cook for Myriapoda (Anonymous 1898: 20).



including numerous type specimens of Bombyliidae and Asilidae. But this material was all from prior collecting. His collecting expeditions in the West were over and, aside from a short trip to Georgia in May 1895 to investigate watermelon fields, Coquillett rarely ventured out further than his office except on his way to and from home and work. He did not visit other collections, so the building of the collection was to be based on those personal collections made previously, specimens that were given to him or he obtained through exchange, and the continuous receipt of specimens from outside that were sent to the museum for identification or donated for preservation there. When Coquillett first started there were no other dipterists working with him and this was probably fine with him as he rarely “talked shop” with anyone and just diligently worked in his office describing new taxa and revising various groups. A photo taken of the staff about 1905 (Fig. 9) shows the staff there 10 years after his first year of employment and with H.G. Dyar and R.C. Shannon at that time as fellow (Dyar) and future (Shannon) dipterists. Only the top of the head of the shy and retiring Coquillett is visible at the back of the group.

**TABLE 1.** Species per year and per paper proposed by Coquillett.

Year	Species	Papers	Pages	Sp/paper
1886	9	3	12	3.0
1887	47	3	29	15.7
1888	-	-	-	-
1889	1	1	2	1.0
1890	1	1	6	1.0
1891	19	4	22	4.8
1892	27	5	34	5.4
1893	29	8	28	3.6
1894	55	7	40	7.9
1895	138	12	113	11.5
1896	6	3	6	2.0
1897	95	1	156	95.0
1898	106	10	72	10.6
1899	41	7	30	5.9
1900	108	8	120	13.5
1901	101	9	57	11.2
1902	166	8	84	0.8
1903	28	7	39	4.0
1904	125	9	61	13.9
1905	50	5	27	10.0
1906	13	3	5	4.3
1907	8	4	9	2.0
1908	9	1	4	9.0
1909	5	4	5	1.3
1910	30	2	16	15.0
1911	-	-	-	-
1924	1	1	3	1.0
<b>totals</b>	<b>1218</b>	<b>126</b>	<b>980</b>	<b>9.7</b>

**TABLE 2.** Species per family proposed by Coquillett.

Family	New Spp.	Family	New Spp.	Family	New Spp.
Acroceridae	1	Dolichopodidae	15	Phoridae	7
Agromyzidae	14	Drosophilidae	10	Platystomatidae	6
Anthomyiidae	11	Dryomyzidae	2	Psilidae	3
Anthomyzidae	1	Empididae	89	Psychodidae	3
Asilidae	49	Ephydriidae	26	Pyrgotidae	1
Asteiidae	1	Fanniidae	1	Rhagionidae	11
Atelestidae	1	Heleomyzidae	11	Richardiidae	1
Bibionidae	6	Hippoboscididae	7	Sarcophagidae	27
Bolbomyiidae	1	Hybotidae	17	Scathophagidae	21
Bolitophilidae	1	Iteaphila group	3	Scatopsidae	1
Bombyliidae	149	Keroplastidae	11	Scenopinidae	4
Brachystomatidae	1	Lauxaniidae	30	Sciaridae	5
Calliphoridae	4	Limoniidae	14	Sciomyzidae	5
Canacidae	1	Lonchaeidae	1	Sepsidae	1
Carnidae	1	Micropezidae	2	Simuliidae	6
Cecidomyiidae	7	Milichiidae	5	Sphaeroceridae	1
Ceratoopgonidae	70	Muscidae	12	Stratiomyidae	9
Chamaemyiidae	2	Mycetophilidae	32	Syrphidae	28
Chaoboridae	1	Mythicomyiidae	4	Tabanidae	9
Chironomidae	40	Mydidae	3	Tachinidae	201
Chloropidae	24	Neriidae	2	Tephritidae	57
Clusiidae	1	Odiniidae	1	Therevidae	26
Conopidae	8	Oestridae	7	Tipulidae	8
Corethrellidae	1	Opomyzidae	1	Ulidiidae	16
Culicidae	48	Oreogetonidae	1	Vermileonidae	1
Cylindrotomidae	1	Pediciidae	3		
Diadocidiidae	1	Periscelididae	2		

### ***Trouble with Townsend***

After arriving in Washington, D.C., Coquillett published a number of small papers on various Diptera families, but his first major work was his revision of the Tachinidae (Coquillett 1897b). The 154-page revision capped almost a dozen years of work on the family, in which he described his first new taxon in 1889. His supervisor L.O. Howard wrote the forward to the work and explained its significance and importance due to the use of many tachinids in biological control. The first part of the monograph contained extensive lists of host and parasite data in this regard. And with that publication, the pattern continued: any success for Coquillett would soon be followed by trouble.

In this case, Coquillett's work with tachinids caused him to run afoul of the temperamental and quixotic C.H.T. Townsend, also a worker on tachinids. Coquillett did not seek help from others and worked out everything himself, standing by his results. Coquillett was a "lumper" and considered that many taxa (genera and species) could be subject to variability; whereas Townsend was a "splitter" and created new taxa for even the slightest differences in characters. Much to the dismay of Townsend, many of his genera were synonymized by Coquillett (1897b) under existing older genera.



**FIGURE 8.** The U.S. National Museum building ca. 1900. Courtesy Smithsonian Archives.

Townsend was a very unstable personality, and, seeing phantom enemies around every corner, viciously attacked Coquillett, but only after the latter had been deceased for more than ten years (Townsend 1925). Curiously writing in the third person, Townsend's almost delusional ranting on his deceased colleague included false claims that Coquillett had "[a]t the first opportunity secured a transfer" to Washington, D.C.; and that he was "unsparing of his contempt of Townsend and his work, throwing into synonymy every genus and species that Townsend had described up to that time ..." (Townsend 1925). In fact, as we have seen, Coquillett did not secure the transfer at the first opportunity, but was instead recalled to Washington by Riley because of the bad blood that had festered between the California State Agriculture officials and U.S. Department of Agriculture field agents and supervisors. Coquillett's revising the tachinids may have been his own decision, but it could also have been L.O. Howard who suggested the group since Townsend had not done anything on the group for some years after announcing in 1893 he was working on a revision of them. Whatever the case, bad blood would exist between Townsend and Coquillett. A more detailed account of Townsend's aversion to Coquillett can be found in Evenhuis *et al.* (2015).





**FIGURE 9.** Entomology staff of the United States National Museum (ca. 1905): (left to right) unidentified, C.V. Locke, A.N. Caudell, J.C. Crawford, D.W. Coquillett, O. Heidemann, W. Ashmead, H.G. Dyar, E.A. Schwartz, R.C. Shannon. Courtesy Smithsonian Archives, Record Unit 7323, Box 16, Folder: 4.

### *Trouble with Dyar*

Coquillett was generally not one to pick a fight and rarely defended himself; he instead had champions at times to do that honor. With regard to Townsend, his champion was fellow entomologist William Randolph Walton (1873–1952), who was also attacked by Townsend (1913) with regard to a difference of opinion on tachinid taxonomy. Walton (1914) picked up the sword for Coquillett many years before the Townsend (1925) paper, defending Coquillett’s views on classification and taxonomy of tachinids and turned the tables on Townsend by publicizing the numerous deficiencies in Townsend’s own work. With regard to Coquillett’s mosquito works, Coquillett did defend himself against some criticisms by Dyar (Coquillett 1906g), but it was a young woman, Evelyn G. Mitchell, who would come to his defense against Dyar’s criticisms (and he would return the favor by defending her against Dyar’s attacks on her work).

Washington entomologist Harrison Gray Dyar (1866–1929) was apparently thin-skinned and, according to his biographer “best known for his feuds with colleagues and harsh critiques of their work” (Epstein 2016). For whatever reason, Dyar had some ongoing problems with Coquillett, enough so to remove him from the mosquito project they were working on before the first monograph was ever published. As part of the original team on the Carnegie Institution-supported Central American mosquito project, which began in 1903, Coquillett was charged with associating larvae with bred adults. Dyar apparently wanted to quickly publish on his larval classification and demanded Coquillett turn over his material and identifications at once. Coquillett was not yet finished and had question marks for some of his identifications, but he turned the material in to Dyar as requested. Dyar published his paper with Coquillett’s identifications (Dyar & Knab 1906a) but took the question marks off and then disparaged Coquillett’s identifications in print. Coquillett’s (1906g) criticism of Dyar’s paper, “Dr. Dyar’s square dealings”, explained what had actually transpired and essentially exposed the difficult working relationship he had with Dyar.

Evelyn [born “Evelenia”] Groesbeeck Mitchell (1879–1964) was employed from 1904 to 1912 as an illustrator during the production of the Central American mosquito project, all parts eventually authored by Dyar and Frederick Knab (1865–1918) [see Epstein (2016) for more details on Dyar, the project, and his relations with colleagues]. Mitchell had previously been a field assistant and artist to Louisiana Surgeon General and mosquito



worker Dr. James William Dupree. After his death, she attended George Washington University in Washington and received her Master's Degree in 1906. After her contract illustrating and working with mosquitoes in Washington, D.C. was over, Mitchell went back to school and received a medical degree from Howard University. She was an advocate of women's rights and a suffragette, but her career after the National Museum work was as a physician, surgeon, and psychiatrist in Washington, D.C., Philadelphia and Boston, eventually becoming a medical director at the Ring Sanitarium in the last city. She remained in the Boston area and died in Mattapan, Massachusetts in 1964.

While working as an illustrator in Washington, D.C. during the week, she would go home to her parents in New Jersey on weekends and do her writing there. While illustrating for the Central American mosquito project, she was also writing her popular book "Mosquito Life" (Mitchell 1907), which contained her illustrations and notes from her and Dupree's work. In working as an illustrator in Washington, D.C., she was stationed in Coquillett's office and worked closely with him on the illustrations for the Central American mosquitoes since Coquillett was initially part of the project. However, after Dyar removed him from the project, Coquillett continued to publish on Culicidae and still helped Mitchell with her illustrations.

Dyar was quick to provide a review of Mitchell's book (Dyar 1908). At first, his words seemed full of praise, but then he alleged that the authorship should have been Coquillett and that the material she had worked on belonged to others, including the illustrations, which he contended belonged to the Central American mosquito project and the staff in Washington, D.C. However, it was his sarcastic remark that she was a "feminine *Psorophora* among the scientific *Aedids* of Washington" that got him into hot water. No shrinking violet [she had earlier responded harshly to S.W. Williston's (1906) criticism of Coquillett's mosquito classification in<sup>5</sup> 1906], Mitchell sued Dyar for libel, asking for \$35,000 in damages. In the meantime, Coquillett came to her defense with a rare editorial (Coquillett 1908a) in which he told how Mitchell had been assigned to Dyar but after a few weeks she complained of intolerable working conditions and threatened to quit. Coquillett arranged for her to continue her illustrating by making room for her in his office. He then explained that the material she wrote was genuinely hers and that the illustrations were made from sketches she had made while in the employ of Dr. Dupree. He finished with a defense of Mitchell's honesty: "The author's well-known scientific probity should have precluded the possibility of any personal attack."

In Mitchell's (1908) reply to Dyar's critical remarks, she defended Coquillett in saying he had no knowledge of her writings (they were written when she was in New Jersey) until they were ready to be sent to the publisher and took the high road in saying she was flattered he would think of her as a *Psorophora* since they are "large, beautiful, not a frequent nuisance, but an exterminator of common and pestiferous *Aedids*."

It is apparent that Mitchell much preferred working with Coquillett than Dyar and, as Epstein (2016) indicated, by the time of her lawsuit, she and Coquillett had developed a good working relationship.

### Later Years

Coquillett's final major publications were in 1910. The *magnum opus* of that year was his catalog of types of North American Diptera, in which numerous subsequent type designations were proposed (Coquillett 1910c). It is still to this day a major reference work for dipterists. The only difficulty with that work is that Coquillett followed the minority of dipterists at the time in treating Meigen 1800 names having priority over those in Meigen (1803). This confusion of two schools of name usage arose after Hendel (1908) published his re-discovery of the Meigen (1800) pamphlet and urged dipterists to follow priority and use those names instead of the more commonly used Meigen (1803) names. In 1911, a few months before his death, Coquillett published a short note in *The Canadian Entomologist* on the Meigen 1800 names (Coquillett 1911) where he lamented the ICZN ruling that the work was published in the sense of the *Code* (I.C.Z.N. 1910), expressing frustration that the Commission failed to rule on the names but could only rule on the work itself. This 1911 paper was to be the last he personally submitted for publication<sup>6</sup> and it is somehow harmonious that his first and last entomological paper he submitted to an entomological journal should be in *The Canadian Entomologist*.

In the fall of 1910, Coquillett's health began to suffer. After a few months of steady decline, he was concerned

---

5. Mitchell, E.G. 1906. The classification of the Culicidae. *The Canadian Entomologist*, 38, 198–201.

6. A paper was published posthumously, 1924, in the *Proceedings of the Entomological Society of Washington* (Coquillett, 1924), but was submitted by J.M. Aldrich based on a manuscript Coquillett sent abroad in 1909 but had never published.

enough that he drafted a will on 25 June 1911. He decided to go to Atlantic City, which was well-known as a health resort, hoping that venue might help improve his situation. The sea spray and drier climes near the beach were touted as being rejuvenating and calming. It is not known exactly where Coquillett stayed while there, but a witness to his will, C. Hilliard Gale, resided at 208 Melrose Avenue in Atlantic City and he may well have gone there (T. Carpenter, pers. comm. 2017). On Saturday 8 July he passed away. One newspaper notice of his death said he had died of “heart disease brought on by prolonged anxiety” (Anonymous 1911a). Daniel William Coquillett was interred next to his parents at the Coquillette family plot in Marengo, Illinois. His gravestone (Fig. 10) reads “Daniel W. Coquillett / Jan. 23, 1856 July 8, 1911 / 1st Asst. U.S. Entomologist 1896 – 1911”.



**FIGURE 10.** Gravestone of D.W. Coquillett in the Coquillette family plot in Marengo, Illinois. Photo by Phyllis Wallington.

Despite the turmoil he endured from his few attackers in life, Coquillett was praised by his colleagues in death:

“Quiet and unassuming, he sought no help from others, but always worked out everything for himself, and abided by that result. Among the younger entomologists and collectors he was popular from the fact that he was prompt in describing new species in the collections made by them and referred to him for determination, thus encouraging them in making further collections and kind to others, he willingly neglected his own work to help them in the identification of Diptera, and his loss in this respect leaves a serious gap in American Entomology” (Banks *et al.* 1911: 199).

Although preferring solitude, he maintained memberships in many professional societies until his passing including the Washington Academy of Sciences (a charter member), the Entomological Society of Washington (twice its president, 1903, 1904), the Association of Economic Entomologists, the Entomological Society of America (an elected Fellow), the Brooklyn Entomological Society, and the American Association for the Advancement of Science (Anonymous 1911b, Wade 1936).

### ***Note on Nomenclatural Habits***

In cataloging the genus-group names of Coquillett, I noticed a pattern regarding his orthography of names. Early in his career, Coquillett would spell names as he found them in the literature available to him (while in California, this was unfortunately limited). These papers and books sometimes did not include the original literature, so he would be forced to rely on the accuracy of the orthography of names in the subsequent literature. This led to incorrect subsequent spellings of names (for example, the “-mya” names of Robineau-Desvoidy being spelled as “-myia”). However, when he finally obtained the original literature, he used the correct original spelling.

He was particularly diligent about recording these names in their original orthography despite cases of their incorrect Latinizations. In later papers, in a list of synonyms, the correct original spelling was used, but in the narrative, Coquillett would use the “correct” Latinization or his “emended” orthography. In these cases, because some names were considered as junior synonyms by Coquillett, one might argue that he did not “adopt” the corrected spelling since a name he treated as a junior synonym was not “adopted” by him as the valid taxonomic name. However, it is clear that he made a purposeful correction when he used the corrected spelling in the narrative and does so consistently in his works. Thus, I here treat these cases as emendations when the requirements of the *Code* for such are met.

### **Collections**

Coquillett kept his early types in his personal collection, but upon employment in Washington, D.C., donated all of his collection including types to the U.S. National Museum in Washington, D.C. After 1895, Coquillett was particularly punctilious about giving the USNM type numbers for his new species in his publications as an aid in the tracking of them. Types exist in other museums if they derived from borrowed material or material designated to be deposited elsewhere other than the U.S. National Museum (e.g., some material from C.W. Johnson are in MCZ).

Previous workers who have studied types or have published remarks on the Coquillett material include the following (not intended to be exhaustive list): Arnaud (1963; Tachinidae in AMNH), Barber (1985; *Pseudodinia*), Bilyj (1985; *Tanytus pallens*), Bush (1965; *Zomosemata*), Chandler (1981; *Epicypa*), Cole (1922; Therevidae), Crosskey (1967; Oriental Tachinidae), Foote (1960; North American *Trupanea*), Frick (1957; New World Agromyzidae), Hall (1981; *Paravilla*), Gagné (1986; *Prodiptosis*), Gaimari (2012; Chamaemyiidae), Grogan & With (1975; *Clinohalea*), Hall & Evenhuis (1980, 1981, 1982, 1984, 1986, 1987, 2004; Nearctic Bombyliidae), Hull (1962; Asilidae; 1973; Bombyliidae), Jenkins & Turner (1989; *Tephritis*), Johnson & Johnson (1959; Bombyliidae), Knutson *et al.* (1985; Sciomyzidae), Mathis & Zatwarnicki (2013; *Hydrochasma*), Melander (1918; *Drapetis*), O'Hara (2012; *Euthera*), Miller (1976; *Homoneura*), Painter (1940; Nearctic Bombyliidae), Roback (1971; Nearctic Tanypodinae), Sabrosky (1950; *Chaetochlorops*, *Eugaurax*; 1959; *Odinia*; 1981; *Eucelatoria*, discussion of type numbering and USNM type ledger), Silva (2011; Chironomidae in MCZ), Sinclair (2008; New World *Clinocera*), Steffan (1965; *Sciara tritici*, 1968; *Eugnoriste occidentalis*; 1977, 1980; *Toxorhynchites*), Steyskal (1963; *Traginops*), Stone & Knight (1955, 1956, 1957a, 1957b; Culicidae), Sublette (1966; Chironomidae in USNM), Vockeroth (1990; *Platycheirus*), Wirth & Jones (1957; *Culicoides*), Wood (1985; Blondeliini).

### **Context of the catalog**

Since 1984, the Diptera community has been working towards a unified, shared, authoritative resource for names of Diptera, the *Systema Dipterorum* [formerly Biosystematic Database of World Diptera] (see <http://www.diptera.org/>), which is now close to having completed the harvest of all names from the major primary and



secondary sources (for a brief overview and history, see Evenhuis *et al.*, 2010a). The family-group names of Diptera were completed by Sabrosky (1999). The next step is publication of a fully peer-reviewed World List of Diptera Genus-Group Names. The present study represents the sixth installment in a series of planned “Nomenclatural Studies Toward a World List of Diptera Genus-Group Names”. While the ultimate goal is a complete World List of Diptera Genus-Group Names, the presently planned series of papers is targeted at a subset of these names, i.e., those proposed by some of the most productive early authors. The following are those for whom work has begun or has been published: A.J.-B. Robineau-Desvoidy (Evenhuis *et al.*, 2010), C. Rondani (O’Hara *et al.*, 2011), C.R.W. Wiedemann (Evenhuis & Pont, 2013), C.H.T. Townsend (Evenhuis *et al.*, 2015), P.-J.-M. Macquart (Evenhuis *et al.* 2016); J.W. Meigen (Evenhuis & Pape, in preparation), G. Enderlein, and H. Loew.

## Format of Catalog

The list of genus-group names below presents all names proposed by Coquillett and those names or spellings attributed to Coquillett that were found during the preparation of this paper. The format follows that used by Evenhuis *et al.* (2015) and the explanation of the format given here is reproduced from that work with little change.

**HEADING:** All nomenclaturally available genus-group names are numbered. Of those, names that are taxonomically valid are placed in **boldface**. All taxonomically invalid names (junior synonyms, junior homonyms, unjustified emendations) are presented in *italics*. Nomenclaturally unavailable names (incorrect spellings, *nomina nuda*) are placed in square brackets [ ] and are unnumbered. The date and page for the first appearance of the published name is given for all names and its full citation can be found in the references. Secondary proposals of genus-group names or subsequent publications of emendations and incorrect subsequent spellings are given in square brackets after the date and page of its first appearance.

**ORIGINALLY INCLUDED SPECIES:** A full list of originally included species is given with original combination, author and date (including names proposed in synonymy), all of which are essential in determining valid typifications of genus-group names.

**TYPE SPECIES:** The type species is listed in its original combination and orthography and with its form of typification. If it is currently considered a junior synonym (or an invalid senior synonym) of another nominal species, then the name of the latter species is given in square brackets.

**CURRENT STATUS:** Current status follows the most recent world or regional catalogs for various families as well as the latest revisionary work(s) for that particular genus-group name if superseding a previously published catalog treatment. For cases of unavailable names (i.e., those names that by definition do not enter into nomenclature or synonymy) I use the phrase “treated under” to indicate the current placement of the name.

**FAMILY:** Family assignment follows the family standards of the *Systema Dipteriorum* (Pape & Thompson, 2013).

**REMARKS:** Genus-group names or typifications needing further clarification or presenting nomenclatural or taxonomic problems are annotated. For all cases of multiple original spellings of a genus-group name, the First Reviser to have selected one of them as the correct original spelling is indicated.

**EMENDATIONS:** All known emendations of each genus-group name are listed with an indication of their justification in parenthesis. This list is probably not exhaustive, but presents those emendations that have been previously recorded or have been found during this study and appear as new synonymies. The ICZN *Code* Article 33.2 states that emendations are “Any demonstrably intentional change in the original spelling of a name other than a mandatory change” and three criteria are given in Article 33.2.1 that can each be used independently of the other two criteria in determining what is considered “demonstrably intentional”: **1.** “when in the work itself or in an author’s (or publisher’s) corrigenda, there is an explicit statement of intention”; or **2.** “when both the original and the changed spelling are cited and the latter is adopted in place of the former”; or **3.** “when two or more names in the same work are treated in a similar way”. I interpret “treated in a similar way” to mean any similarity (as perceived by me and explained for new synonymies) in spelling changes between two or more names irrespective of other changes that may also have been made to those names. Only those spellings where an identical spelling has not previously been published, and subsequent usage of that spelling therefore is not possible, are considered eligible as emendations by way of a similar treatment. This requirement of being a new (i.e., first) spelling change would pertain to both (or all) names that are “treated in a similar way”, but I have not made an exhaustive search



for any previous use of a similarly changed spelling for the other name(s) involved when these are not Coquillett names, as this would have been prohibitively time consuming.

Few workers have realized the significance of criterion 3, since this can include names that may previously have been recognized as incorrect subsequent spellings. However, if there are two or more names in the same work that are “treated in a similar way” they will both (or all) become emendations [i.e., available names]. Incidentally, it should be noted that the ICZN *Code* does not specify that these “two or more names” necessarily have to be of the same rank. As a result, there are no doubt numerous uncataloged emendations in published papers of what were previously thought to be merely incorrect subsequent spellings that have escaped notice. Also, it may not be possible to distinguish between a newly proposed emendation by means of criterion 3 and an acceptance of an earlier emendation or the usage of an incorrect subsequent spelling. I have chosen to consider the earliest cases of such emendations through similar treatment as separate emendations; later homonymous changed spellings that fit criterion 3 whether by the same author or others are here considered subsequent usages (i.e., incorrect subsequent spellings) as they essentially fit ICZN *Code* Article 33.5. For the present work I have listed homonymous emendations if they have appeared in the literature irrespective of the criterion under which they qualify as emendations. Two additional issues relating to this are that an incorrect original spelling fixed by a First Reviser cannot become an emendation; and that it is possible for an incorrect subsequent spelling to become an emendation by criterion 1 or 2 but not by criterion 3. Those earliest discovered emendations that are indicated here as “new synonymies” are junior synonyms of the current valid genus-group name given above it in the CURRENT STATUS line. I have not made an extensive search for unpublished emendations by the next authors in our nomenclatural studies series (e.g., Enderlein, and Loew), as these will be thoroughly dealt with in those studies. An explanation of the justification of each emendation made by workers other than Coquillett and listed as “**n. syn.**” [= new synonymy] is given in Appendix I.

Synonymies: I understand that emendations are orthographic variants at the time of their proposal and will automatically be synonyms of the names they intend to emend, so as synonyms they cannot be “new”. I prefer instead to list each newly discovered unjustified emendation as a “new synonymy”, following the ICZN *Code* Glossary definition (2) of synonymy as “A list of synonyms”. I use the “new synonymy” as a tag to notify our readers and relevant abstracting services of those cases where an available name that has not previously been documented as such is newly recognized as being part of such a list.

A summary list at the end of the genus-group name catalog gives a breakdown of the genus-group names proposed by Coquillett by family and maintains the same formatting of boldface, italics, etc. to indicate nomenclatural and taxonomic status.

Abbreviations: I abbreviate the International Commission on Zoological Nomenclature as “I.C.Z.N.” for literature references in the catalog. To further differentiate, I use “ICZN *Code*” to refer to the “International Code of Zoological Nomenclature (1999)” and “ICZN Commission” to refer to the actual Commission.

## Catalog of the Diptera Genus-Group Names of Daniel William Coquillett

[*Acemyia*] **Coquillett, 1895m: 311.**

CURRENT STATUS: Incorrect subsequent spelling of *Acemya* Robineau-Desvoidy, 1830 or subsequent usage of *Acemyia* Macquart, 1834.

FAMILY: TACHINIDAE.

REMARKS: Criteria to make this name available as an emendation were not found to be fulfilled in these works. The earliest mention of *Acemya* Robineau-Desvoidy, 1830 that I have found in the study using the spelling “*Acemyia*” is *Acemyia* Macquart (1834: 131) as an unjustified emendation [*teste* Evenhuis *et al.* (2016: 25)].

**1. *Acemyia* Coquillett, 1897b: 115.**

CURRENT STATUS: Unjustified emendation of *Acemya* Robineau-Desvoidy, 1830; junior synonym of *Acemya* Robineau-Desvoidy, 1830. **New synonymy.**

FAMILY: TACHINIDAE.

REMARKS: Name made available by virtue of the original and changed spellings appearing together in the same work and the changed spelling adopted.

**2. *Achaetomus* Coquillett, 1907a: 75.**

ORIGINALLY INCLUDED SPECIES: *Achaetomus pilosus* Coquillett, 1907a.

TYPE SPECIES: *Achaetomus pilosus* Coquillett, 1907a [= *Helomyza tinctoria* Walker, 1849b], by original designation.

CURRENT STATUS: Junior synonym of *Scoliocentra* Loew, 1862a [teste Poole (1996: 172)].

FAMILY: HELEOMYZIDAE.

**3. *Acicephala* Coquillett, 1898f: 163.**

ORIGINALLY INCLUDED SPECIES: *Acicephala polita* Coquillett, 1898f; *Acicephala pilosella* Coquillett, 1898f.

TYPE SPECIES: *Acicephala polita* Coquillett, 1898f, by original designation.

CURRENT STATUS: Valid subgenus of *Cordilura* Fallén, 1810 [teste Hockett & Vockeroth (1965: 828)].

FAMILY: SCATHOPHAGIDAE.

**[*Aecothea*] Coquillett, 1910c: 503.**

CURRENT STATUS: Incorrect subsequent spelling of *Oecothea* Haliday in Curtis, 1837 or subsequent usage of *Aecothea* Haliday, 1838.

FAMILY: HELEOMYZIDAE.

REMARKS: Criteria to make this name available as an emendation were not found to be fulfilled in this work. The earliest mention of *Oecothea* Haliday in Curtis, 1837 that I have found in this study using the spelling “*Aecothea*” is *Aecothea* Haliday (1838: 187) as an unjustified emendation [teste Thompson & Mathis (1980: 86)].

**4. *Aldrichia* Coquillett, 1894a: 93.**

ORIGINALLY INCLUDED SPECIES: *Aldrichia ehrmanii* Coquillett, 1894a.

TYPE SPECIES: *Aldrichia ehrmanii* Coquillett, 1894a, by monotypy.

CURRENT STATUS: Valid genus [teste Evenhuis & Greathead (1999: 189)].

FAMILY: BOMBYLIIDAE.

**5. *Amphicosmus* Coquillett, 1891b: 3(219).**

ORIGINALLY INCLUDED SPECIES: *Amphicosmus elegans* Coquillett, 1891b.

TYPE SPECIES: *Amphicosmus elegans* Coquillett, 1891b, by monotypy.

CURRENT STATUS: Valid genus [teste Evenhuis & Greathead (1999: 283)].

FAMILY: BOMBYLIIDAE.

**6. *Apinops* Coquillett, 1897b: 67.**

ORIGINALLY INCLUDED SPECIES: *Apinops atra* Coquillett, 1897b.

TYPE SPECIES: *Apinops atra* Coquillett, 1897b, by original designation.

CURRENT STATUS: Junior synonym of *Besseria* Robineau-Desvoidy, 1830 [teste O'Hara & Wood (2004: 213)].

FAMILY: TACHINIDAE.

**7. *Apocephalus* Coquillett, 1901e: 501**

ORIGINALLY INCLUDED SPECIES: *Apocephalus pergandei* Coquillett, 1901e.

TYPE SPECIES: *Apocephalus pergandei* Coquillett, 1901e, by original designation.

CURRENT STATUS: Valid genus [teste Brown & LeBrun (2010: 2)].

FAMILY: PHORIDAE.

**8. *Apomidas* Coquillett, 1892f: 315.**

ORIGINALLY INCLUDED SPECIES: *Apomidas trochilus* Coquillett, 1892f.

TYPE SPECIES: *Apomidas trochilus* Coquillett, 1892f, by monotypy.

CURRENT STATUS: Junior synonym of *Rhaphiomidas* Osten Sacken, 1877 [teste Poole (1996: 52)].

FAMILY: MYDIDAE.

[Aporomyia] **Coquillett, 1897b: 95.**

CURRENT STATUS: Incorrect subsequent spelling of *Aporomya* Robineau-Desvoidy, 1830 or subsequent usage of *Aporomyia* Schiner, 1861.

FAMILY: TACHINIDAE.

REMARKS: Although this name could be seen as being available as an emendation by virtue of similar spelling changes in the same work from “mya” to “myia”, the earliest mention of *Aporomya* Robineau-Desvoidy, 1830 that I have found in this study using the spelling “*Aporomyia*” is *Aporomyia* Schiner (1861: 457) as an unjustified emendation [*teste* O’Hara *et al.* 2011: 33)].

**9. Arctobiella Coquillett, 1902f: 188.**

ORIGINALLY INCLUDED SPECIES: *Arctobiella obscura* Coquillett, 1902f.

TYPE SPECIES: *Arctobiella obscura* Coquillett, 1902f, by original designation.

CURRENT STATUS: Junior synonym of *Dasiops* Rondani, 1856 [*teste* Poole (1996: 176)].

FAMILY: LONCHAEIDAE.

[Argyramoeba] **Coquillett, 1894a: 95.**

CURRENT STATUS: Incorrect subsequent spelling of *Argyromoeba* Schiner, 1860 or subsequent usage of *Argyramoeba* Loew, 1869.

FAMILY: BOMBYLIIDAE.

REMARKS: Criteria to make this name available as an emendation were not found to be fulfilled in this work. The earliest mention of *Argyromoeba* Schiner, 1860 that I have found in this study using the spelling “*Argyramoeba*” is *Argyramoeba* Loew (1869: 228) as an unjustified emendation [*teste* Evenhuis & Greathead (1999: 322)].

[Argyramoebe] **Coquillett, 1894a: 96.**

CURRENT STATUS: Incorrect subsequent spelling of *Argyromoeba* Schiner, 1860.

FAMILY: BOMBYLIIDAE.

REMARKS: Criteria to make this name available as an emendation were not found to be fulfilled in this work.

**10. Aspidoptera Coquillett, 1899i: 334.**

ORIGINALLY INCLUDED SPECIES: *Aspidoptera busckii* Coquillett, 1899i.

TYPE SPECIES: *Aspidoptera busckii* Coquillett, 1899i, by original designation.

CURRENT STATUS: Valid genus [*teste* Dick *et al.* (2016: 790)].

FAMILY: HIPPOBOSCIDAE.

**11. Ateloglossa Coquillett, 1899g: 219, 269 [index].**

ORIGINALLY INCLUDED SPECIES: *Ateloglossa cinerea* Coquillett, 1899g.

TYPE SPECIES: *Ateloglossa cinerea* Coquillett, 1899g, by monotypy.

CURRENT STATUS: Valid genus [*teste* O’Hara & Wood (2004: 20)].

FAMILY: TACHINIDAE.

REMARKS: There are two original spellings of this nominal genus in this work: *Ateloglossa* (page 219) and *Ateloglossa* (page 269; the index to the journal). By subsequent usage by the same author (ICZN *Code* Art. 24.2.4), Coquillett (1910c: 511) acted as First Reviser and chose *Ateloglossa* as the correct original spelling; Sabrosky & Arnaud (1965: 986) also chose *Ateloglossa* as the correct original spelling, but this was later.

[Ateloglossa] **Coquillett, 1899g: 219**

CURRENT STATUS: Incorrect original spelling of *Ateloglossa* [*teste* Coquillett (1910c: 511)].

FAMILY: TACHINIDAE.

[Barpleygma] **Coquillett, 1910c: 513.**

CURRENT STATUS: Incorrect spelling of *Baryplegma* Wulp, 1899.

FAMILY: TEPHRITIDAE.

REMARKS: Criteria to make this name available as an emendation were not found to be fulfilled in this work.

[Baumhauria] **Coquillett, 1890: 235.**

CURRENT STATUS: Incorrect spelling of *Baumhaueria* Meigen, 1838 or subsequent usage of *Baumhauria* by Burgess (1872).

FAMILY: TACHINIDAE.

REMARKS: Criteria to make this name available as an emendation were not found to be fulfilled in this work. The earliest mention of *Baumhaueria* Meigen, 1838 that I have found in this study using the spelling “*Baumhauria*” is by Burgess (1872: 123) as an incorrect subsequent spelling [*teste* this study].

**12. Bibiodes Coquillett, 1904h: 171.**

ORIGINALLY INCLUDED SPECIES: *Bibiodes halteralis* Coquillett, 1904h.

TYPE SPECIES: *Bibiodes halteralis* Coquillett, 1904h, by original designation.

CURRENT STATUS: Valid genus [*teste* Skartveit & Nel (2017: 75)].

FAMILY: BIBIONIDAE.

[Bibioides] **Coquillett, 1910c: 514.**

CURRENT STATUS: Incorrect subsequent spelling of *Bibiodes* Coquillett, 1904h.

FAMILY: BIBIONIDAE.

REMARKS: Criteria to make this name available as an emendation were not found to be fulfilled in this work.

[Bigonichaeta] **Coquillett, 1897b: 56.**

CURRENT STATUS: Incorrect subsequent spelling of *Bigonicheta* Rondani, 1845 or subsequent usage of *Bigonichaeta* Schiner, 1864.

FAMILY: TACHINIDAE.

REMARKS: Criteria to make this name available as an emendation were not found to be fulfilled in this work. The earliest mention of *Bigonicheta* Rondani, 1845 that I have found in this study using the spelling “*Bigonichaeta*” is *Bigonichaeta* Schiner, 1864 as an unjustified emendation [*teste* O’Hara *et al.* (2011: 36)].

**13. Biomyia Coquillett, 1897b: 10, 81.**

CURRENT STATUS: Unjustified emendation of *Biomya* Rondani, 1856; junior synonym of *Zaira* Robineau-Desvoidy, 1830 [*teste* O’Hara & Wood (2004: 111)].

FAMILY: TACHINIDAE.

REMARKS: Name made available by virtue of the original and changed spellings appearing together in the same work and the changed spelling being adopted.

[Blepharoptera] **Coquillett, 1900i: 457 [1904i: 71].**

CURRENT STATUS: Incorrect subsequent spelling of *Blephariptera* Macquart, 1835 or subsequent usage of *Blepharoptera* Agassiz, 1846.

FAMILY: HELEOMYZIDAE.

REMARKS: Criteria to make this name available as an emendation were not found to be fulfilled in these works. The earliest mention of *Blephariptera* Macquart, 1835 that I have found in this study using the spelling “*Blepharoptera*” is *Blepharoptera* Agassiz, 1846 as an unjustified emendation [*teste* Evenhuis *et al.* (2016: 35)].



**14. *Boreodromia* Coquillett, 1903c: 247, 260.**

ORIGINALLY INCLUDED SPECIES: *Synamphotera bicolor* Loew, 1863.

TYPE SPECIES: *Synamphotera bicolor* Loew, 1863, by original designation.

CURRENT STATUS: Valid genus [*teste* Sinclair (2008: 52)].

FAMILY: BRACHYSTOMATIDAE.

REMARKS: There are two original spellings of this nominal genus in this work: *Boreodromia* pages, 247, 260) and *Boreomyia* (page 264). By subsequent usage of the same author (ICZN Code Art. 24.2.4), Coquillett (1910c: 515) acted as First Reviser and chose *Boreodromia* as the correct original spelling of this nominal genus.

**[*Boreomyia*] Coquillett, 1903c: 264.**

CURRENT STATUS: Incorrect original spelling of *Boreodromia* Coquillett, 1903c [*teste* Coquillett (1910c: 515)].

FAMILY: BRACHYSTOMATIDAE.

**[*Brachycoma*] Coquillett, 1894d: 172 [1897b: 10, 34, 131; 1898e: 236; 1902c: 116, 117].**

CURRENT STATUS: Incorrect subsequent spelling of *Brachicoma* Rondani, 1856 or subsequent usage of *Brachycoma* Brauer & Bergenstamm, 1889.

FAMILY: SARCOPHAGIDAE.

REMARKS: Criteria to make this name available as an emendation were not found to be fulfilled in these works. The earliest mention of *Brachicoma* Rondani, 1856 that I have found in this study using the spelling “*Brachycoma*” is *Brachycoma* Brauer & Bergenstamm, 1889 as an unjustified emendation [*teste* Evenhuis *et al.* (2015: 64)].

**[*Brachystomus*] Coquillett, 1910c: 516.**

CURRENT STATUS: Incorrect subsequent spelling of *Brachytomus* Costa, 1857.

FAMILY: TABANIDAE.

REMARKS: Criteria to make this name available as an emendation were not found to be fulfilled in this work.

**15. *Cacomyia* Coquillett, 1906e: 16, 25.**

ORIGINALLY INCLUDED SPECIES: *Haemagogus albomaculatus* Theobald, 1903; *Haemagogus equinus* Theobald, 1903.

TYPE SPECIES: *Haemagogus albomaculatus* Theobald, 1903, by subsequent designation (Coquillett, 1910c: 516).

CURRENT STATUS: Junior synonym of *Haemagogus* Williston, 1896 [*teste* Guimarães (1997: 47)].

FAMILY: CULICIDAE.

**16. *Calopterella* Coquillett, 1910c: 517, 616.**

ORIGINALLY INCLUDED SPECIES: *Diastata vagans* Loew, 1864; *Diastata adusta* Meigen, 1830.

TYPE SPECIES: *Diastata adusta* Meigen, 1830, automatic [the same species by subsequent designation for *Trichoptera* Lioy, 1864 by Coquillett (1910c: 616)].

CURRENT STATUS: New replacement name for *Trichoptera* Lioy, 1864; junior synonym of *Diastata* Meigen, 1830 [*teste* Mathis & Barraclough (2011: 243)].

FAMILY: DIASTATIDAE.

REMARKS: In proposing the replacement name *Calopterella* for the preoccupied *Trichoptera* Lioy, 1864, Coquillett (1910c: 517; *Calopterella* mislabeled as “new genus”, but it was obviously meant to replace *Trichoptera* Lioy, which is clearly indicated as “preoccupied”) designated *Diastata vagans* Loew, 1864 as its type species. At the time of Coquillett’s (1910c) work, *Trichoptera* Lioy was without a type species, so a type fixation was needed from the two originally included species. In the same work, but further on alphabetically under the entry for *Trichoptera* Lioy, 1864, Coquillett (1910c: 616) indicated *Calopterella* was a new replacement name for *Trichoptera* Lioy, 1864 and designated *Diastata adusta* Meigen, 1830 as the type species for *Calopterella*. Thus, there are two type species for the same generic concept. Fortunately, *Diastata vagans* Loew, 1864 [December] was described subsequent to (and was not one of the two species originally included in)

*Trichoptera* by Lioy (1864 [22 June]) [which were *Diastata adusta* Meigen, 1830 and *Diastata claripennis* Macquart, 1835], so *Diastata vagans* Loew, 1864 is an invalid designation on page 517. The type species for both *Calopterella* Coquillett, 1910c and *Trichoptera* Lioy, 1864 is thus *Diastata adusta* Meigen, 1830. Mathis & Barraclough (2011: 243) interpreted Coquillett's *Calopterella* on page 517 as a proposal of a new genus (not a new replacement name), acted as First Revisers, and chose the nomenclatural act of *Calopterella* (page 517) over *Calopterella* (page 616). However, since Coquillett was replacing *Trichoptera* Lioy, 1864, which was clearly marked as preoccupied, their First Reviser action is invalid as the type fixation of *Diastata vagans* Loew, 1864 on page 517 because it a species that was not originally included in Lioy (1864).

[Carphotriche] **Coquillett, 1899j: 264.**

CURRENT STATUS: Incorrect subsequent spelling of *Carphotricha* Loew, 1862c.

FAMILY: TEPHRITIDAE.

REMARKS: Criteria to make this name available as an emendation were not found to be fulfilled in this work.

[Cassidomyia] **Coquillett, 1890: 234.**

CURRENT STATUS: Incorrect subsequent spelling of *Cassidaemyia* Macquart, 1835 or subsequent usage of *Cassidomyia* by Packard (1869).

FAMILY: TACHINIDAE.

REMARKS: Criteria to make this name available as an emendation were not found to be fulfilled in this work. The earliest mention of *Cassidaemyia* Macquart, 1835 that I have found in this study using the spelling “*Cassidomyia*” is by Packard (1869: 408) as an incorrect subsequent spelling [*teste* this study].

**17. Celatoria Coquillett, 1890: 235.**

ORIGINALLY INCLUDED SPECIES: *Celatoria crawii* Coquillett, 1890.

TYPE SPECIES: *Celatoria crawii* Coquillett, 1890 [= *Tachina diabrotica* Shimer, 1871], by original designation.

CURRENT STATUS: Valid genus [*teste* O'Hara & Wood (2004: 81)].

FAMILY: TACHINIDAE.

[Centrocera] **Coquillett, 1910c: 519.**

CURRENT STATUS: Incorrect subsequent spelling of *Centriocera* Pokorny, 1893.

FAMILY: MUSCIDAE.

REMARKS: Criteria to make this name available as an emendation were not found to be fulfilled in this work.

**18. Ceratobarys Coquillett, 1898d: 45.**

ORIGINALLY INCLUDED SPECIES: *Hippelates eulophus* Loew, 1872.

TYPE SPECIES: *Hippelates eulophus* Loew, 1872, by monotypy.

CURRENT STATUS: Junior synonym of *Elachiptera* Macquart, 1835 [*teste* Nartshuk & Tschirnhaus (2012: 47)].

FAMILY: CHLOROPIDAE.

[Ceroplatus] **Coquillett, 1894c: 126 [1901d: 594; 1905c: 68].**

CURRENT STATUS: Incorrect subsequent spelling of *Keroplatus* Bosc, 1792 or subsequent usage of “*Ceroplatus*” by Fabricius (1798).

FAMILY: KEROPLATIDAE.

REMARKS: Criteria to make this name available as an emendation were not found to be fulfilled in these works. The earliest mention of *Keroplatus* Bosc, 1792 that I have found in this study using the spelling ‘*Ceroplatus*’ is by Fabricius (1798: 550) as an incorrect subsequent spelling.

**19. *Chaetoclusia* Coquillett, 1904f: 93.**

ORIGINALLY INCLUDED SPECIES: *Chaetoclusia bakeri* Coquillett, 1904f.

TYPE SPECIES: *Chaetoclusia bakeri* Coquillett, 1904f, by original designation.

CURRENT STATUS: Valid genus [*teste* Lonsdale & Marshall (2006: 168)].

FAMILY: CLUSIIDAE.

**[*Chaetolyga*] Coquillett, 1897b: 124, 125 [1902c: 115].**

CURRENT STATUS: Incorrect subsequent spelling of *Chetoliga* Rondani, 1856 or subsequent usage of *Chaetolyga* Brauer, 1880.

FAMILY: TACHINIDAE.

REMARKS: Criteria to make this name available as an emendation were not found to be fulfilled in these works. The earliest mention of *Chetoliga* Rondani, 1856 that I have found in this study using the spelling “*Chaetolyga*” is *Chaetolyga* Brauer, 1880 as an unjustified emendation [*teste* Evenhuis *et al.* (2015: 72)].

**20. *Chaetophleps* Coquillett, 1895h: 51.**

ORIGINALLY INCLUDED SPECIES: *Chaetophleps setosa* Coquillett, 1895h.

TYPE SPECIES: *Chaetophleps setosa* Coquillett, 1895h, by original designation.

CURRENT STATUS: Junior synonym of *Celatoria* Coquillett, 1890 [*teste* O’Hara & Wood (2004: 81)].

FAMILY: TACHINIDAE.

**21. *Chaetoplagia* Coquillett, 1895i: 98.**

ORIGINALLY INCLUDED SPECIES: *Chaetoplagia atripennis* Coquillett, 1895i.

TYPE SPECIES: *Chaetoplagia atripennis* Coquillett, 1895i, by original designation.

CURRENT STATUS: Valid genus [*teste* O’Hara & Wood (2004: 53)].

FAMILY: TACHINIDAE.

**22. *Chaetosa* Coquillett, 1898f: 163.**

ORIGINALLY INCLUDED SPECIES: *Cordilura punctipes* Meigen, 1826 (as “*Cordylura*”)

TYPE SPECIES: *Cordilura punctipes* Meigen, 1826 (as “*Cordylura*”), by original designation.

CURRENT STATUS: Valid genus [*teste* Poole (1996: 232)].

FAMILY: SCATHOPHAGIDAE.

**[*Chilosia*] Coquillett, 1900i: 426 [1904i: 40].**

CURRENT STATUS: Incorrect subsequent spelling of *Cheilosia* Meigen, 1822 or subsequent usage of *Chilosia* Agassiz, 1846.

FAMILY: SYRPHIDAE.

REMARKS: Criteria to make this name available as an emendation were not found to be fulfilled in these works. The earliest mention of *Cheilosia* Meigen, 1822 that I have found in this study using the spelling “*Chilosia*” is *Chilosia* Agassiz, 1846, as an unjustified emendation [*teste* this work].

**[*Chrysochlamys*] Coquillett, 1898i: 327.**

CURRENT STATUS: Incorrect subsequent spelling of *Chrysoclamis* Walker, 1851 or subsequent usage of *Chrysochlamys* Rondani, 1856.

FAMILY: SYRPHIDAE.

REMARKS: Criteria to make this name available as an emendation were not found to be fulfilled in this work. The earliest mention of *Chrysoclamis* Walker, 1851 I have found in this study using the spelling “*Chrysochlamys*” is *Chrysochlamys* Rondani, 1856 as an unjustified emendation [*teste* O’Hara *et al.* (2011: 59)].

[*Chrysomyia*] **Coquillett, 1900f: 255 [1901k: 375].**

CURRENT STATUS: Incorrect subsequent spelling of *Chrysomya* Robineau-Desvoidy, 1830 or subsequent usage of *Chrysomyia* Macquart, 1835.

FAMILY: CALLIPHORIDAE.

REMARKS: Criteria to make this name available as an emendation were not found to be fulfilled in these works. The earliest mention of *Chrysomya* Robineau-Desvoidy, 1830 that I have found in this study using the spelling “*Chrysomyia*” is *Chrysomyia* Macquart, 1835: 251 as an unjustified emendation [*teste* Evenhuis *et al.* (2016: 44)].

[*Chrysopila*] **Coquillett, 1898i: 307.**

CURRENT STATUS: Incorrect subsequent spelling of *Chrysopilus* Macquart, 1826 or subsequent usage of *Chrysopila* Rondani, 1844.

FAMILY: RHAGIONIDAE.

REMARKS: Criteria to make this name available as an emendation were not found to be fulfilled in this work. The earliest mention of *Chrysopilus* Macquart, 1826 that I have found in this study using the spelling “*Chrysopila*” is *Chrysopila* Rondani, 1844 as an unjustified emendation [*teste* O’Hara *et al.* 2011: 60)].

**23. *Cladochaeta* Coquillett, 1900f: 263.**

ORIGINALLY INCLUDED SPECIES: *Cladochaeta nebulosa* Coquillett, 1900f.

TYPE SPECIES: *Cladochaeta nebulosa* Coquillett, 1900f, by original designation.

CURRENT STATUS: Valid genus [*teste* Brake & Bächli (2009: 20)].

FAMILY: DROSOPHILIDAE.

**24. *Clusiodes* Coquillett, 1904f: 93.**

TYPE SPECIES: *Heteroneura albimana* Meigen, 1830, by subsequent designation (I.C.Z.N. 2010: 344 [Opinion 2262]).

CURRENT STATUS: New replacement name for *Heteroneura* Fallén, 1823; valid genus [*teste* Lonsdale & Marshall (2007: 117)].

FAMILY: CLUSIIDAE.

REMARKS: In order to conserve the current usage of *Clusiodes* Coquillett, 1904, application was made to the ICZN Commission to designate *Heteroneura albimana* as type species [see Lonsdale (2009) for details]. The ICZN subsequently voted to approve the request (I.C.Z.N. (2010: 344 [Opinion 2262])).

[*Clytiomyia*] **Coquillett, 1895h: 52.**

CURRENT STATUS: Incorrect subsequent spelling of *Clytiomya* Rondani, 1861 or subsequent usage of *Clytiomyia* Rondani, 1862.

FAMILY: TACHINIDAE.

REMARKS: Criteria to make this name available as an emendation were not found to be fulfilled in this work. The earliest mention of *Clytiomya* Rondani, 1861 using the spelling “*Clytiomyia*” is *Clytiomyia* Rondani, 1862 as an unjustified emendation [*teste* O’Hara *et al.* (2011: 62)].

**25. *Clytiomyia* Coquillett, 1897b: 71.**

CURRENT STATUS: Unjustified emendation of *Clytiomya* Rondani, 1861; junior synonym of *Clytiomya* Rondani, 1861. **New synonymy.**

FAMILY: TACHINIDAE.

REMARKS: Name made available as an emendation by virtue of the original and changed spellings appearing together in the same work and the changed spelling adopted.

**26. *Comatacta* Coquillett, 1902d: 199.**

ORIGINALLY INCLUDED SPECIES: *Brachycoma pallidula* Wulp, 1890.



TYPE SPECIES: *Brachycoma pallidula* Wulp, 1890 [= *Stomoxys variegata* Fabricius, 1805], by original designation.  
CURRENT STATUS: Valid genus [*teste* Guimarães (1971: 120)].  
FAMILY: TACHINIDAE.

**27. *Condidea* Coquillett, 1907a: 75.**

ORIGINALLY INCLUDED SPECIES: *Condidea lata* Coquillett, 1907a.  
TYPE SPECIES: *Condidea lata* Coquillett, 1907a, by original designation.  
CURRENT STATUS: Junior synonym of *Sericomyia* Meigen, 1803 [*teste* Skevington & Thompson (2012: 218)].  
FAMILY: SYRPHIDAE.

**[*Cordylura*] Coquillett, 1895a: 7 [1898f: 161; 1900i: 456; 1904i: 70].**

CURRENT STATUS: Incorrect subsequent spelling of *Cordilura* Fallén, 1810 or subsequent usage of *Cordylura* Macquart, 1835.  
FAMILY: SCATHOPHAGIDAE.  
REMARKS: Criteria to make this name available as an emendation were not found to be fulfilled in these works. The earliest mention of *Cordilura* Fallén, 1810 that I have found in this study using the spelling “*Cordylura*” is *Cordylura* Macquart, 1835 as an unjustified emendation [*teste* Evenhuis *et al.* (2016: 48)].

**28. *Corethrella* Coquillett, 1902g: 191.**

ORIGINALLY INCLUDED SPECIES: *Corethrella brakeleyi* Coquillett, 1902g.  
TYPE SPECIES: *Corethrella brakeleyi* Coquillett, 1902g, by original designation.  
CURRENT STATUS: Valid genus [*teste* Borkent (2014b: 455)].  
FAMILY: CORETHRELLIDAE.

**[*Cryptochaetum*] Coquillett, 1898i: 340.**

CURRENT STATUS: Incorrect subsequent spelling of *Cryptochetum* Rondani, 1875 or subsequent usage of *Cryptochaetum* by Riley (1889).  
FAMILY: CRYPTOCHETIDAE.  
REMARKS: Criteria to make this name available as an emendation were not found to be fulfilled in this work. The earliest mention of *Cryptochaetum* Rondani, 1875 that I have found in this study using the spelling “*Cryptochaetum*” is by Riley (1889: 340) as an incorrect subsequent spelling [*teste* this work].

**[*Cryptomeigenia*] Coquillett, 1895h: 49.**

CURRENT STATUS: Incorrect subsequent spelling of *Cryptomeigenia* Brauer & Bergenstamm, 1891.  
FAMILY: TACHINIDAE.  
REMARKS: Criteria to make this name available as an emendation were not found to be fulfilled in this work.

**[*Cynomyia*] Coquillett, 1895a: 6 [1900i: 440; 1904i: 54].**

CURRENT STATUS: Incorrect subsequent spelling of *Cynomya* Robineau-Desvoidy, 1830 or subsequent usage of *Cynomyia* Macquart, 1834.  
FAMILY: CALLIPHORIDAE.  
REMARKS: Although this name could be seen as being available as an emendation by virtue of similar spelling changes in the same work from “*mya*” to “*myia*”, the earliest mention of *Cynomya* Robineau-Desvoidy, 1830 using the spelling “*Cynomyia*” is *Cynomyia* Macquart (1834: 40) as an unjustified emendation [*teste* Evenhuis *et al.* (2016: 52)]. Because of the equivocal nature of the spelling, I follow ICZN *Code* Art. 33.5 in treating all occurrences of “*Cynomyia*” in these works as incorrect subsequent spellings.

[Cyrtoneura] **Coquillett, 1895m: 338 [1898i: 334; 1900i: 441; 1904i: 55].**

CURRENT STATUS: Incorrect subsequent spelling of *Curtonevra* Macquart, 1834 or subsequent usage of *Cyrtoneura* Meigen, 1838.

FAMILY: MUSCIDAE.

REMARKS: Criteria to make this name available as an emendation were not found to be fulfilled in these works. The earliest mention of *Curtonevra* Macquart, 1834 using the spelling “*Cyrtoneura*” is *Cyrtoneura* Meigen, 1838 as an unjustified emendation [*teste* Evenhuis *et al.* (2016: 50)].

[Daeochaeta] **Coquillett, 1897b: 39, 150.**

CURRENT STATUS: Incorrect subsequent spelling of *Daeochaeta* Townsend, 1892.

FAMILY: TACHINIDAE.

REMARKS: Criteria to make this name available as an emendation were not found to be fulfilled in this work.

[Dasiopa] **Coquillett, 1910c: 531.**

CURRENT STATUS: Incorrect subsequent spelling of *Dasiops* Rondani, 1856.

FAMILY: LONCHAEIDAE.

REMARKS: Criteria to make this name available as an emendation were not found to be fulfilled in this work. This name has been placed on the *Official Index of Rejected and Invalid Names in Zoology* [*teste* I.C.Z.N. (1963a: 114; [Opinion 652])].

[Diathronomyia] **Coquillett, 1910c: 532.**

CURRENT STATUS: Incorrect subsequent spelling of *Diarthronomyia* Felt, 1908.

FAMILY: Family: CECIDOMYIIDAE.

REMARKS: Criteria to make this name available as an emendation were not found to be fulfilled in this work.

**29. *Diectrodes* Coquillett, 1904h: 181.**

ORIGINALLY INCLUDED SPECIES: *Diectrodes flavipes* Coquillett, 1904h.

TYPE SPECIES: *Diectrodes flavipes* Coquillett, 1904h, by original designation.

CURRENT STATUS: Junior synonym of *Taracticus* Loew, 1872 [*teste* Poole (1996: 64)].

FAMILY: ASILIDAE.

[Echinomyia] **Coquillett, 1895a: 6 [1897b: 11, 34, 143; 1898i: 331; 1900i: 439; 1901a: 150; 1904c: 37; 1904i: 53].**

CURRENT STATUS: Incorrect subsequent spelling of *Echinomyia* Latreille, 1805 or subsequent usage of *Echinomyia* Fischer von Waldheim, 1808.

FAMILY: TACHINIDAE.

REMARKS: Although this name could be seen as being available as an emendation by virtue of similar spelling changes in the same work from “*mya*” to “*myia*”, the earliest mention of *Echinomyia* Latreille, 1805 that I have found in this study using the spelling “*Echinomyia*” is *Echinomyia* Fischer von Waldheim (1808: [unnumbered page 59]) as an unjustified emendation [*teste* Evenhuis *et al.* (2016: 58)]. Because of the equivocal nature of the spelling, I follow ICZN *Code* Art. 33.5 in treating all occurrences of “*Echinomyia*” in these works as incorrect subsequent spellings.

**30. *Efferia* Coquillett, 1893f: 175.**

ORIGINALLY INCLUDED SPECIES: *Erax anomalus* Bellardi, 1861; *Erax completus* Macquart, 1838; *Efferia rava* Coquillett, 1893f; *Efferia candida* Coquillett, 1893f; *Efferia pernicious* Coquillett, 1893f.

TYPE SPECIES: *Efferia candida* Coquillett, 1893f, by subsequent designation (Coquillett, 1910c: 536).

CURRENT STATUS: Valid genus [*teste* Poole (1996: 56)].

FAMILY: ASILIDAE.

**31. *Empimorpha* Coquillett, 1895n: 396.**

ORIGINALLY INCLUDED SPECIES: *Empimorpha comantis* Coquillett, 1895n; *Empis barbata* Loew, 1862b.

TYPE SPECIES: *Empimorpha comantis* Coquillett, 1895n, by original designation.

CURRENT STATUS: Junior synonym of *Empis* Linnaeus, 1758 [*teste* Poole (1996: 155)].

FAMILY: EMPIDIDAE.

**32. *Eucessia* Coquillett, 1886b: 82.**

ORIGINALLY INCLUDED SPECIES: *Eucessia rubens* Coquillett, 1886b.

TYPE SPECIES: *Eucessia rubens* Coquillett, 1886b, by monotypy.

CURRENT STATUS: Valid genus [*teste* Evenhuis & Greathead (1999: 345)].

FAMILY: BOMBYLIIDAE.

**[*Euexesta*] Coquillett, 1901b: 15.**

CURRENT STATUS: Incorrect subsequent spelling of *Euxesta* Loew, 1868 or subsequent usage of *Euexesta* by Anonymous (1895a).

FAMILY: ULIDIIDAE.

REMARKS: Criteria to make this name available as an emendation were not found to be fulfilled in this work. The earliest mention of *Euxesta* Loew, 1868 that I have found in this study using the spelling “*Euexesta*” is in an index to the *Transactions of the American Entomological Society* [Anonymous (1895a: iv)] as an incorrect subsequent spelling [*teste* this work].

**33. *Eugnoriste* Coquillett, 1896c: 321.**

ORIGINALLY INCLUDED SPECIES: *Eugnoriste occidentalis* Coquillett, 1896c.

TYPE SPECIES: *Eugnoriste occidentalis* Coquillett, 1896c, by original designation.

CURRENT STATUS: Valid genus [*teste* Mohrig & Kauschke (2017: 54)].

FAMILY: SCIARIDAE.

**34. *Euhybus* Coquillett, 1895n: 437.**

ORIGINALLY INCLUDED SPECIES: *Hybos subjectus* Walker, 1849a; *Hybos purpureus* Walker, 1849a; *Hybos triplex* Walker, 1849a.

TYPE SPECIES: *Hybos purpureus* Walker, 1849a, by subsequent designation (Coquillett, 1903c: 250).

CURRENT STATUS: Valid genus [*teste* Yang *et al.* (2007: 282)].

FAMILY: HYBOTIDAE.

**35. *Eupyrgota* Coquillett, 1898i: 337.**

ORIGINALLY INCLUDED SPECIES: *Eupyrgota luteola* Coquillett, 1898i.

TYPE SPECIES: *Eupyrgota luteola* Coquillett, 1898i, by original designation.

CURRENT STATUS: Valid genus [*teste* Korneyev (2014: 113)].

FAMILY: PYRGOTIDAE.

**[*Eurygaster*] Coquillett, 1897b: 91, 151.**

CURRENT STATUS: Incorrect subsequent spelling of *Eurigaster* Macquart, 1834 or subsequent usage of *Eurygaster* Agassiz, 1846.

FAMILY: TACHINIDAE.

REMARKS: Criteria to make this name available as an emendation were not found to be fulfilled in this work. The earliest mention of *Eurigaster* Macquart, 1834 that I have found in this study using the spelling “*Eurygaster*” is *Eurygaster* Agassiz, 1846 as an unjustified emendation [*teste* Evenhuis *et al.* (2016: 63)].

**36. *Eusiphona* Coquillett, 1897b: 49.**

ORIGINALLY INCLUDED SPECIES: *Eusiphona mira* Coquillett, 1897b.

TYPE SPECIES: *Eusiphona mira* Coquillett, 1897b, by original designation.

CURRENT STATUS: Valid genus [*teste* Poole (1996: 178)].

FAMILY: MILICHIIDAE.

**37. *Eutanypus* Coquillett, 1899e: 341.**

ORIGINALLY INCLUDED SPECIES: *Eutanypus borealis* Coquillett, 1899e.

TYPE SPECIES: *Eutanypus borealis* Coquillett, 1899e, by original designation.

CURRENT STATUS: Junior synonym of *Diamesa* Meigen in Waltl, 1835 [*teste* Poole (1996: 110)].

FAMILY: CHIRONOMIDAE.

**38. *Eutrixa* Coquillett, 1897b: 72.**

ORIGINALLY INCLUDED SPECIES: *Tachina masurius* Walker, 1849b (as “*masuria* Walk.”; with *Clytiomyia exile* Coquillett, 1895h in synonymy).

TYPE SPECIES: *Clytiomyia exile* Coquillett, 1895h [type fixed under ICZN Code Art. 70.3.2 by O’Hara & Wood (2004: 45)].

CURRENT STATUS: Valid genus [*teste* O’Hara & Wood (2004: 45)].

FAMILY: TACHINIDAE.

**39. *Exepacmus* Coquillett, 1894a: 101.**

ORIGINALLY INCLUDED SPECIES: *Exepacmus johnsoni* Coquillett, 1894a.

TYPE SPECIES: *Exepacmus johnsoni* Coquillett, 1894a, by monotypy.

CURRENT STATUS: Valid genus [*teste* Evenhuis & Greathead (1999: 345)].

FAMILY: BOMBYLIIDAE.

**40. *Exoptata* Coquillett, 1887a: 13.**

ORIGINALLY INCLUDED SPECIES: *Exoprosopa divisa* Coquillett, 1887a.

TYPE SPECIES: *Exoprosopa divisa* Coquillett, 1887a, by monotypy.

CURRENT STATUS: Junior synonym of *Exoprosopa* Macquart, 1840 [*teste* Evenhuis & Greathead (1999: 347)].

FAMILY: BOMBYLIIDAE.

REMARKS: Originally proposed as a subgenus of *Exoprosopa* Macquart, 1840.

**41. *Exoristoides* Coquillett, 1897b: 31, 90.**

Originally Included Species:

TYPE SPECIES: *Exoristoides johnsoni* Coquillett, 1897b, by original designation.

CURRENT STATUS: Valid genus [*teste* O’Hara & Wood (2004: 289)].

FAMILY: TACHINIDAE.

**[*Flebotomus*] Coquillett, 1907b: 102.**

CURRENT STATUS: Incorrect subsequent spelling of *Phlebotomus* Rondani & Berté in Rondani, 1840.

FAMILY: PSYCHODIDAE.

REMARKS: Criteria to make this name available as an emendation were not found to be fulfilled in this work.

“*Flebotomus*” was actually the original spelling of the genus in Rondani (1840), but the I.C.Z.N. (1954: 201 [Opinion 256]) ruled that *Phlebotomus* was the correct original spelling, so occurrences of “*Flebotomus*” after 1840 are incorrect subsequent spellings.

**42. *Geminaria* Coquillett, 1894a: 109.**

ORIGINALLY INCLUDED SPECIES: *Lordotus canalis* Coquillett, 1887b; *Geminaria pellucida* Coquillett, 1894d.

TYPE SPECIES: *Lordotus canalis* Coquillett, 1887b, by original designation.

CURRENT STATUS: Valid genus [*teste* Evenhuis & Greathead (1999: 196)].

FAMILY: BOMBYLIIDAE.



[*Ginglymyia*] **Coquillett, 1910c: 546.**

CURRENT STATUS: Incorrect subsequent spelling of *Ginglymia* Townsend, 1892.

FAMILY: TACHINIDAE.

REMARKS: Criteria to make this name available as an emendation were not found to be fulfilled in this work.

[*Graphomyia*] **Coquillett, 1898i: 333 [1900i: 441; 1904c: 37; 1904i: 55].**

CURRENT STATUS: Incorrect subsequent spelling of *Graphomyia* Robineau-Desvoidy, 1830 or subsequent usage of *Graphomyia* Macquart, 1834.

FAMILY: MUSCIDAE.

REMARKS: Although this name could be seen as being available as an emendation by virtue of similar spelling changes in the same work from “*mya*” to “*myia*”, the earliest mention of *Graphomyia* Robineau-Desvoidy, 1830 that I have found in this study using the spelling “*Graphomyia*” is *Graphomyia* Macquart, 1834 as an unjustified emendation [*teste* Evenhuis *et al.* (2016: 67)]. Because of the equivocal nature of the spelling, I follow ICZN Code Art. 33.5 in treating all occurrences of “*Graphomyia*” as incorrect subsequent spellings in these works.

[*Gymnochaeta*] **Coquillett, 1897b: 35, 89, 152.**

CURRENT STATUS: Incorrect subsequent spelling of *Gymnocheta* Robineau-Desvoidy, 1830 or subsequent usage of *Gymnochaeta* Macquart, 1835.

FAMILY: TACHINIDAE.

REMARKS: Criteria to make this name available as an emendation were not found to be fulfilled in this work. The earliest mention of *Gymnocheta* Robineau-Desvoidy, 1830 using the spelling “*Gymnochaeta*” is *Gymnochaeta* Macquart, 1835, as an unjustified emendation [*teste* Evenhuis *et al.* (2010: 84)].

**43. *Gymnometopa* Coquillett, 1906d: 183.**

ORIGINALLY INCLUDED SPECIES: *Stegomyia mediovittata* Coquillett, 1906c *Stegomyia busckii* Coquillett, 1906c; *Stegomyia sexlineata* Theobald, 1901; *Gymnometopa albonotata* Coquillett, 1906d.

TYPE SPECIES: *Stegomyia mediovittata* Coquillett, 1906c, by original designation

CURRENT STATUS: Valid genus [*teste* Reinert *et al.* (2005: 250)]

FAMILY: CULICIDAE.

REMARKS: This nominal genus is sometimes dated as 1905 which, if correct, would require a subsequent type designation since *Stegomyia mediovittata* Coquillett would have been described in the following year and would be a *nomen nudum* in this work. However, although the title page of this work has “December, 1905”, the last page of the main text of this issue of the journal has “Issued March 9, 1906”, which was one month after *Stegomyia mediovittata* Coquillett, 1906c was published.

**44. *Helicobia* Coquillett, 1895m: 317.**

ORIGINALLY INCLUDED SPECIES: *Sarcophaga heliciis* Townsend, 1892a.

TYPE SPECIES: *Sarcophaga heliciis* Townsend, 1892a [= *Sarcophaga rapax* Walker, 1849b], by original designation.

CURRENT STATUS: Valid genus [*teste* Pape (1996: 225)].

FAMILY: SARCOPHAGIDAE.

**45. *Hemeromyia* Coquillett, 1902f: 190.**

ORIGINALLY INCLUDED SPECIES: *Hemeromyia obscura* Coquillett, 1902f.

TYPE SPECIES: *Hemeromyia obscura* Coquillett, 1902f, by original designation.

CURRENT STATUS: Valid genus [*teste* Brake (2011: 122)].

FAMILY: CARNIDAE.

**46. *Henicomomyia* Coquillett, 1898g: 187.**

ORIGINALLY INCLUDED SPECIES: *Henicomomyia hubbardii* Coquillett, 1898g.

TYPE SPECIES: *Henicomomyia hubbardii* Coquillett, 1898g, by original designation.

CURRENT STATUS: Valid genus [*teste* Webb *et al.* (2013: 73)].

FAMILY: THEREVIDAE.

**47. *Hesperodes* Coquillett, 1900e: 429.**

ORIGINALLY INCLUDED SPECIES: *Hesperodes johnsoni* Coquillett, 1900e.

TYPE SPECIES: *Hesperodes johnsoni* Coquillett, 1900e, by original designation.

CURRENT STATUS: Valid genus [*teste* Evenhuis (2006: 30)].

FAMILY: KEROPLATIDAE.

**48. *Houghia* Coquillett, 1897b: 118.**

ORIGINALLY INCLUDED SPECIES: *Houghia setipennis* Coquillett, 1897b.

TYPE SPECIES: *Houghia setipennis* Coquillett, 1897b, by original designation.

CURRENT STATUS: Valid genus [*teste* O'Hara & Wood (2004: 183)].

FAMILY: TACHINIDAE.

**[*Hyalomyia*] Coquillett, 1890: 234 [1897b: 43, 44, 152].**

CURRENT STATUS: Incorrect subsequent spelling of *Hyalomya* Robineau-Desvoidy, 1830 or subsequent usage of *Hyalomyia* Macquart, 1834.

FAMILY: TACHINIDAE.

REMARKS: Although this name could be seen as being available as an emendation by virtue of similar spelling changes in the same work from “*mya*” to “*myia*”, the earliest mention of *Hyalomya* Robineau-Desvoidy, 1830 that I have found in this study using the spelling “*Hyalomyia*” is *Hyalomyia* Macquart, 1834 as an unjustified emendation [*teste* Evenhuis *et al.* (2016: 72)]. Because of the equivocal nature of the spelling, I follow ICZN Code Art. 33.5 in treating all occurrences of “*Hyalomyia*” as incorrect subsequent spellings in these works.

**[*Hyetodesia*] Coquillett, 1901a: 150 [1901h: 138, 142].**

CURRENT STATUS: Incorrect subsequent spelling of *Yetodesia* Rondani, 1861 or subsequent usage of *Hyetodesia* Mik, 1881.

FAMILY: MUSCIDAE.

REMARKS: Criteria to make this name available as an emendation were not found to be fulfilled in these works. The earliest mention of *Yetodesia* Rondani, 1861 that I have found in this study using the spelling “*Hyetodesia*” is *Hyetodesia* Mik, 1881 as an unjustified emendation [*teste* O'Hara *et al.* (2011: 190)].

**[*Hylemyia*] Coquillett, 1895a: 6 [1900i: 448; 1904c: 33; 1904i: 62].**

CURRENT STATUS: Incorrect subsequent spelling of *Hylemyia* Robineau-Desvoidy, 1830 or subsequent usage of *Hylemyia* Macquart, 1835.

FAMILY: TACHINIDAE.

REMARKS: Although this name could be seen as being available as an emendation by virtue of similar spelling changes in the same work from “*mya*” to “*myia*”, the earliest mention of *Hylemyia* Robineau-Desvoidy, 1830 that I have found in this study using the spelling “*Hylemyia*” is *Hylemyia* Macquart, 1835 as an unjustified emendation [*teste* Evenhuis *et al.* (2016: 73)]. Because of the equivocal nature of the spelling, I follow ICZN Code Art. 33.5 in treating all occurrences of “*Hylemyia*” as incorrect subsequent spellings in these works.

**49. *Isoglossa* Coquillett, 1895e: 125.**

ORIGINALLY INCLUDED SPECIES: *Isoglossa hastata* Coquillett, 1895e.

TYPE SPECIES: *Isoglossa hastata* Coquillett, 1895e, by original designation.

CURRENT STATUS: Preoccupied by *Isoglossa* Casey, 1893; senior (but invalid) synonym of *Eucoronimyia* Townsend, 1908 [*teste* O'Hara & Wood (2004: 334)].

FAMILY: TACHINIDAE.

**50. *Isostomyia* Coquillett, 1906e: 16, 24.**

ORIGINALLY INCLUDED SPECIES: *Aedes perturbans* Williston, 1896; *Aedes nigricorpus* Theobald, 1901.

TYPE SPECIES: *Aedes perturbans* Williston, 1896, by subsequent designation (Coquillett 1910c: 556).

CURRENT STATUS: Valid genus [*teste* Guimarães (1997: 104)].

FAMILY: CULICIDAE.

REMARKS: Howard *et al.* (1915: 186) stated that the type species of *Isostomyia* Coquillett, 1906e was *Aedes perturbans* Williston, 1896 by original designation. Guimarães (1997: 104) and Knight & Stone (1977: 312) stated the same type species but by monotypy. A check of Coquillett (1906e) shows that no type designation was made in that work. Although Coquillett (1910c: 556) indicated that *Aedes perturbans* Williston, 1896 was the only species in this genus, the questionable inclusion of *Aedes nigricorpus* Theobald, 1901 by Coquillett (1906e: 24) qualifies as an originally included species according to ICZN Code Art. 67.2.5. Thus, a subsequent designation from the two originally included species is needed. The earliest valid subsequent type designation I have found in this study is that by Coquillett (1910c: 556).

**51. *Johnsonia* Coquillett, 1895m: 316.**

ORIGINALLY INCLUDED SPECIES: *Johnsonia elegans* Coquillett, 1895m.

TYPE SPECIES: *Johnsonia elegans* Coquillett, 1895m, by original designation.

CURRENT STATUS: Valid subgenus of *Lepidodexia* Brauer & Bergenstamm, 1891 [*teste* Pape (1996: 235)].

FAMILY: SARCOPHAGIDAE.

**[*Labidigaster*] Coquillett, 1898e: 234.**

CURRENT STATUS: Incorrect subsequent spelling of *Labigastera* Macquart, 1834 or subsequent usage of *Labidigaster* Macquart, 1844.

FAMILY: TACHINIDAE.

REMARKS: Criteria to make this name available as an emendation were not found to be fulfilled in this work. The earliest mention of *Labigastera* Macquart, 1834 that I have found in this study using the spelling “*Labidigaster*” is *Labidigaster* Macquart, 1844 as an unjustified emendation [*teste* Evenhuis *et al.* (2016: 74)].

**52. *Lasioneura* Coquillett, 1895h: 50.**

ORIGINALLY INCLUDED SPECIES: *Lasioneura johnsoni* Coquillett, 1895h; *Lasioneura palloris* Coquillett, 1895h.

TYPE SPECIES: *Lasioneura johnsoni* Coquillett, 1895h, by original designation.

CURRENT STATUS: Junior synonym of *Ginglymia* Townsend, 1892 [*teste* O’Hara & Wood (2004: 262)].

FAMILY: TACHINIDAE.

**53. *Lepidoplatys* Coquillett, 1906b: 314.**

ORIGINALLY INCLUDED SPECIES: *Lepidoplatys squamiger* Coquillett, 1906b.

TYPE SPECIES: *Lepidoplatys squamiger* Coquillett, 1906b, by original designation.

CURRENT STATUS: Junior synonym of *Ochlerotatus* Lynch Arribálzaga, 1891 (subgenus of *Aedes* Meigen, 1818) [*teste* Guimarães (1997: 35)].

FAMILY: CULICIDAE.

**54. *Lepidosia* Coquillett, 1906b: 314.**

ORIGINALLY INCLUDED SPECIES: *Lepidosia cyanescens* Coquillett, 1906b.

TYPE SPECIES: *Lepidosia cyanescens* Coquillett, 1906b, by original designation.

CURRENT STATUS: Junior synonym of *Janthinosoma* Lynch Arribálzaga, 1891 (subgenus of *Psorophora* Robineau-Desvoidy, 1830) [*teste* Guimarães (1997: 52)].

FAMILY: CULICIDAE.

**55. *Linnaemyia* Coquillett, 1897b: 18, 31, 152.**

CURRENT STATUS: Unjustified emendation of *Linnemya* Robineau-Desvoidy, 1830; junior synonym of *Linnemya* Robineau-Desvoidy, 1830. **New synonymy.**

FAMILY: TACHINIDAE.

REMARKS: Name made available as an emendation by virtue of similar spelling changes in two or more names from “*mya*” to “*myia*” in the same work.

**56. *Lipochaeta* Coquillett, 1896b: 200.**

ORIGINALLY INCLUDED SPECIES: *Lipochaeta slossonae* Coquillett, 1896b.

TYPE SPECIES: *Lipochaeta slossonae* Coquillett, 1896b, by original designation.

CURRENT STATUS: Valid genus [*teste* Mathis & Zatwarnicki (1995: 1263)]

FAMILY: EPHYDRIDAE.

**[*Lispa*] Coquillett, 1900f: 256 [1904c: 34].**

CURRENT STATUS: Incorrect subsequent spelling of *Lispe* Latreille, 1797 or subsequent usage of *Lispa* by Robineau-Desvoidy (1830).

FAMILY: MUSCIDAE.

REMARKS: Criteria to make this name available as an emendation were not found to be fulfilled in these works. The earliest mention of *Lispe* Latreille, 1797 that I have found in this study using the spelling “*Lispa*” is by Robineau-Desvoidy (1830: 526) as an incorrect subsequent spelling [*teste* this work].

**57. *Lispidea* Coquillett, 1895h: 51.**

ORIGINALLY INCLUDED SPECIES: *Lispidea palpigera* Coquillett, 1895h.

TYPE SPECIES: *Lispidea palpigera* Coquillett, 1895h, by original designation.

CURRENT STATUS: Junior synonym of *Phytomyptera* Rondani, 1845 [*teste* O’Hara & Wood (2004: 252)].

FAMILY: TACHINIDAE.

**[*Lyphe*] Coquillett, 1910c: 563.**

CURRENT STATUS: Incorrect subsequent spelling of *Lypha* Robineau-Desvoidy, 1830.

FAMILY: TACHINIDAE.

REMARKS: Criteria to make this name available as an emendation were not found to be fulfilled in this work.

**[*Magarhinus*] Coquillett, 1910c: 550.**

CURRENT STATUS: Incorrect subsequent spelling of *Megarhinus* Robineau-Desvoidy, 1827.

FAMILY: CULICIDAE.

REMARKS: Criteria to make this name available as an emendation were not found to be fulfilled in this work.

**58. *Mancia* Coquillett, 1886c: 159.**

ORIGINALLY INCLUDED SPECIES: *Mancia nana* Coquillett, 1886c.

TYPE SPECIES: *Mancia nana* Coquillett, 1886c, by monotypy.

CURRENT STATUS: Valid genus [*teste* Evenhuis & Greathead (1999: 457)].

FAMILY: BOMBYLIIDAE.

**59. *Mauromyia* Coquillett, 1897b: 51.**

ORIGINALLY INCLUDED SPECIES: *Mauromyia pulla* Coquillett, 1897b.

TYPE SPECIES: *Mauromyia pulla* Coquillett, 1897b, by original designation.

CURRENT STATUS: Valid genus [*teste* O’Hara & Wood (2004: 293)].

FAMILY: TACHINIDAE.

**[*Megistocera*] Coquillett, 1898i: 304.**

CURRENT STATUS: Incorrect subsequent spelling of *Maekistocera* Wiedemann, 1821 or subsequent usage of “*Megistocera*” by Wiedemann in Meigen (1826).



FAMILY: TIPULIDAE.

REMARKS: Criteria to make this name available as an emendation were not found to be fulfilled in these works. The earliest mention of *Maekistocera* Wiedemann, 1821 I have found in his study using the spelling “*Megistocera*” is by Wiedemann in Meigen (1826: vi) as an incorrect subsequent spelling [*teste* Evenhuis & Pont (2013: 31)].

**60. *Meigeniella* Coquillett, 1902c: 104.**

ORIGINALLY INCLUDED SPECIES: *Meigeniella hinei* Coquillett, 1902c.

TYPE SPECIES: *Meigeniella hinei* Coquillett, 1902c, by original designation.

CURRENT STATUS: Junior synonym of *Cryptomeigenia* Brauer & Bergenstamm, 1891 [*teste* O’Hara & Wood (2004: 84)].

FAMILY: TACHINIDAE.

**[*Melanosphora*] Coquillett, 1890: 233 [1897b: 60].**

CURRENT STATUS: Incorrect subsequent spelling of *Melanophora* Meigen, 1803 or subsequent usage of “*Melanosphora*” by Riley (1884).

FAMILY: RHINOPHORIDAE.

REMARKS: Criteria to make this name available as an emendation were not found to be fulfilled in these works. The earliest mention of *Melanophora* Meigen, 1803 that I have found in this study using the spelling “*Melanosphora*” is by Riley (1884: 77) as an incorrect subsequent spelling [*teste* this work].

**61. *Metachaeta* Coquillett, 1895i: 98.**

ORIGINALLY INCLUDED SPECIES: *Metachaeta atra* Coquillett, 1895i.

TYPE SPECIES: *Metachaeta atra* Coquillett, 1895i [= *Rhinophora laevigata* Wulp, 1890], by original designation.

CURRENT STATUS: Junior synonym of *Ramonda* Robineau-Desvoidy, 1863 (subgenus of *Periscepsia* Gistel, 1848 [*teste* O’Hara & Wood (2004: 65)]).

FAMILY: TACHINIDAE.

**62. *Metachela* Coquillett, 1903c: 253, 263.**

ORIGINALLY INCLUDED SPECIES: *Hemerodromia collusor* Melander, 1902

TYPE SPECIES: *Hemerodromia collusor* Melander, 1902, by original designation.

CURRENT STATUS: Valid genus [*teste* Yang *et al.* (2006: 276)].

FAMILY: EMPIDIDAE.

**63. *Metacosmus* Coquillett, 1891b: 4(220).**

ORIGINALLY INCLUDED SPECIES: *Metacosmus exilis* Coquillett, 1891b.

TYPE SPECIES: *Metacosmus exilis* Coquillett, 1891b, by monotypy.

CURRENT STATUS: Valid genus [*teste* Evenhuis & Greathead (1999: 285)].

FAMILY: BOMBYLIIDAE.

**64. *Metadexia* Coquillett, 1899g: 220.**

ORIGINALLY INCLUDED SPECIES: *Metadexia tricolor* Coquillett, 1899g.

TYPE SPECIES: *Metadexia tricolor* Coquillett, 1899g, by original designation.

CURRENT STATUS: Junior synonym of *Zelia* Robineau-Desvoidy, 1830 [*teste* O’Hara & Wood (2004: 37)].

FAMILY: TACHINIDAE.

**65. *Metaphragma* Coquillett, 1894f: 97.**

ORIGINALLY INCLUDED SPECIES: *Xestomyza planiceps* Loew, 1872.

TYPE SPECIES: *Xestomyza planiceps* Loew, 1872, by original designation.

CURRENT STATUS: Junior synonym of *Tabuda* Walker, 1852 [*teste* Webb *et al.* (2013: 66)].

FAMILY: THEREVIDAE.

**66. *Metaphyto* Coquillett, 1897b: 89.**

ORIGINALLY INCLUDED SPECIES: *Metaphyto genalis* Coquillett, 1897b.

TYPE SPECIES: *Metaphyto genalis* Coquillett, 1897b, by original designation.

CURRENT STATUS: Junior synonym of *Panzeria* Robineau-Desvoidy, 1830 [*teste* O'Hara & Wood (2004: 244)].

FAMILY: TACHINIDAE.

**67. *Metaplagia* Coquillett, 1895i: 102.**

ORIGINALLY INCLUDED SPECIES: *Metaplagia occidentalis* Coquillett, 1895i.

TYPE SPECIES: *Metaplagia occidentalis* Coquillett, 1895i, by original designation.

CURRENT STATUS: Valid genus [*teste* O'Hara & Wood (2004: 61)].

FAMILY: TACHINIDAE.

**68. *Metapogon* Coquillett, 1904h: 181.**

ORIGINALLY INCLUDED SPECIES: *Metapogon gilvipes* Coquillett, 1904h; *Metapogon punctipennis* Coquillett, 1904h.

TYPE SPECIES: *Metapogon gilvipes* Coquillett, 1904h, by original designation.

CURRENT STATUS: Valid genus [*teste* Poole (1996: 60)].

FAMILY: ASILIDAE.

**69. *Metatrichia* Coquillett, 1900g: 500.**

ORIGINALLY INCLUDED SPECIES: *Scenopinus bulbosa* Osten Sacken, 1877.

TYPE SPECIES: *Scenopinus bulbosa* Osten Sacken, 1877, by original designation.

CURRENT STATUS: Valid genus [*teste* Poole (1996: 237)].

FAMILY: SCENOPINIDAE.

**70. *Metelasmus* Coquillett, 1907d: 292.**

ORIGINALLY INCLUDED SPECIES: *Metelasmus pseudopterus* Coquillett, 1907d.

TYPE SPECIES: *Metelasmus pseudopterus* Coquillett, 1907d, by original designation.

CURRENT STATUS: Valid genus [*teste* Dick (2013: 3)].

FAMILY: HIPPOBOSCIDAE.

**71. *Micraedes* Coquillett, 1906d: 185.**

ORIGINALLY INCLUDED SPECIES: *Micraedes bisulcatus* Coquillett, 1906d.

TYPE SPECIES: *Micraedes bisulcatus* Coquillett, 1906d, by original designation.

CURRENT STATUS: Valid subgenus of *Aedes* Meigen, 1818 [*teste* Guimarães (1997: 89)].

FAMILY: CULICIDAE.

REMARKS: Knight & Stone (1977: 266) indicated the method of type fixation for this nominal genus as by monotypy (as “haplotype”), but this is incorrect. A check of Coquillett (1906e) shows that he clearly stated “Type, the following species” which is an original type designation.

**72. *Misgomyia* Coquillett, 1908b: 145.**

ORIGINALLY INCLUDED SPECIES: *Misgomyia obscura* Coquillett, 1908b.

TYPE SPECIES: *Misgomyia obscura* Coquillett, 1908b, by original designation.

CURRENT STATUS: Junior synonym of *Bolbomyia* Loew, 1850 [*teste* Poole (1996: 2198)].

FAMILY: RHAGIONIDAE.

**73. *Mutiloptera* Coquillett, 1908b: 147.**

ORIGINALLY INCLUDED SPECIES: *Mutiloptera apicalis* Coquillett, 1908b.

TYPE SPECIES: *Mutiloptera apicalis* Coquillett, 1908b [preoccupied by *Geomyza apicalis* Meigen, 1830; = *Mutiloptera coquilletti* Hendel, 1917], by original designation.

CURRENT STATUS: Junior synonym of *Geomyza* Fallén, 1810 [*teste* Poole (1996: 203)].

FAMILY: OPOMYZIDAE.

[*Myiobia*] **Coquillett, 1895i: 105 [1895m: 313].**

CURRENT STATUS: Incorrect subsequent spelling of *Myobia* Robineau-Desvoidy, 1830 or subsequent usage of “*Myiobia*” by Gistel (1856).

FAMILY: TACHINIDAE.

REMARKS: Criteria to make this name available as an emendation were not found to be fulfilled in these works. The earliest mention of *Myobia* Robineau-Desvoidy, 1830 I have found in this study using the spelling “*Myiobia*” is by Gistel (1856: 324) as an incorrect subsequent spelling [*teste* this work].

[*Myiolepta*] **Coquillett, 1900i: 434 [1904c: 25; 1904i: 48].**

CURRENT STATUS: Incorrect subsequent spelling of *Myolepta* Newman, 1838 or subsequent usage of *Myiolepta* Rondani, 1868.

FAMILY: SYRPHIDAE.

REMARKS: Criteria to make this name available as an emendation were not found to be fulfilled in these works. The earliest mention of *Myolepta* Newman, 1838 using the spelling “*Myiolepta*” is *Myiolepta* Rondani (1868: 564) as an unjustified emendation [*teste* O’Hara *et al.* (2011: 124)].

**74. *Mythicomyia* Coquillett, 1893e: 208.**

ORIGINALLY INCLUDED SPECIES: *Mythicomyia riley* Coquillett, 1893.

TYPE SPECIES: *Mythicomyia riley* Coquillett, 1893, by monotypy

CURRENT STATUS: Valid genus [*teste* Evenhuis (2006: 36)].

FAMILY: MYTHICOMYIIDAE.

REMARKS: There are two original spellings of this nominal genus in this work: *Mythicomyia* (page 208) and *Mythiocomyia* (page 208). By subsequent usage of the author (ICZN *Code* Art. 24.2.4), Coquillett (1895n: 409) acted as First Reviser and selected *Mythicomyia* as the correct original spelling of this nominal genus. Evenhuis (1991: 54) also made a First Reviser selection of *Mythicomyia* as the correct original spelling, but this action was later.

[*Mythiocomyia*] **Coquillett, 1893e: 208.**

CURRENT STATUS: Incorrect original spelling of *Mythicomyia* Coquillett, 1893e [*teste* Coquillett (1895n: 409)].

FAMILY: MYTHICOMYIIDAE.

**75. *Nebritus* Coquillett, 1894f: 98.**

ORIGINALLY INCLUDED SPECIES: *Nebritus pellucidus* Coquillett, 1894f.

TYPE SPECIES: *Nebritus pellucidus* Coquillett, 1894f, by original designation.

CURRENT STATUS: Valid genus [*teste* Webb *et al.* (2013: 44)].

FAMILY: THEREVIDAE.

**76. *Neocerata* Coquillett, 1900a: 47.**

ORIGINALLY INCLUDED SPECIES: *Neocerata rhodophaga* Coquillett, 1900a.

TYPE SPECIES: *Neocerata rhodophaga* Coquillett, 1900a, by monotypy.

CURRENT STATUS: Junior synonym of *Dasineura* Rondani, 1840 [*teste* Gagné & Jaschhof (2014: 170)].

FAMILY: CECIDOMYIIDAE.

**77. *Neocota* Coquillett, 1895n: 434.**

ORIGINALLY INCLUDED SPECIES: *Neocota weedii* Coquillett, 1895n.

TYPE SPECIES: *Neocota weedii* Coquillett, 1895n, by original designation.

CURRENT STATUS: Valid subgenus of *Rhamphomyia* Meigen, 1822 [*teste* Yang *et al.* (2007: 166)].

FAMILY: EMPIDIDAE.

**78. *Neopales* Coquillett, 1910c: 575.**

TYPE SPECIES: *Pales florea* Robineau-Desvoidy, 1830 [= *Tachina pavidus* Meigen, 1824], automatic (by subsequent designation of the same species for *Pales* Robineau-Desvoidy, 1830 (Coquillett, 1910c: 582)).

CURRENT STATUS: Unnecessary new replacement name for *Pales* Robineau-Desvoidy, 1830; junior synonym of *Pales* Robineau-Desvoidy, 1830 [*teste* Herting & Dely-Draskovits (1993: 233)].

FAMILY: TACHINIDAE.

REMARKS: At the time of Coquillett's (1910c) paper, no type species had been designated for *Pales* Robineau-Desvoidy, 1830. As a new name for *Pales* Robineau-Desvoidy, 1830, the type species designated for *Neopales* Coquillett, 1910c would automatically be the type species for *Pales* Robineau-Desvoidy, 1830 and vice versa. Coquillett (1910c: 575) designated *Musca processioneae* Ratzeburg, 1840 (as "*Tachina processioneae*") as the type species for *Neopales*; whereas he (1910c: 582) designated *Pales strenua* Robineau-Desvoidy, 1830 as the type species for *Pales* Robineau-Desvoidy, 1830. *Musca processioneae* Ratzeburg, 1840 was not one of the originally included species in *Pales* Robineau-Desvoidy, 1830, thus the only valid type species designation is *Pales florea* Robineau-Desvoidy, 1830 by Coquillett (1910c: 582). At the time Coquillett treated *Pales* Robineau-Desvoidy, 1830 in his type-species catalog, the name was preoccupied by *Pales* Meigen, 1800. However, by action of the I.C.Z.N. (1963b: 339) [Opinion 678], the 1800 work was suppressed, thus all names therein are unavailable. Thus, *Pales* Robineau-Desvoidy, 1830 is no longer preoccupied by *Pales* Meigen, 1800.

**79. *Neoplasta* Coquillett, 1895n: 392.**

ORIGINALLY INCLUDED SPECIES: *Hemerodromia scapularis* Loew, 1862b.

TYPE SPECIES: *Hemerodromia scapularis* Loew, 1862b, by original designation.

CURRENT STATUS: Valid genus [*teste* Yang *et al.* (2007: 277)].

FAMILY: EMPIDIDAE.

**80. *Nostima* Coquillett, 1900c: 35.**

ORIGINALLY INCLUDED SPECIES: *Nostima slossonae* Coquillett, 1900c.

TYPE SPECIES: *Nostima slossonae* Coquillett, 1900c, by original designation.

CURRENT STATUS: Valid genus [*teste* Mathis & Zatwarnicki (1995: 190)].

FAMILY: EPHYDRIDAE.

**81. *Nototricha* Coquillett, 1906e: 12.**

ORIGINALLY INCLUDED SPECIES: *Cycloleppterum mediopunctata* Theobald, 1903.

TYPE SPECIES: *Cycloleppterum mediopunctata* Theobald, 1903 [misidentification; = *Anopheles strigimaculata* Dyar & Knab, 1906b], by monotypy.

CURRENT STATUS: Junior synonym of *Anopheles* Meigen, 1818 [*teste* Poole (1996: 131)].

FAMILY: CULICIDAE.

REMARKS: Howard *et al.* (1917: 995) indicated that the species Coquillett (1906e) designated as type species for *Nototricha* (*Cycloleppterum mediopunctata* Theobald, 1903) was misidentified and was actually a specimen of *Anopheles strigimaculata* Dyar & Knab, 1906b. This change does not affect the generic treatment as a junior synonym of *Anopheles* Meigen, 1818 as both species are currently considered members of the nominate subgenus [*teste* Knight & Stone (1977: 11)].

EMENDATIONS: *Notonotricha* Brunetti, 1914: 34 (unjustified emendation).

**[*Ocytera*] Coquillett, 1897b: 151.**

CURRENT STATUS: Incorrect subsequent spelling of *Ocyptera* Latreille, 1804.

FAMILY: TACHINIDAE.

REMARKS: Criteria to make this name available as an emendation were not found to be fulfilled in these works.

**82. *Omomyia* Coquillett, 1907a: 76.**

ORIGINALLY INCLUDED SPECIES: *Omomyia hirsuta* Coquillett, 1907a.



TYPE SPECIES: *Omomyia hirsuta* Coquillett, 1907a, by original designation.

CURRENT STATUS: Valid genus [*teste* Poole (1996: 221)].

FAMILY: RICHARDIIDAE.

[Oncodocera] **Coquillett, 1886b: 81 [1894a: 92].**

CURRENT STATUS: Incorrect subsequent spelling of *Ogcodocera* Macquart, 1840 or subsequent usage of “*Oncodocera*” by Erichson (1841: 88).

FAMILY: BOMBYLIIDAE.

REMARKS: Criteria to make this name available as an emendation were not found to be fulfilled in these works. The earliest mention of *Ogcodocera* Macquart, 1840 found in this study using the spelling “*Oncodocera*” is by Erichson (1841: 188) as an incorrect subsequent spelling [*teste* this work]).

**83. Opsidia Coquillett, 1895i: 102.**

ORIGINALLY INCLUDED SPECIES: *Opsidia gonioides* Coquillett, 1895i.

TYPE SPECIES: *Opsidia gonioides* Coquillett, 1895i [= *Araba grisea* Robineau-Desvoidy, 1830], by original designation.

CURRENT STATUS: Valid genus [*teste* Pape (1996: 121)].

FAMILY: SARCOPHAGIDAE.

**84. Opsiomyia Coquillett, 1898f: 162.**

ORIGINALLY INCLUDED SPECIES: *Opsiomyia palpalis* Coquillett, 1898f.

TYPE SPECIES: *Opsiomyia palpalis* Coquillett, 1898f, by original designation.

CURRENT STATUS: Junior synonym of *Trichopalpus* Rondani, 1856 [*teste* Poole (1996: 235)].

FAMILY: SCATHOPHAGIDAE.

**85. Opsolasia Coquillett, 1910c: 580.**

ORIGINALLY INCLUDED SPECIES: *Lasiops calvicrura* Coquillett, 1900i.

TYPE SPECIES: *Lasiops calvicrura* Coquillett, 1900i [= *Aricia orichalcea* Zetterstedt, 1849], by original designation

CURRENT STATUS: Valid genus [*teste* Poole (1996: 186)].

FAMILY: MUSCIDAE.

**86. Ornithodes Coquillett, 1900i: 400 [1904i: 14].**

ORIGINALLY INCLUDED SPECIES: *Ornithodes harrimani* Coquillett, 1900i.

TYPE SPECIES: *Ornithodes harrimani* Coquillett, 1900i, by original designation.

CURRENT STATUS: Valid genus [*teste* Poole (1996: 320)].

FAMILY: PEDICIIDAE.

[Ornithomyia] **Coquillett, 1899e: 346 [1899i: 335, 336; 1900f: 269; 1907d: 290].**

CURRENT STATUS: Incorrect subsequent spelling of *Ornithomya* Latreille, 1802 or subsequent usage of “*Ornithomyia*” Fischer von Waldheim, 1808.

FAMILY: HIPPOBOSCIDAE.

REMARKS: Criteria to make this name available as an emendation were not found to be fulfilled in these works. The earliest mention of *Ornithomya* Latreille, 1802 that I have found in this study using the spelling “*Ornithomyia*” is *Ornithomyia* Fischer von Waldheim, 1808 as an unjustified emendation [*teste* Evenhuis *et al.* (2016: 94)].

[Pachyrrhina] **Coquillett, 1900i: 405 [1904i: 19].**

CURRENT STATUS: Incorrect subsequent spelling of *Pachyrhina* Macquart, 1834 or subsequent usage of “*Pachyrrhina*” Osten Sacken, 1878.

FAMILY: TIPULIDAE.

REMARKS: Criteria to make this name available as an emendation were not found to be fulfilled in these works. The earliest mention of *Pachyrrhina* Macquart, 1834 that I have found in this study using the spelling “*Pachyrrhina*” is *Pachyrrhina* Osten Sacken, 1878 as an unjustified emendation [*teste* Evenhuis *et al.* (2016: 97)].

[Pangonia] **Coquillett, 1895a: 6 [1902b: 137].**

CURRENT STATUS: Incorrect subsequent spelling of *Pangonius* Latreille, 1802 or subsequent usage of *Pangonia* Latreille, 1809.

FAMILY: TABANIDAE.

REMARKS: Criteria to make this name available as an emendation were not found to be fulfilled in these works. The earliest mention of *Pangonius* Latreille, 1802 that I have found in this study using the spelling “*Pangonia*” is *Pangonia* Latreille, 1809 as an unjustified emendation [*teste* Evenhuis & Pont (2016: 33)].

### **87. *Paracantha* Coquillett, 1899j: 264.**

ORIGINALLY INCLUDED SPECIES: *Trypeta culta* Wiedemann, 1830 (as “*Carphotriche culta*”).

TYPE SPECIES: *Trypeta culta* Wiedemann, 1830 (as “*Carphotriche culta*”), by original designation.

CURRENT STATUS: Valid genus [*teste* Norrbom *et al.* (1999: 180)]. ***Nomen protectum*** [*teste* this work].

FAMILY: TEPHRITIDAE.

REMARKS: In a discussion of thistle insects of Colorado, Cockerell (1889a: 1) published the name *Scriptotricha culta*, which had been interpreted by some workers to be a new nominal genus with *Trypeta culta* Wiedemann, 1830 as the type species by monotypy. *Scriptotricha* appears in two other places in the non-recording literature (Cockerell 1889b, and 1893, both in checklists of insects), otherwise it has not been treated since as a valid genus and it is conspicuously absent from Coquillett’s (1910c) list of North American Diptera genera. If found to be an available name, Cockerell’s genus would have priority over *Paracantha* Coquillett, 1899, but Norrbom *et al.* (1999: 180) rejected Cockerell’s name in the interest of stability. Cockerell (1900) explained the history of *Scriptotricha* after corresponding with Coquillett who investigated the matter. It seems clear from the information supplied in Cockerell (1900) that Cockerell perpetuated a *lapsus* by Theodore Pergande of “*Scriptotricha*” *culta* for “*Carphotricha*” *culta*, the former name of which was given to Cockerell by Pergande as the name of a specimen Cockerell had sent to the U.S. Department of Agriculture for identification. As it is clear that Cockerell had no intention of proposing a new genus, I therefore treat all occurrences of “*Scriptotricha*” in Cockerell (1889a, 1889b, and 1893) as incorrect subsequent spellings of *Carphotricha*. However, in case *Scriptotricha* is still viewed as an available name, I here invoke ICZN Code Art. 23.9 (reversal of precedence) since (1) *Scriptotricha* has not been used as a valid name since 1899, and (2) *Paracantha* has been used as a valid name in at least 25 works by 10 authors in the last 50 years in a span of more than 10 years and treat *Paracantha* Coquillett, 1899 as a ***nomen protectum*** and *Scriptotricha* Cockerell, 1889 as a ***nomen oblitum***. See Appendix III for a list of works citing *Paracantha* as a valid taxon to comply with point (2) above.

### **88. *Parachaeta* Coquillett, 1897b: 123.**

ORIGINALLY INCLUDED SPECIES: *Blepharipeza bicolor* Macquart, 1846 (with *Blepharipeza inermis* Bigot, 1887 in synonymy).

TYPE SPECIES: *Blepharipeza bicolor* Macquart, 1846, by original designation.

CURRENT STATUS: Junior synonym of *Leschenaultia* Robineau-Desvoidy, 1830 [*teste* O’Hara & Wood (2004: 187)].

FAMILY: TACHINIDAE.

### **89. *Paradmontia* Coquillett, 1902c: 106.**

ORIGINALLY INCLUDED SPECIES: *Paradmontia brevis* Coquillett, 1902c.

TYPE SPECIES: *Paradmontia brevis* Coquillett, 1902c, by original designation.

CURRENT STATUS: Junior synonym of *Mauromyia* Coquillett, 1897 [*teste* O’Hara & Wood (2004: 293)].

FAMILY: TACHINIDAE.

**90. *Paraphyto* Coquillett, 1895i: 105.**

ORIGINALLY INCLUDED SPECIES: *Paraphyto chittendeni* Coquillett, 1895i.

TYPE SPECIES: *Paraphyto chittendeni* Coquillett, 1895i [= *Sarcophaga vigil* Walker, 1849b], by original designation.

CURRENT STATUS: Junior synonym of *Wohlfahrtia* Brauer & Bergenstamm, 1889 [*teste* Pape (1996: 169)].

FAMILY: SARCOPHAGIDAE.

**91. *Paraspilogaster* Coquillett, 1901h: 140.**

CURRENT STATUS: Unjustified emendation of *Parapsilogaster* Bigot, 1882; junior synonym of *Helina* Robineau-Desvoidy, 1830 [*teste* Evenhuis & Pont (2004: 47)].

FAMILY: MUSCIDAE.

REMARKS: Name made available as an emendation by virtue of the original and changed spellings appearing together in the same work and the changed spelling being adopted.

**92. *Paratissa* Coquillett, 1900c: 36.**

ORIGINALLY INCLUDED SPECIES: *Drosophila pollinosa* Williston, 1896.

TYPE SPECIES: *Drosophila pollinosa* Williston, 1896, by original designation.

CURRENT STATUS: Valid genus [*teste* Mathis & Zatwarnicki (1995: 28)].

FAMILY: EPHYDRIDAE.

**93. *Parepalpus* Coquillett, 1902c: 120.**

ORIGINALLY INCLUDED SPECIES: *Parepalpus flavida* Coquillett, 1902c.

TYPE SPECIES: *Parepalpus flavida* Coquillett, 1902c, by monotypy.

CURRENT STATUS: Valid genus [*teste* O'Hara & Wood (2004: 317)].

FAMILY: TACHINIDAE.

**94. *Parephydra* Coquillett, 1902f: 183.**

ORIGINALLY INCLUDED SPECIES: *Parephydra humilis* Coquillett, 1902f.

TYPE SPECIES: *Parephydra humilis* Coquillett, 1902f, by original designation.

CURRENT STATUS: Junior synonym of *Atissa* Haliday in Curtis, 1837 [*teste* Mathis & Zatwarnicki (1995: 55)].

FAMILY: EPHYDRIDAE.

**95. *Pareuxesta* Coquillett, 1901k: 376.**

ORIGINALLY INCLUDED SPECIES: *Pareuxesta latifasciata* Coquillett, 1901k; *Pareuxesta obscura* Coquillett, 1901k; *Pareuxesta intermedia* Coquillett, 1901k; *Pareuxesta hyalinata* Coquillett, 1901k.

TYPE SPECIES: *Pareuxesta latifasciata* Coquillett, 1901k, by original designation.

CURRENT STATUS: Valid genus [*teste* Steyskal (1968: 20)].

FAMILY: ULIDIIDAE.

**96. *Parhomalomyia* Coquillett, 1901h: 140, 143.**

CURRENT STATUS: Unjustified emendation of *Parmalomyia* Bigot, 1882; junior synonym of *Fannia* Robineau-Desvoidy, 1830 [*teste* Evenhuis & Pont (2004: 65)].

FAMILY: FANNIIDAE.

REMARKS: Name made available as an emendation by virtue of the original and changed spellings appearing together in the same work and the changed spelling being adopted. Coquillett (1901h: 140) indicated that Bigot had made this correction in spelling from *Parmalomyia* to *Parhomalomyia* in an author's extra sent to him. However, this correction was not published by Bigot, so Coquillett was the first to make the name *Parhomalomyia* available as an emendation.

**97. *Parodinia* Coquillett, 1902f: 186.**

ORIGINALLY INCLUDED SPECIES: *Parodinia cinerea* Coquillett, 1902f; *Rhinoessa costalis* Coquillett, 1901k.

TYPE SPECIES: *Parodinia cinerea* Coquillett, 1902f, by original designation.

CURRENT STATUS: Junior synonym of *Trixoscelis* Rondani, 1856 [*teste* Poole (1996: 172)].  
FAMILY: HELEOMYZIDAE.

**98. *Paroedopa* Coquillett, 1900d: 22.**

ORIGINALLY INCLUDED SPECIES: *Paroedopa punctigera* Coquillett, 1900d.  
TYPE SPECIES: *Paroedopa punctigera* Coquillett, 1900d, by original designation.  
CURRENT STATUS: Valid genus [*teste* Poole (1996: 205)].  
FAMILY: ULIDIIDAE.

**99. *Petia* Coquillett, 1910d: 126.**

ORIGINALLY INCLUDED SPECIES: *Petia calva* Coquillett, 1910d.  
TYPE SPECIES: *Petia calva* Coquillett, 1910d, by original designation.  
CURRENT STATUS: Junior synonym of *Catharosia* Rondani, 1868 [*teste* O'Hara & Wood (2004: 212)].  
FAMILY: TACHINIDAE.  
REMARKS: Previous catalogs [e.g., O'Hara & Wood (2004)] have listed *Petia* Coquillett, 1910d as being preoccupied by *Petia* Gray, 1839. A check of the literature shows this not to be the case. *Petia* Gray, 1839 (Reptilia) is an unavailable name since it was originally proposed in synonymy and was not treated as an available name before 1961.

**[Phalacromyia] Coquillett, 1895b: 131.**

CURRENT STATUS: Incorrect subsequent spelling of *Phalacromyia* Rondani, 1848 or subsequent usage of *Phalacromyia* Costa, 1866.  
FAMILY: CALLIPHORIDAE.  
REMARKS: Criteria to make this name available as an emendation were not found to be fulfilled in this work. The earliest mention of *Phalacromyia* Rondani, 1848 that I have found in this study using the spelling “*Phalacromyia*” is *Phalacromyia* Costa, 1866 as an unjustified emendation [*teste* O'Hara *et al.* (2011: 141)].

**100. *Phasiops* Coquillett, 1899g: 219.**

ORIGINALLY INCLUDED SPECIES: *Phasiops flava* Coquillett, 1899g.  
TYPE SPECIES: *Phasiops flava* Coquillett, 1899g, by monotypy.  
CURRENT STATUS: Valid genus [*teste* O'Hara & Wood (2004: 31)].  
FAMILY: TACHINIDAE.

**[Phenicia] Coquillett, 1910c: 588.**

CURRENT STATUS: Incorrect subsequent spelling of *Phaenicia* Robineau-Desvoidy, 1863.  
FAMILY: CALLIPHORIDAE.  
REMARKS: Criteria to make this name available as an emendation were not found to be fulfilled in this work.

**[Phorichaeta] Coquillett, 1897b: 19, 33, 154 [1902c: 116].**

CURRENT STATUS: Incorrect subsequent spelling of *Phoricheta* Rondani, 1861 or subsequent usage of *Phorichaeta* Brauer & Bergenstamm, 1889.  
FAMILY: TACHINIDAE.  
REMARKS: Criteria to make this name available as an emendation were not found to be fulfilled in these works. The earliest mention of *Phoricheta* Rondani, 1861 that I have found in this study using the spelling “*Phorichaeta*” is *Phorichaeta* Brauer & Bergenstamm, 1889 as an unjustified emendation [*teste* O'Hara *et al.* (2011: 143)].

**101. *Phoroctenia* Coquillett, 1910c: 599.**

ORIGINALLY INCLUDED SPECIES: *Ctenophora angustipennis* Loew, 1872.  
TYPE SPECIES: *Ctenophora angustipennis* Loew, 1872, by original designation.



CURRENT STATUS: Valid genus [*teste* Oosterbroek & Theowald (1992: 83)].

FAMILY: TIPULIDAE.

**102. *Phorodonta* Coquillett, 1910c: 589.**

TYPE SPECIES: *Sciara nigra* Wiedemann, 1821, automatic [the same species as for *Odontonyx* Rübsaamen, 1894, by subsequent designation (Coquillett 1910c: 578)].

CURRENT STATUS: New replacement name for *Odontonyx* Rübsaamen, 1894; junior synonym of *Odontosciara* Rübsaamen, 1908 [*teste* Mohrig *et al.* (2013: 219)].

FAMILY: SCIARIDAE.

**[*Phosococephala*] Coquillett, 1910c: 589.**

CURRENT STATUS: Incorrect subsequent spelling of *Phosocephala* Townsend, 1908.

FAMILY: TACHINIDAE.

REMARKS: Criteria to make this name available as an emendation were not found to be fulfilled in this work.

**103. *Phytodes* Coquillett, 1910d: 127.**

ORIGINALLY INCLUDED SPECIES: *Phytodes hirculus* Coquillett, 1910d.

TYPE SPECIES: *Phytodes hirculus* Coquillett, 1910d, by original designation.

CURRENT STATUS: Junior synonym of *Neophyto* Townsend, 1908 (subgenus of *Lepidodexia* Brauer & Bergenstamm, 1891) [*teste* Pape (1996: 239)].

FAMILY: SARCOPHAGIDAE.

**[*Platophryma*] Coquillett, 1910c: 591.**

CURRENT STATUS: Incorrect subsequent spelling of *Platophrymyia* Williston, 1896.

FAMILY: MILICHIIDAE.

REMARKS: Criteria to make this name available as an emendation were not found to be fulfilled in this work.

**[*Platycheirus*] Coquillett, 1900i: 428 [1904i: 42].**

CURRENT STATUS: Incorrect subsequent spelling of *Platycheirus* Le Peletier & Audinet-Serville, 1828 or subsequent usage of *Platycheirus* Agassiz, 1846.

FAMILY: SYRPHIDAE.

REMARKS: Criteria to make this name available as an emendation were not found to be fulfilled in these works. The earliest mention of *Platycheirus* Le Peletier & Audinet-Serville, 1828 that I have found in this study using the spelling “*Platycheirus*” is *Platycheirus* Agassiz, 1846 as an unjustified emendation [*teste* Peck (1988: 68)].

**104. *Plectops* Coquillett, 1897b: 57.**

ORIGINALLY INCLUDED SPECIES: *Plectops melissopodus* Coquillett, 1897b.

TYPE SPECIES: *Plectops melissopodus* Coquillett, 1897b, by original designation.

CURRENT STATUS: Junior synonym of *Phytomyptera* Rondani, 1844 [*teste* O’Hara & Wood (2004: 252)].

FAMILY: TACHINIDAE.

**105. *Plethochaeta* Coquillett, 1901d: 613.**

ORIGINALLY INCLUDED SPECIES: *Plethochaeta varicolor* Coquillett, 1901d.

TYPE SPECIES: *Plethochaeta varicolor* Coquillett, 1901d, by original designation.

CURRENT STATUS: Valid genus [*teste* Poole (1996: 234)].

FAMILY: SCATHOPHAGIDAE.

**106. *Pseudacteon* Coquillett, 1907c: 208.**

ORIGINALLY INCLUDED SPECIES: *Pseudacteon crawfordii* Coquillett, 1907c;

TYPE SPECIES: *Pseudacteon crawfordii* Coquillett, 1907c, by original designation.

CURRENT STATUS: Valid genus [*teste* Poole (1996: 211)].

FAMILY: PHORIDAE.

**107. *Pseudapinops* Coquillett, 1902c: 108.**

ORIGINALLY INCLUDED SPECIES: *Pseudapinops nigra* Coquillett, 1902c.

TYPE SPECIES: *Pseudapinops nigra* Coquillett, 1902c, by original designation.

CURRENT STATUS: Junior synonym of *Eloceria* Robineau-Desvoidy, 1863 [*teste* O'Hara & Wood (2004: 266)].

FAMILY: TACHINIDAE.

**108. *Pseudiastata* Coquillett, 1908b: 148.**

ORIGINALLY INCLUDED SPECIES: *Pseudiastata nebulosa* Coquillett, 1908b.

TYPE SPECIES: *Pseudiastata nebulosa* Coquillett, 1908b, by original designation.

CURRENT STATUS: Valid genus [*teste* Brake & Bächli (2009: 288)].

FAMILY: DROSOPHILIDAE.

**109. *Pseudochaeta* Coquillett, 1895m: 309.**

ORIGINALLY INCLUDED SPECIES: *Pseudochaeta argentifrons* Coquillett, 1895m.

TYPE SPECIES: *Pseudochaeta argentifrons* Coquillett, 1895m, by original designation.

CURRENT STATUS: Valid genus [*teste* O'Hara & Wood (2004: 196)].

FAMILY: TACHINIDAE.

**110. *Pseudodinia* Coquillett, 1902f: 187.**

ORIGINALLY INCLUDED SPECIES: *Pseudodinia varipes* Coquillett, 1902f.

TYPE SPECIES: *Pseudodinia varipes* Coquillett, 1902f, by original designation.

CURRENT STATUS: Valid genus [*teste* Barber (1985: 105)].

FAMILY: CHAMAEMYIIDAE.

**111. *Pseudolfersia* Coquillett, 1899i: 336.**

ORIGINALLY INCLUDED SPECIES: *Pseudolfersia maculata* Coquillett, 1899i.

TYPE SPECIES: *Pseudolfersia maculata* Coquillett, 1899i [= *Lynchia fumipennis* Sahlberg, 1886], by original designation.

CURRENT STATUS: Junior synonym of *Olfersia* Leach, 1817 [*teste* Guimarães (1968: 7)].

FAMILY: HIPPOBOSCIDAE.

**112. *Pterellipsis* Coquillett, 1899i: 333.**

ORIGINALLY INCLUDED SPECIES: *Pterellipsis aranea* Coquillett, 1899i.

TYPE SPECIES: *Pterellipsis aranea* Coquillett, 1899i, by original designation.

CURRENT STATUS: Junior synonym of *Megistopoda* Kolenati, 1857 [*teste* Wenzel (1970: 9)].

FAMILY: HIPPOBOSCIDAE.

**113. *Ptilomyia* Coquillett, 1900f: 261.**

ORIGINALLY INCLUDED SPECIES: *Ptilomyia enigma* Coquillett, 1900f.

TYPE SPECIES: *Ptilomyia enigma* Coquillett, 1900f, by original designation.

CURRENT STATUS: Valid genus [*teste* Mathis & Zatwarnicki (1995: 57)].

FAMILY: EPHYDRIDAE.

**114. *Pycnoglossa* Coquillett, 1901d: 613.**

ORIGINALLY INCLUDED SPECIES: *Pycnoglossa flavipennis* Coquillett, 1901d.

TYPE SPECIES: *Pycnoglossa flavipennis* Coquillett, 1901d, by original designation.

CURRENT STATUS: Junior synonym of *Chirosia* Rondani, 1856 [*teste* Dely-Draskovits (1993: 34)].

FAMILY: ANTHOMYIIDAE.

[*Rhodopselaphus*] **Coquillett, 1894a: 92.**

CURRENT STATUS: Incorrect subsequent spelling of *Rhabdopselaphus* Bigot, 1886.

FAMILY: BOMBYLIIDAE.

REMARKS: Criteria to make this name available as an emendation were not found to be fulfilled in this work.

**115. *Roederiodes* Coquillett, 1901j: 585.**

ORIGINALLY INCLUDED SPECIES: *Roederiodes juncta* Coquillett, 1901j.

TYPE SPECIES: *Roederiodes juncta* Coquillett, 1901j, by original designation.

CURRENT STATUS: Valid genus [*teste* Yang *et al.* (2007: 69)].

FAMILY: EMPIDIDAE.

REMARKS: Yang *et al.* (2007: 69) gave the method of type fixation as by monotypy but a check of Coquillett (1901j: 586) shows that Coquillett clearly designated *Roederiodes juncta* Coquillett, 1901j as type species by the statement “Type the following species”.

[*Sarcophiloides*] **Coquillett, 1910c: 602.**

CURRENT STATUS: Incorrect subsequent spelling of *Sarcophilodes* Brauer & Bergenstamm, 1889.

FAMILY: SARCOPHAGIDAE.

REMARKS: Criteria to make this name available as an emendation were not found to be fulfilled in this work.

**116. *Sayomyia* Coquillett, 1903d: 190.**

ORIGINALLY INCLUDED SPECIES: *Corethra punctipennis* Say, 1823.

TYPE SPECIES: *Corethra punctipennis* Say, 1823, by original designation.

CURRENT STATUS: Junior synonym of *Chaoborus* Lichtenstein, 1800 [*teste* Borkent (2014c: 473)].

FAMILY: CHAOBORIDAE.

[*Scatophaga*] **Coquillett, 1895a: 7 [1898i: 335, 339; 1899e: 345; 1900f: 257; 1901d: 612; 1904c: 33].**

CURRENT STATUS: Incorrect subsequent spelling of *Scathophaga* Meigen, 1803 or subsequent usage of *Scatophaga* Wiedemann, 1828.

FAMILY: SCATHOPHAGIDAE.

REMARKS: Criteria to make this name available as an emendation were not found to be fulfilled in these works. The earliest mention of *Scathophaga* Meigen, 1803 I have found in this study using the spelling “*Scatophaga*” is *Scatophaga* Wiedemann, 1828 as an unjustified emendation [*teste* Evenhuis & Pont (2013: 37)].

**117. *Sciasma* Coquillett, 1897b: 69.**

ORIGINALLY INCLUDED SPECIES: *Sciasma nebulosa* Coquillett, 1897b.

TYPE SPECIES: *Sciasma nebulosa* Coquillett, 1897b, by original designation.

CURRENT STATUS: Junior synonym of *Catharosia* Rondani, 1868 [*teste* O’Hara & Wood (2004: 212)].

FAMILY: TACHINIDAE.

**118. *Scutops* Coquillett, 1904f: 97.**

ORIGINALLY INCLUDED SPECIES: *Scutops fascipennis* Coquillett, 1904f.

TYPE SPECIES: *Scutops fascipennis* Coquillett, 1904f, by original designation.

CURRENT STATUS: Valid genus [*teste* Mathis & Rung (2011: 358)].

FAMILY: PERISCELIDIDAE.

**119. *Sinophthalmus* Coquillett, 1904h: 190.**

ORIGINALLY INCLUDED SPECIES: *Sinophthalmus pictus* Coquillett, 1904h.

TYPE SPECIES: *Sinophthalmus pictus* Coquillett, 1904h, by original designation.

CURRENT STATUS: Valid subgenus of *Phortica* Schiner, 1862 [*teste* Brake & Bächli (2008: 288)].

FAMILY: DROSOPHILIDAE.

**120. *Siphosturmia* Coquillett, 1897b: 83.**

ORIGINALLY INCLUDED SPECIES: *Argyrophylax rostrata* Coquillett, 1895i.

TYPE SPECIES: *Argyrophylax rostrata* Coquillett, 1895i, by original designation.

CURRENT STATUS: Valid genus [*teste* O'Hara & Wood (2004: 138)].

FAMILY: TACHINIDAE.

**[*Spanipalpis*] Coquillett, 1910c: 606.**

CURRENT STATUS: Incorrect subsequent spelling of *Spanipalpus* Townsend, 1908.

FAMILY: TACHINIDAE.

REMARKS: Criteria to make this name available as an emendation were not found to be fulfilled in this work.

**121. *Stenomicro* Coquillett, 1900f: 262.**

ORIGINALLY INCLUDED SPECIES: *Stenomicro angustata* Coquillett, 1900f.

TYPE SPECIES: *Stenomicro angustata* Coquillett, 1900f, by original designation.

CURRENT STATUS: Valid genus [*teste* Mathis & Rung (2011: 364)].

FAMILY: PERISCHELIDIDAE.

**[*Stenopterina*] Coquillett, 1900d: 25.**

CURRENT STATUS: Incorrect subsequent spelling of *Senopterina* Macquart, 1835 or subsequent usage of *Stenopterina* Agassiz, 1846.

FAMILY: PLATYSTOMATIDAE.

REMARKS: Criteria to make this name available as an emendation were not found to be fulfilled in this work. The earliest mention of *Senopterina* Macquart, 1835 that I have found in this study using the spelling “*Stenopterina*” is *Stenopterina* Agassiz, 1846 as an unjustified emendation [*teste* Evenhuis *et al.* (2016: 113)].

**122. *Stenoxenus* Coquillett, 1899c: 61.**

ORIGINALLY INCLUDED SPECIES: *Stenoxenus johnsoni* Coquillett, 1899c.

TYPE SPECIES: *Stenoxenus johnsoni* Coquillett, 1899c, by monotypy.

CURRENT STATUS: Valid genus [*teste* Borkent (2014a: 172)].

FAMILY: CERATOPOGONIDAE.

**123. *Stilbometopa* Coquillett, 1899i: 336.**

ORIGINALLY INCLUDED SPECIES: *Ornithomyia fulvifrons* Walker, 1849.

TYPE SPECIES: *Ornithomyia fulvifrons* Walker, 1849, by original designation.

CURRENT STATUS: Valid genus [*teste* Poole (1996: 174)].

FAMILY: HIPPOBOSCIDAE.

REMARKS: Bequaert (1965: 918) gave the method of type fixation as by monotypy, but this is incorrect. A check of Coquillett (1899i: 336) shows that he explicitly designated *Ornithomyia fulvifrons* Walker, 1849 as type species.

**[*Stratiomyia*] Coquillett, 1895a: 6 [1898i: 308].**

CURRENT STATUS: Incorrect subsequent spelling of *Stratiomys* Geoffroy, 1762 or subsequent usage of *Stratiomyia* by Macquart (1838).

FAMILY: STRATIOMYIDAE.

REMARKS: Criteria to make this name available as an emendation were not found to be fulfilled in these works. The earliest mention of *Stratiomys* Geoffroy, 1762 that I have found in this study using the spelling “*Stratiomyia*” is by Macquart (1838: 179) as an incorrect subsequent spelling [*teste* Evenhuis *et al.* (2016: 118)].



**124. *Tachinopsis* Coquillett, 1897b: 120.**

ORIGINALLY INCLUDED SPECIES: *Tachinopsis mentalis* Coquillett, 1897b.

TYPE SPECIES: *Tachinopsis mentalis* Coquillett, 1897b [= *Plagiospherysa parvipalpis* Wulp, 1890], by original designation.

CURRENT STATUS: Junior synonym of *Stomatomyia* Brauer & Bergenstamm, 1889 (subgenus of *Chetogena* Rondani, 1856) [*teste* O'Hara & Wood (2004: 148)].

FAMILY: TACHINIDAE.

**125. *Tetropsis* Coquillett, 1910d: 128.**

ORIGINALLY INCLUDED SPECIES: *Tetropsis modesta* Coquillett, 1910d.

TYPE SPECIES: *Tetropsis modesta* Coquillett, 1910d [= *Leucostoma subopaca* Coquillett, 1897b], by original designation.

CURRENT STATUS: Junior synonym of *Euphyto* Townsend, 1908 [*teste* Pape (1996: 88)].

FAMILY: SARCOPHAGIDAE.

**[*Thelairia*] Coquillett, 1910c: 614.**

CURRENT STATUS: Incorrect subsequent spelling of *Thelaira* Robineau-Desvoidy, 1830.

FAMILY: TACHINIDAE.

REMARKS: Criteria to make this name available as an emendation were not found to be fulfilled in this work.

**126. *Tinolestes* Coquillett, 1906d: 185.**

ORIGINALLY INCLUDED SPECIES: *Tinolestes latisquama* Coquillett, 1906d.

TYPE SPECIES: *Tinolestes latisquama* Coquillett, 1906d, by original designation.

CURRENT STATUS: Valid subgenus of *Aedes* Meigen, 1818 [*teste* Guimarães (1997: 94)].

FAMILY: CULICIDAE.

REMARKS: Guimarães (1997: 94) gave the type species as *Tinolestes latisquama* Coquillett, 1906d by monotypy. A check of Coquillett (1906d) showed that *Tinolestes latisquama* Coquillett, 1906d was clearly indicated as the type species, so the designation is by original designation.

**127. *Tomoplagia* Coquillett, 1910c: 591, 615.**

TYPE SPECIES: *Trypeta obliqua* Say, 1830, automatic [the same species for *Plagiotoma* Loew, 1873, by subsequent designation (Coquillett, 1910c: 591)]

CURRENT STATUS: New replacement name for *Plagiotoma* Loew, 1873; valid genus [*teste* Norrbom *et al.* (1999: 226)].

FAMILY: TEPHRITIDAE.

**128. *Traginops* Coquillett, 1900e: 429.**

ORIGINALLY INCLUDED SPECIES: *Traginops irrorata* Coquillett, 1900e.

TYPE SPECIES: *Traginops irrorata* Coquillett, 1900e, by original designation.

CURRENT STATUS: Valid genus [*teste* Poole (1996: 202)].

FAMILY: ODINIIDAE.

**129. *Trixodes* Coquillett, 1902d: 201.**

ORIGINALLY INCLUDED SPECIES: *Trixodes obesa* Coquillett, 1902d.

TYPE SPECIES: *Trixodes obesa* Coquillett, 1902d, by original designation.

CURRENT STATUS: Valid genus [*teste* O'Hara & Wood (2004: 37)].

FAMILY: TACHINIDAE.

**130. *Trochilodes* Coquillett, 1903b: 102.**

ORIGINALLY INCLUDED SPECIES: *Trochilodes skinneri* Coquillett, 1903b.

TYPE SPECIES: *Trochilodes skinneri* Coquillett, 1903b, by original designation.

CURRENT STATUS: Valid genus [*teste* O'Hara & Wood (2004: 71)].

FAMILY: TACHINIDAE.

**131. *Velocia* Coquillett, 1886c: 158.**

ORIGINALLY INCLUDED SPECIES: *Anthrax cerberus* Fabricius, 1794.

TYPE SPECIES: *Anthrax cerberus* Fabricius, 1794, by original designation.

CURRENT STATUS: Preoccupied by Robineau-Desvoidy, 1863; junior synonym of *Ligyra* Newman, 1841 [*teste* Evenhuis & Greathead (1999: 400)].

FAMILY: BOMBYLIIDAE.

**[*Xanthocrona*] Coquillett, 1910c: 620.**

CURRENT STATUS: Incorrect subsequent spelling of *Xanthacrona* Wulp, 1898.

FAMILY: ULIDIIDAE.

REMARKS: Criteria to make this name available as an emendation were not found to be fulfilled in this work.

**132. *Zabrachia* Coquillett, 1901j: 585.**

ORIGINALLY INCLUDED SPECIES: *Zabrachia polita* Coquillett, 1901j.

TYPE SPECIES: *Zabrachia polita* Coquillett, 1901j, by original designation.

CURRENT STATUS: Valid genus [*teste* Woodley (2001: 146)].

FAMILY: STRATIOMYIDAE.

**133. *Zacerata* Coquillett, 1924: 64.**

ORIGINALLY INCLUDED SPECIES: *Zacerata asparagi* Coquillett, 1924.

TYPE SPECIES: *Zacerata asparagi* Coquillett, 1924, by original designation.

CURRENT STATUS: Valid genus [*teste* Norrbom *et al.* (1999: 249)].

FAMILY: TEPHRITIDAE.

**134. *Zacompsia* Coquillett, 1901b: 15.**

ORIGINALLY INCLUDED SPECIES: *Zacompsia fulva* Coquillett, 1901b.

TYPE SPECIES: *Zacompsia fulva* Coquillett, 1901b, by original designation.

CURRENT STATUS: Valid genus [*teste* Poole (1996: 206)].

FAMILY: ULIDIIDAE.

**135. *Zagonia* Coquillett, 1904c: 27.**

ORIGINALLY INCLUDED SPECIES: *Zagonia flava* Coquillett, 1904c.

TYPE SPECIES: *Zagonia flava* Coquillett, 1904c, by original designation.

CURRENT STATUS: Valid genus [*teste* Poole (1996: 173)].

FAMILY: HELEOMYZIDAE.

**136. *Zaprionus* Coquillett, 1901i: 31.**

ORIGINALLY INCLUDED SPECIES: *Zaprionus vittiger* Coquillett, 1901i.

TYPE SPECIES: *Zaprionus vittiger* Coquillett, 1901i, by original designation.

CURRENT STATUS: Valid genus [*teste* Brake & Bächli (2008: 235)].

FAMILY: DROSOPHILIDAE.

**Names Incorrectly Attributed to Coquillett**

***Eucorethra* Underwood, 1903[7 August]: 182.**

ORIGINALLY INCLUDED SPECIES: *Eucorethra underwoodi* Underwood, 1903.

TYPE SPECIES: *Eucorethra underwoodi* Underwood, 1903, by monotypy.

CURRENT STATUS: Valid genus [*teste* Borkent (2014c: 473)].

FAMILY: CHAOBORIDAE.

REMARKS: This is an unusual case of one paper anticipating the other. Underwood (1903 [7 August]) stated that he had sent specimens of a new genus to Coquillett, who described and named it (see below). Underwood (1903) gave notice of the upcoming description by Coquillett, which appeared two months later. However, there is no indication in Underwood (1903) that Coquillett provided anything other than the name for Underwood's publication, so the name is made available with the authorship and date of Underwood (1903), despite the fact the species-group name was intended to be named in his honor by Coquillett. Some works have treated Coquillett's subsequent publication of *Eucorethra* (Coquillett, 1903f [3 October]) as a junior primary homonym, but Coquillett was careful to indicate the correct authorship and indicated the publication by Underwood (1903) in a footnote, thus *Eucorethra* in Coquillett's (1903f) was merely a subsequent usage and not a new genus description. Coquillett (1910c) also correctly indicated the authorship and date of *Eucorethra* as Underwood (1903).

### **Philhelius Stephens, 1841: 201.**

ORIGINALLY INCLUDED SPECIES: *Syrphus ornatus* Meigen, 1822.

TYPE SPECIES: *Syrphus ornatus* Meigen, 1822, by monotypy.

CURRENT STATUS: Senior synonym of *Xanthogramma* Schiner, 1860. **New synonym.**

FAMILY: SYRPHIDAE.

REMARKS: In his corrections to his "paper on type species of the North American Diptera genera", Coquillett (1910e) inserted *Philhelius* Stephens, 1841, designated *Musca citrofasciata* De Geer, 1776 as the type, and gave *Xanthogramma* Schiner, 1860 as a synonym. The name *Philhelius* in Stephens (1841: 201) has been considered a *nomen nudum* [e.g., Verrall (1901: 448), Sherborn (1929: 4907)]: there is no description and there only is one species-group name listed without authorship (*ornatus*), which has also been considered a *nomen nudum*. Subsequent workers have treated *Philhelius* as unavailable from Stephens (1841), but available from Coquillett (1910e) [e.g., Wirth *et al.* (1965: 569)], did not list the Stephens citation but only list the name under Coquillett (1910e) [e.g., Peck (1988: 50), Poole (1996: 269), Vockeroth (1969: 90), Yang & Cheng (1998: 159)], or only listed the Stephens name as a *nomen nudum* and did not list the Coquillett name [Neave (1940: 709)]. However, although there is no author name behind the specific name, it is clear that the species Stephens placed in his *Philhelius* is actually *Syrphus ornatus* Meigen, 1822, which is a common species found in England. Stephens (1829: 286) listed the same species in his previous list of British insects and it is in the same general placement of genera there as it is in his 1841 list (it is the only *ornatus* in both lists so there can be no ambiguity of the identity). Verrall's (1901) discussion remarked that Stephens had a good eye for genera and that he had made "our two [sic] species as representatives of a new genus", but added that *Philhelius* was merely a catalog name and had no validity. Verrall (1901: 448) clearly knew the identity of the species (*ornatus*) that Stephens had placed against the new genus-group name and was treating that very species in the pages of his work (Verrall 1901: 447–448) where his note about *Philhelius* appeared. Verrall was not saying the *Philhelius* was unavailable because the species was a *nomen nudum*. He was claiming the genus-group name was unavailable because it was a "catalogue name" [= had no characters defining it]<sup>7</sup>. [NB: Curiously, Verrall in Scudder (1882: 258) listed *Philhelius* Stephens as an available name with *Xanthogramma* as a synonym. Some change of mind must have transpired in the intervening 20 years.] Still, there are other generic names made available in lists such as this where only specific names without authorship are included in new genus-group names, but where it could be deduced which previously described species was intended. *Syrphus ornatus* is the type species of *Xanthogramma* Schiner, 1860, which makes *Philhelius* Stephens, 1841 an objective senior synonym of it as Coquillett (1910e) indicated. Johnson (1913: 67) used *Philhelius* in the same sense as Coquillett (1910c) by treating *Xanthogramma* as a junior synonym of it; and Winn & Beaulieu (1915: 135) also

7. It should be noted that, at the time Verrall made his remarks about *Philhelius* "being only a catalogue name and not having the right of priority", the ICZN's *Règles* had not yet appeared and there were no rules of nomenclature governing genus-group names without descriptions. Only subsequently did the ICZN *Code* allow genus-group names without defining characters to be made available if one or more available species-group names were originally included.

listed *Philhelius* with Stephens as the author. The name *Philhelius* Stephens, 1841 has not appeared in the literature as a valid taxon since Coquillett (1910e); and Sherborn (1929) declared it a *nomen nudum* in his *Index Animalium*. I have not deduced the actual impact of a name change back to *Philhelius*, but, if it is found that there is a threat to stability, an application to the ICZN Commission to suppress *Philhelius* Stephens, 1841 may be warranted. Reversal of precedence (ICZN Code Art. 23.9) cannot be invoked in this case due to the fact that *Philhelius* Stephens, 1841 has been used as a valid taxon since 1899.

## List of Diptera Genus-Group Names of Coquillett by Family

Format of typeface of families below follows that of the catalog.

ANTHOMYIIDAE: *Pycnoglossa*.

ASILIDAE: *Diactrodes*; **Efferia**; **Metapogon**.

BIBIONIDAE: **Bibiodes**; [Bibioides].

BOMBYLIIDAE: **Aldrichia**; **Amphicosmus**; [Argyramoeba]; [Argyramoebe]; **Eucessia**; **Exepacmus**; *Exoptata*; **Geminaria**; **Mancia**; **Metacosmus**; [Onchodocera]; [Rhodopselaphus]; *Velocia*.

BRACHYSTOMATIDAE: **Boreodromia**; [Boreomyia].

CALLIPHORIDAE: [Chrysomyia]; [Cynomyia]; [Phalacromyia]; [Phenecia].

CARNIDAE: **Hemeromyia**.

CECIDOMYIIDAE: [Diathronomyia]; *Neocerata*.

CERATOPOGONIDAE: **Stenoxenus**.

CHAMAEMYIIDAE: **Pseudodinia**.

CHAOBORIDAE: *Sayomyia*.

CHIRONOMIDAE: *Eutanypus*.

CHLOROPIDAE: *Ceratobarys*.

CLUSIIDAE: **Chaetoclusia**; **Clusiodes**.

CORETHRELLIDAE: **Corethrella**.

CRYPTOCHETIDAE: [Cryptochaetum].

CULICIDAE: *Cacomyia*; **Gymnometopa**; **Isostomyia**; *Lepidoplatys*; *Lepidosia*; [Magarhinus]; **Micraedes**; *Nototricha*; **Tinolestes**.

DIASTATIDAE: *Calopterella*.

DROSOPHILIDAE: **Cladochaeta**; **Pseudiasata**; **Sinophthalmus**; **Zaprionus**.

EMPIDIDAE: *Empimorpha*; **Metachela**; **Neocota**; **Neoplasta**; **Roederiodes**.

EPHYDRIDAE: **Nostima**; **Lipochaeta**; **Paratissa**; *Parephydra*; **Ptilomyia**.

FANNIIDAE: *Parhomalomyia*.

HELEOMYZIDAE: *Achaetomus*; [Aecothea]; [Blepharoptera]; *Parodinia*; **Zagonia**.

HIPPOBOSCIDAE: **Aspidoptera**; **Metalasmus**; [Ornithomyia]; *Pseudolfersia*; *Pterellipsis*; **Stilbometopa**.

HYBOTIDAE: **Euhybus**.

KEROPLATIDAE: [Ceroplatys]; **Hesperodes**.

LONCHAEIDAE: *Arctobiella*; [Dasiopa].

MILICHIIDAE: **Eusiphona**; [Platophryma];

MUSCIDAE: [Centrocera]; [Cyrtoneura]; [Graphomyia]; [Hyetodesia]; [Lispa]; **Opsolasia**; *Paraspilogaster*.

MYDIDAE: *Apomidas*.

MYTHICOMYIIDAE: **Mythicomyia**; [Mythiocomyia].

ODIONIIDAE: **Traginops**.

OPOMYZIDAE: *Mutiloptera*.

PEDICIIDAE: **Ornithodes**.

PERISCELIDIDAE: **Scutops**; **Stenomicro**.

PHORIDAE: **Apocephalus**; **Pseudacteon**.

PLATYSTOMATIDAE: [Stenopterina].

PSYCHODIDAE: [Flebotomus].



PYRGOTIDAE: **Eupyrgota**.  
 RHAGIONIDAE: [Chrysopila]; **Misgomyia**.  
 RHINOPHORIDAE: [Melanosphora].  
 RICHARDIIDAE: **Omomyia**.  
 SARCOPHAGIDAE: [Brachycoma]; **Helicobia**; **Johnsonia**; **Opsidia**; *Opsiomys*; *Paraphyto*; *Phytodes*; [Sarcophiloides]; *Tetropsis*.  
 SCATHOPHAGIDAE: **Acicephala**; **Chaetosa**; [Cordylura]; **Plethochaeta**; [Scatophaga].  
 SCENOPINIDAE: **Metatrichia**.  
 SCIARIDAE: **Eugnoriste**; *Phorodonta*.  
 STRATIOMYIDAE: [Stratiomyia]; **Zabrachia**.  
 SYRPHIDAE: [Chilosia]; [Chrysochlamys]; *Condidea*; [Myiolepta]; *Philhelius*; [Platychirus].  
 TABANIDAE: [Brachystomus]; [Pangonia].  
 TACHINIDAE: [Acemyia]; *Acemyia*; *Apinops*; [Aporomyia]; **Ateloglossa**; [Ateloglossa]; [Barpleygma]; [Baumhauria]; [Bigonichaeta]; *Biomyia*; [Cassidomyia]; **Celatoria**; [Chaetolyga]; *Chaetophleps*; **Chaetoplagia**; [Clytiomyia]; *Clytiomyia*; **Comatacta**; [Crytomeigenia]; [Daochaeta]; [Echinomyia]; [Eurygaster]; **Eutrixa**; **Exoristoides**; [Ginglymyia]; [Gymnochaeta]; **Houghia**; [Hyalomyia]; [Hylemyia]; *Isoglossa*; [Labidigaster]; *Lasioneura*; *Linnaemyia*; *Lispidea*; [Lyphe]; **Mauromyia**; *Meigeniella*; *Metachaeta*; *Metadexia*; *Metaphyto*; **Metaplagia**; [Myiobia]; *Neopales*; [Ocytera]; *Parachaeta*; *Paradmontia*; **Parepalpus**; *Petia*; **Phasiops**; [Phorichaeta]; [Phosococephala]; *Plectops*; *Pseudapinops*; **Pseudochaeta**; *Sciasma*; **Siphosturmia**; [Spanipalpis]; *Tachinopsis*; [Thelairia]; **Trixodes**; **Trochilodes**.  
 TEPHRITIDAE: [Carphotriche]; **Paracantha**; **Tomoplagia**; **Zacerata**.  
 THEREVIDAE: **Henicomys**; *Metaphragma*; **Nebritus**.  
 TIPULIDAE: [Tipulidae]; [Pachyrrhina]; **Phoroctenia**.  
 ULIDIIDAE: [Euexesta]; **Pareuxesta**; **Paroedopa**; [Xanthocrona]; **Zacompsia**.

## Index of Diptera Species-Group Names Proposed by Coquillett

The following list contains all Diptera species-group names proposed by Coquillett. Available names are indicated by plain roman typeface; unavailable names are in *italics*. Secondary publications (e.g., subsequently reprinted versions) where new taxa are again proposed and annotations with clarifications of data are placed in square brackets [ ] after the original year and page.

**Note:** The authorship of *Brachycoma davidsoni* is changed here to Davidson & Coquillett in Coquillett, 1894 because both Davidson and Coquillett gave characters to differentiate and thus fulfill the requirements of authorship of the new taxon.

abditia, Rhamphomyia, 1895n: 430	albata, Rhamphomyia, 1902c: 103
abdominalis, Chlorops, 1895m: 318	albipes, Sapromyza, 1904f: 94
abnormis, Aphoebantus, 1891b: 14(262)	albiseta, Lauxania, 1898h: 280
acton, Rhamphomyia, 1891a: 85	albonotata, Gymnometopa, 1906d: 183
adpersa, Euaresta, 1904c: 30	albopilosa, Rhamphomyia, 1900i: 418 [1904i: 32]
adumbrata, Anthrax, 1887c: 176	albovaria, Sciomyza, 1901d: 616
adversa, Rhamphomyia, 1900i: 418 [1904i: 32]	albovenosa, Hyadina, 1900c: 34
aenea, Anthrax, 1887c: 165	aldrichii, Psilocephala, 1893h: 227
aenea, Hypostena, 1895h: 57	algens, Tanypus, 1902c: 90
aequalis, Dacus, 1909a: 194	amblycoryphae, Sarcophaga, 1904h: 187
aerata, Exorista, 1897b: 100	americana, Racodineura, 1897b: 66
aeratus, Platychirus, 1900i: 430 [1904i: 44]	americanus, Acreotrichus, 1895g: 273
agrestis, Anthrax, 1887c: 171	amplexa, Exorista, 1897b: 98
alaskensis, Telmatogeton, 1900i: 395	amplicella, Phthiria, 1904h: 175
albaria, Ceratopogon, 1895m: 308	amplicella, Rhamphomyia, 1895n: 431
albata, Psilocephala, 1898i: 317	amplipedis, Rhamphomyia, 1895n: 422

amplus, Euparyphus, 1902c: 100  
 analis, Exechia, 1901d: 598  
 ancoralis, Sphiximorpha, 1902d: 196  
 ancorus, Ceratopogon, 1902c: 87  
 angustata, Stenomicro, 1900f: 262  
 anna, Anthrax, 1887c: 169  
 antennis, Ceratopogon, 1901d: 606  
 antennis, Clausicella, 1895h: 56  
 antennis, Spallanzania, 1897b: 136  
 antennis, Winthemia, 1902c: 115  
 antennata, Limnophila, 1905c: 58  
 anthracodes, Rhamphomyia, 1900i: 420 [1904i: 34]  
 aperta, Gnophomyia, 1905c: 58  
 aperta, Tricyphona, 1905c: 59  
 apicalis, Atacta, 1897b: 83  
 apicalis, Brachycoma, 1897b: 131  
 apicalis, Euparyphus, 1902c: 99  
 apicalis, Icteric, 1904f: 96  
 apicalis, Mutiloptera, 1908b: 148  
 apicula, Lordotus, 1887b: 116  
 apiculus, Anthrax, 1887c: 166  
 aplopappi, Trypeta, 1894b: 72  
 aranea, Pterellips, 1899i: 334  
 araneae, Gaurax, 1896d: 320  
 araneosa, Trypeta, 1894b: 74  
 arcticus, Ceratopogon, 1900i: 396 [1904i: 10]  
 arcuata, Rhamphomyia, 1895n: 421  
 arenosa, Anthrax, 1892d: 187  
 argentata, Coenosia, 1904c: 33  
 argentatus, Nicocles, 1893d: 119  
 argentifrons, Pseudochaeta, 1895m: 310  
 arietinus, Tanypus, 1908b: 144  
 aristalis, Chlorops, 1898d: 46  
 aristalis, Dryomyza, 1901d: 617  
 aristalis, Hilarella, 1897b: 129  
 arizonensis, Anthrax, 1887c: 182  
 arizonensis, Orimarga, 1902c: 83  
 armigera, Tachina, 1889: 332  
 asparagi, Zacerata, 1924: 64  
 aspidoptera, Limnophila, 1905d: 347  
 ater, Apinops, 1897b: 68  
 ater, Promachus, 1898i: 315  
 ater, Thripsogaster, 1894a: 108  
 atra, Metachaeta, 1895i: 99  
 atrata, Anthrax, 1887c: 171  
 atrata, Clytiomyia, 1895h: 53  
 atrata, Phthiria, 1904h: 176  
 atrata, Rhamphomyia, 1900i: 420 [1904i: 34]  
 atratus, Microphorus, 1900i: 412 [1904i: 26]  
 atrifrons, Plethochaeta, 1910a: 44  
 atrimana, Chironomus, 1902c: 94  
 atripennis, Chaetoplagia, 1895i: 98  
 atripes, Thryptocera, 1897b: 58  
 atriventris, Euparyphus, 1902c: 100  
 atroglauc, Hydrellia, 1910d: 131  
 atropalpus, Culex, 1902e: 292  
 aurantiaca, Psilocephala, 1904h: 177  
 aurata, Amobia, 1902c: 119  
 aurata, Hilarella, 1900i: 411 [1904i: 25]  
 auriceps, Distichona, 1904h: 186  
 auricomus, Microdon, 1898i: 320  
 aurifer, Culex, 1903e: 255  
 aurifrons, Masicera, 1897b: 115  
 aurigera, Masiphya, 1895m: 309  
 australis, Sturmia, 1897b: 110  
 austrina, Ephydra, 1900c: 36  
 austrina, Sturmia, 1902c: 113  
 auida, Empis, 1895n: 405  
 auida, Rhamphomyia, 1895n: 425  
 baccata, Psilocephala, 1893h: 226  
 baccharis, Trypeta, 1894b: 73  
 badia, Phthiria, 1904h: 174  
 bakeri, Acrocera, 1904c: 23  
 bakeri, Chaetocclusia, 1904f: 94  
 bakeri, Sturmia, 1897b: 112  
 barbata, Hypostena, 1895h: 57  
 barberi, Anopheles, 1903h: 310  
 barberi, Ceratopogon, 1901d: 601  
 barberi, Tanypus, 1902c: 90  
 barycnemus, Dolichopus, 1900i: 424 [1904i: 38]  
 barypoda, Rhamphomyia, 1900i: 417 [1904i: 31]  
 basilaris, Leptogaster, 1898i: 311  
 basilaris, Rivellia, 1900d: 21  
 bellus, Ceratopogon, 1902c: 87  
 beringensis, Neoglaphyoptera, 1899e: 342  
 betae, Phytomyza, 1900h: 389  
 biciliata, Phorbia, 1900i: 451 [1904i: 65]  
 bicolor, Chaetona, 1899g: 221  
 bicolor, Euthera, 1902c: 114  
 bicolor, Hippelates, 1898d: 48  
 bicolor, Phthiria, 1904h: 176  
 bicolor, Phytomyza, 1902f: 191  
 bicolor, Tetragoneura, 1901d: 595  
 bifasciatus, Tanypus, 1901d: 609  
 bifilata, Rhamphomyia, 1895n: 424  
 biguttatus, Ceratopogon, 1901d: 604  
 bimaculatus, Culex, 1902c: 84  
 bisetosa, Coenia, 1902f: 183  
 bisetosa, Micropeza, 1902f: 177  
 bisetosa, Urellia, 1899j: 266  
 bistigma, Limnobia, 1905c: 57  
 bisulcatus, Micraedes, 1906d: 185  
 bivittata, Myocera, 1902c: 121  
 bivittatus, Ceratopogon, 1905c: 60  
 blandita, Exorista, 1897b: 96  
 boarmiae, Exorista, 1897b: 95  
 borealis, Chilisia, 1900i: 426 [1904i: 40]  
 borealis, Diadocidia, 1900i: 390  
 borealis, Eutanyphus, 1899e: 341  
 borealis, Paraphyto, 1900i: 439 [1904i: 53]  
 brachialis, Chironomus, 1901d: 607  
 brachysoma, Empis, 1900i: 409 [1904i: 23]  
 brachysoma, Sapromyza, 1898h: 278  
 bracteatum, Simulium, 1898a: 69  
 bracteatus, Culex, 1906d: 184  
 brakeleyi, Corethra, 1902a: 85

brevirostris, Eugnoriste, 1904h: 169  
 brevirostris, Sicus, 1902d: 198  
 brevirostris, Siphona, 1897b: 76  
 brevis, Dacus, 1901i: 28  
 brevis, Paradmontia, 1902c: 106  
 breviseta, Sciopus, 1902b: 140  
 brevistylus, Asilus, 1898i: 314  
 brevistylus, Aphoebantus, 1891b: 16(264)  
 brevivitta, Sciophila, 1905c: 67  
 brunnea, Empis, 1903c: 270  
 bucculenta, Pegomya, 1904h: 188  
 bucerus, Lordotus, 1894a: 110  
 busckii, Aspidoptera, 1899i: 335  
 busckii, Drosophila, 1901c: 18  
 busckii, Stegomyia, 1906c: 60  
 caesia, Sapromyza, 1904c: 31  
 calcarata, Sciophila, 1904c: 19  
 calcaratus, Ceratopogon, 1905c: 64  
 californica, Amobia, 1895i: 100  
 californica, Rhamphomyia, 1895n: 420  
 californica, Trypeta, 1894b: 73  
 calva, Oestrophasia, 1902c: 109  
 calva, Petia, 1910d: 127  
 calvicrura, Lasiops, 1900i: 444 [1904i: 58]  
 calypttrata, Phoranthia, 1897b: 44  
 campestris, Anthrax, 1887c: 171 [as *camprestris* but corrected  
     in errata]  
 cana, Hilara, 1895n: 395  
 canalis, Lordotus, 1887b: 115  
 candida, Efferia, 1893f: 176  
 cantator, Culex, 1903: 255  
 capax, Aphoebantus, 1891b: 13(261)  
 capax, Geron, 1892b: 126  
 capax, Hippelates, 1898d: 48  
 capillata, Chlorops, 1904f: 98  
 capito, Chirosia, 190d: 123  
 caprea, Anthrax, 1887c: 170  
 captus, Empis, 1895n: 405  
 captus, Hemerodromia, 1895n: 391  
 catulina, Anthrax, 1894a: 100  
 catulus, Aphoebantus, 1894a: 107  
 caudellii, Ceratopogon, 1905c: 63  
 caulicola, Diplosis, 1895j: 401  
 cautor, Anthrax, 1887c: 175  
 celer, Masicera, 1897b: 114  
 ceratomiae, Exorista, 1897b: 101  
 cerea, Scatophaga, 1908b: 146  
 chaetoneura, Masicera, 1897b: 115  
 chalybaea, Meriania, 1902c: 119  
 chittendeni, Paraphyto, 1895i: 105  
 ciliata, Rhamphomyia, 1895n: 428  
 cilipes, Ceratopogon, 1900i: 397 [1904i: 11]  
 cincta, Neoglaphyoptera, 1895m: 308  
 cinctipes, Ceratopogon, 1905c: 64  
 cinctipes, Corethra, 1903d: 190  
 cinctura, Geron, 1894a: 111  
 cinctus, Ceratopogon, 1901d: 605  
 cinefacta, Anthrax, 1892d: 180  
 cinefacta, Rhamphomyia, 1900i: 419 [1904i: 33]  
 cineracea, Lauxania, 1902f: 179  
 cineracea, Rhamphomyia, 1900i: 416 [1904i: 30]  
 cineracea, Tipula, 1900i: 404 [1904i: 18]  
 cinerea, Atelogossa, 1899g: 219  
 cinerea, Ophthalmomyia, 1900f: 268  
 cinerea, Paraplagia, 1895i: 101  
 cinerea, Parodinia, 1902f: 186  
 cinerosa, Phorichaeta, 1902c: 116  
 cirrata, Trichomyia, 1902b: 137  
 clauda, Empis, 1900i: 407 [1904i: 21]  
 clauda, Rhamphomyia, 1901d: 610  
 clausa, Empis, 1895n: 401  
 clausus, Blacodes, 1893b: 34  
 clausus, Ceroplatus, 1901d: 594  
 clavator, Rhamphomyia, 1901d: 611  
 clavipennis, Pachycerina, 1898h: 280  
 clemativora, Phytomyza, 1910d: 131  
 clepsydrus, Orthocladus, 1902c: 92  
 clunalis, Sciopus, 1902b: 141  
 cocciphila, Phora, 1895c: 106  
 cockerellii, Ceratopogon, 1901d: 603  
 cockerellii, Gaediopsis, 1902c: 117  
 cockerellii, Rhypholophus, 1901a: 149  
 colorata, Rhamphomyia, 1895n: 420  
 comantis, Empimorpha, 1895n: 396  
 comantis, Empis, 1895n: 402  
 comperei, Ortalis, 1904g: 138  
 compes, Chironomus, 1908b: 145  
 compta, Empis, 1895n: 405  
 compta, Leptopeza, 1895n: 435  
 compta, Rhamphomyia, 1895n: 423  
 concinnus, Epacmus, 1892a: 10  
 concinnus, Leptomydas, 1904c: 39  
 concinnus, Tanypus, 1895m: 308  
 conjuncta, Empis, 1900i: 411 [1904i: 25]  
 consessor, Anthrax, 1887c: 165  
 costalis, Rhicnoessa, 1901k: 378  
 costalis, Tricogena, 1897b: 130  
 costata, Limnophila, 1901a: 149  
 coxalis, Anaclina, 1905c: 68  
 crawfordi, Pseudacteon, 1907c: 208  
 crawii, Celatoria, 1890: 235  
 crevecoeurii, Sapromyza, 1898h: 278  
 crinita, Scatophaga, 1901d: 612  
 cristatus, Blacodes, 1893b: 33  
 crocatus, Microphorus, 1900i: 413 [1904i: 27]  
 crocina, Anthrax, 1892d: 183  
 cruciatus, Flebotomus, 1907b: 102  
 crucigerus, Euparyphus, 1902c: 99  
 cruenta, Symphoromyia, 1894e: 55  
 cruralis, Hydrellia, 1910d: 131  
 cucurbitae, Dacus, 1899d: 129  
 cultaris, Trypeta, 1894b: 72  
 cuprina, Xylota, 1898i: 327  
 curriei, Ceratopogon, 1905c: 62  
 curriei, Culex, 1901g: 259  
 curriei, Exorista, 1897b: 94

curtulus, Conops, 1898i: 328  
 curvipes, Rhamphomyia, 1904c: 24  
 curvivena, Dicranomyia, 1908b: 144  
 cyanescens, Culex, 1902b: 137  
 cybele, Argyramoebe, 1894a: 96  
 dasypodus, Dolichopus, 1910a: 42  
 davidsoni, Brachycoma, Davidson & Coquillett, *in* Coquillett, 1894d: 172  
 davidsonii, Sarcophaga, 1892e: 24  
 debilis, Syneches, 1895n: 436  
 degeerioides, Hypostena, 1895h: 58  
 dentata, Acemyia, 1895m: 311  
 depile, Myiobia, 1895m: 313  
 desertus, Aphobantus, 1891b: 13(261)  
 diomedaeae, Pseudoliersia, 1901k: 379  
 discalis, Sturmia, 1902c: 114  
 discolor, Culex, 1903e: 256  
 discolor, Tanypus, 1902c: 89  
 dispar, Anthrax, 1887c: 177  
 dispar, Laphria, 1898i: 316  
 dispar, Rhaphium, 1898i: 319  
 dispar, Saropogon, 1902b: 139  
 disparilis, Rhamphomyia, 1900i: 415 [1904i: 29]  
 divergens, Rhypholophus, 1905c: 57  
 diversa, Alophe, 1897b: 45  
 diversa, Phthiria, 1894a: 103  
 diversa, Rhamphomyia, 1901d: 611  
 diversa, Thereva, 1894f: 100  
 diversipes, Platypus, 1900i: 422 [1904i: 36]  
 diversipes, Sarcophaga, 1900f: 255  
 diversus, Ceratopogon, 1901d: 607  
 diversus, Dacus, 1904g: 139  
 diversus, Lordotus, 1891c: 198  
 divisa, Exoptata, 1887a: 13  
 divisus, Pycnopogon, 1902b: 139  
 dorsalis, Exorista, 1898e: 236  
 dorsalis, Hyalomys, 1902c: 108  
 dorsalis, Silvius, 1898i: 309  
 dunningii, Thryptocera, 1895h: 54  
 duplicis, Rhamphomyia, 1895n: 424  
 duplicis, Thereva, 1893g: 199  
 dupreei, Culex, 1904a: 10  
 dyari, Culex, 1902g: 192  
 dyari, Tanypus, 1902a: 85  
 edwardsii, Anthrax, 1894g: 102  
 effera, Rhamphomyia, 1895n: 427  
 effrena, Anthrax, 1887c: 182  
 egressus, Thereva, 1894f: 99  
 ehrmanii, Aldrichia, 1894a: 94  
 eiseni, Anopheles, 1902g: 192  
 elegans, Amphicosmus, 1891d: 220  
 elegans, Ceratopogon, 1901d: 599  
 elegans, Johnsonia, 1895m: 316  
 elegans, Platyura, 1895m: 307  
 enigma, Ptilomyia, 1900f: 262  
 erecta, Phorocera, 1902c: 112  
 erucicola, Paraplagia, 1897b: 78  
 euaresta, Sapromyza, 1898i: 340  
 exile, Clytiomyia, 1895h: 53  
 exilis, Ceratopogon, 1902c: 86  
 exilis, Empis, 1903c: 269  
 exilis, Eurina, 1898d: 45 [as *Eurinaexilis*]  
 exilis, Masicera, 1897b: 156  
 exilis, Metacosmus, 1891d: 221  
 expolita, Sciara, 1900i: 392  
 expolitus, Ceratopogon, 1901d: 600  
 extremitis, Anthrax, 1902b: 138  
 facialis, Dacus, 1909c: 12  
 facialis, Gaediopsis, 1902c: 117  
 facialis, Lauxania, 1898h: 280  
 facialis, Phorocera, 1897b: 105  
 facialis, Xylota, 1910d: 126  
 fasciata, Dictenidia, 1898i: 304  
 fasciata, Senotainia, 1897b: 81  
 fasciatus, Paragus, 1898i: 320  
 fasciola, Amphicnephes, 1900d: 21  
 fasciola, Geron, 1892b: 125  
 fasciolus, Keroplatus, 1894c: 126  
 fascipennis, Chasmatonotus, 1905c: 66  
 fascipennis, Scutops, 1904f: 97  
 fascipes, Chironomus, 1908b: 145  
 fascipes, Mansonia, 1906d: 182  
 femoratus, Nerius, 1898i: 336  
 fenestella, Oxyphora, 1910b: 308  
 fenestrata, Cephalia, 1900d: 24  
 fenestrata, Euxesta, 1904f: 95  
 fenestrata, Mycetophila, 1904c: 19  
 fenestrata, Myopa, 1902d: 197  
 fenestratoides, Anthrax, 1892d: 185  
 fera, Symphoromyia, 1894e: 56  
 festina, Psilocephala, 1893h: 225  
 fimbriata, Phaonia, 1904c: 35  
 fimbriata, Rhamphomyia, 1895n: 429  
 fimbriatus, Ceratopogon, 1901d: 601  
 flava, Anthalia, 1903c: 268  
 flava, Myiophasia, 1900h: 390  
 flava, Zagonia, 1904c: 27  
 flaveola, Acnemia, 1901d: 598  
 flaveola, Hypostena, 1897b: 61  
 flaveola, Megaparia, 1902c: 121  
 flaveola, Phthiria, 1904h: 175  
 flaveola, Sapromyza, 1898h: 279  
 flaveola, Sigaloessa, 1898d: 49  
 flaveola, Trypeta, 1899e: 345  
 flaveolus, Rhypholophus, 1900i: 398 [1904i: 13]  
 flaveolus, Taeniorhynchus, 1906d: 182  
 flavicauda, Thereva, 1904c: 23  
 flaviceps, Pseudotrichia, 1902c: 102  
 flavicornis, Mydaea, 1902c: 123  
 flavida, Hexamitocera, 1901d: 612  
 flavida, Psilopa, 1900c: 33  
 flavidus, Parepalpus, 1902c: 120  
 flavimedia, Leptis, 1898i: 307  
 flavipennis, Chaetona, 1902c: 121  
 flavipennis, Pycnoglossa, 1901d: 613  
 flavipes, Ablautus, 1904h: 178



*eudora*, Anthrax, 1887c: 169  
*flavipes*, Dexia, 1898i: 332  
*flavipes*, Diotrodes, 1904h: 181  
*flavipes*, Gaediopsis, 1895i: 100  
*flavipes*, Laphystia, 1904h: 180  
*flavipes*, Prosenoides, 1895m: 314  
*flavipes*, Spilogaster, 1898i: 334  
*flavipes*, Thryptocera, 1897b: 58  
*flavipes*, Xanthomelana, 1897b: 72  
*flavipilosus*, Microphorus, 1900i: 413 [1904i: 27]  
*flavivaria*, Homalomyia, 1900i: 446 [1904i: 60]  
*flavohirta*, Sciophila, 1901d: 596  
*flavoniger*, Ceratopogon, 1905c: 60  
*flavoniger*, Leptis, 1904c: 20  
*flavonigra*, Agromyza, 1902f: 189  
*flavovaria*, Parallelomma, 1910a: 44  
*flavus*, Phasiops, 1899g: 219  
*fletcheri*, Culex, 1902c: 84  
*flexuosa*, Rhamphomyia, 1895n: 433  
*florale*, Phthiria, 1894a: 103  
*formosa*, Trypeta, 1894b: 71  
*fractura*, Spilographa, 1902c: 125  
*frigida*, Scatophaga, 1900i: 454 [1904i: 68]  
*frontalis*, Empis, 1903c: 271  
*frontalis*, Notiphila, 1904f: 97  
*frontalis*, Psila, 1901d: 617  
*fronto*, Exorista, 1897b: 96  
*frugalis*, Rivellia, 1904g: 139  
*fucatus*, Aphoebantus, 1894a: 108  
*fulva*, Zacompsia, 1901b: 15  
*fulvicoma*, Anthrax editita var., 1887c: 176  
*fulvicornis*, Gymnoprotopa, 1895i: 106  
*fulvida*, Dynatosoma, 1895l: 200  
*fulvida*, Phthiria, 1904h: 172  
*fulvipes*, Acrosticta, 1900d: 24  
*fulvipes*, Anthrax alternata var., 1887c: 166  
*fulvocostalis*, Limnophila, 1899e: 342  
*fulvum*, Simulium, 1902c: 96  
*fumida*, Anthrax, 1887c: 177  
*fumida*, Empis, 1900i: 409 [1904i: 23]  
*fumida*, Neuroctena, 1901d: 616  
*fumidus*, Aphoebantus, 1891b: 15(263)  
*fumipennis*, Loxocera, 1901d: 617  
*fumosa*, Alophora, 1897b: 46  
*fumosus*, Dilophus, 1904f: 91  
*fumosus*, Epacmus, 1892a: 11  
*fungicola*, Phora, 1895c: 106  
*furcata*, Dichaeta, 1902f: 182  
*fusca*, Drosophila, 1900f: 264  
*fuscipennis*, Sciophila, 1905c: 67  
*fuscus*, Ceratopogon, 1901d: 605  
*fusicornis*, Ceratopogon, 1905c: 63  
*galapagensis*, Ceratopogon, 1901k: 372  
*gelida*, Euphorocera, 1897b: 101  
*gelida*, Tipula, 1900i: 404 [1904i: 18]  
*gemella*, Anthrax, 1892d: 182  
*gemella*, Tephritis, 1902f: 181  
*genalis*, Biomyia, 1897b: 83  
*genalis*, Leria, 1910d: 130  
*genalis*, Metaphyto, 1897b: 90  
*genualis*, Clinocera, 1910d: 124  
*gibber*, Ceratopogon, 1905c: 60  
*gilvihirta*, Microphorus, 1903c: 268  
*gilvipes*, Ephydra, 1901k: 377  
*gilvipes*, Hydrellia, 1900f: 261  
*gilvipes*, Hypostena, 1897b: 61  
*gilvipes*, Metapogon, 1904h: 182  
*gilvipes*, Platypalpus, 1900i: 422 [1904i: 36]  
*gilvipilosa*, Rhamphomyia, 1895n: 434  
*gilvus*, Ceratopogon, 1905c: 62  
*glaber*, Ceratopogon, 1902c: 85  
*glauc*, Chiroisia, 1900i: 452 [1904i: 66]  
*glauc*, Oedoparea, 1900i: 458 [1904i: 72]  
*glauc*, Rhamphomyia, 1900i: 416 [1904i: 30]  
*glauc*, Sapromyza, 1902f: 177  
*glaucum*, Simulium, 1902c: 97  
*gonioides*, Opsidia, 1895i: 102  
*gossypii*, Porricondyla, 1905b: 200  
*gracilis*, Epiplatea, 1900d: 25  
*gracilis*, Syrphus, 1900i: 432 [1904i: 46]  
*graminea*, Chlorops, 1898d: 47  
*grandis*, Alophora, 1897b: 45  
*grata*, Exoprosopa, 1892b: 124  
*grindeliae*, Rhagoletis, 1908b: 146  
*grisea*, Chaetona, 1899g: 222  
*grisea*, Cuterebra, 1904a: 11  
*griseola*, Brevitrichia, 1900g: 501  
*griseum*, Simulium, 1898a: 69  
*griseus*, Ceratopogon, 1901d: 602  
*gulosa*, Empis, 1895n: 408  
*guttata*, Sciomyza, 1901d: 615  
*guttatus*, Ceratopogon, 1904e: 35  
*guttipennis*, Ceratopogon, 1901d: 603  
*guttularis*, Tanypus, 1902c: 92  
*halteralis*, Bibionellus, 1904h: 171  
*halteralis*, Chironomus, 1901c: 17  
*halteralis*, Desmometopa, 1900f: 267  
*harrimani*, Ornithodes, 1900i: 400 [1904i: 14]  
*harringtoni*, Exoristoides, 1902c: 110  
*harrisinae*, Sturmia, 1897b: 111  
*hastata*, Isoglossa, 1895e: 126  
*helvina*, Exorista, 1897b: 96  
*heteropus*, Tanypus, 1905c: 66  
*heterusiae*, Exorista, 1899h: 279  
*hinei*, Meigeniella, 1902c: 104  
*hircina*, Anthrax, 1892d: 182  
*hirculus*, Phytodes, 1910d: 127  
*hirsuta*, Omomyia, 1907a: 76  
*hirsutus*, Aphoebantus, 1886b: 85  
*hirta*, Leptomydas, 1904c: 39  
*hirtipes*, Empis, 1903c: 270  
*hirtipes*, Leptogaster, 1904h: 178  
*hirtulus*, Ceratopogon, 1900i: 396 [1904i: 10]  
*histrion*, Cuterebra, 1902c: 103  
*hopkinsii*, Mycetophila, 1895l: 200  
*horrida*, Cyrtophleba, 1895i: 101

oughii, Sapromyza, 1898h: 277  
 howardii, Psorophora, 1901g: 258 [1903j: 155]  
 hubbardii, Henicomomyia, 1898g: 187  
 hubbardii, Sapromyza, 1898h: 277  
 humile, Empis, 1895n: 403  
 humilis, Parephydra, 1902f: 183  
 humilis, Tabanus, 1898i: 311  
 hunteri, Hermetia, 1909b: 212  
 hyalina, Lejomya, 1905c: 68  
 hyalinata, Pareuxesta, 1901k: 377  
 hyalinus, Chasmatonotus, 1905c: 67  
 hyalinus, Leptomorphus, 1901d: 598  
 hyalinus, Saropogon, 1904h: 185  
 hyalinus, Syneches, 1895n: 437  
 hybus, Geron, 1894a: 112  
 hylotomae, Admontia, 1898e: 233  
 immaculata, Odinia, 1902f: 185  
 immaculatus, Dacus, 1901i: 29  
 imperfecta, Urellia, 1902f: 181  
 impiger, Anthrax, 1887c: 177  
 inaequalis, Spilographa, 1904c: 29  
 inaurata, Anthrax, 1887c: 170  
 incisa, Discocerina, 1902f: 182  
 inculta, Anthrax, 1892d: 181  
 incultus, Platypalpus, 1895n: 439  
 inermis, Ceratopogon, 1902c: 86  
 infumata, Empis, 1900i: 409 [1904i: 23]  
 inops, Anthrax, 1887c: 169  
 inops, Boletina, 1900i: 391  
 inops, Platyura, 1901d: 594  
 inornata, Phthiria, 1904h: 174  
 inornata, Tephritis, 1902f: 181  
 inquilina, Siphonella, 1898d: 48  
 insecta, Rhamphomyia, 1895n: 426  
 insolens, Paracosmus, 1891d: 221  
 insolitus, Verrallina, 1906c: 62  
 intermedia, Pareuxesta, 1901k: 377  
 interruptus, Aphoebantus, 1891b: 11(259)  
 irrorata, Traginops, 1900e: 430  
 isae, Exorista, 1897b: 96  
 ischyri, Thelairodes, 1905e: 362  
 johnsoni, Ceratopogon, 1901d: 600  
 johnsoni, Clausicella, 1897b: 56  
 johnsoni, Criorhina, 1894c: 125  
 johnsoni, Exepacmus, 1894a: 101  
 johnsoni, Exoristoides, 1897b: 91  
 johnsoni, Hesperodes, 1900e: 429  
 johnsoni, Hilara, 1895n: 395  
 johnsoni, Lasioneura, 1895h: 50  
 johnsoni, Psilocephala, 1893h: 228  
 johnsoni, Stenoxenus, 1899c: 61  
 johnsoni, Symphoromyia, 1894e: 54  
 johnsoni, Tanypus, 1901d: 609  
 johnsoni, Thereva, 1893g: 200  
 jubatus, Scleropogon, 1904c: 38  
 junceus, Lordotus, 1891c: 198  
 juncta, Cylindrotoma, 1900i: 401 [1904i: 15]  
 juncta, Euxesta, 1904f: 95  
 junctura, Anthrax, 1887c: 163  
 junctus, Roederiodes, 1901j: 585  
 junctus, Tachytrechus, 1910d: 125  
 keenii, Anthrax, 1887c: 164  
 kincaidi, Criorhina, 1901d: 611  
 kincaidi, Neoempheria, 1900i: 391 [1904i: 5]  
 kincaidi, Pogonota, 1900i: 455 [1904i: 69]  
 kincaidii, Volucella, 1895b: 132  
 knabi, Culex, 1906d: 183  
 knabi, Metriocnemus, 1904a: 11  
 labeculosus, Culex, 1905a: 116  
 labis, Nemoraeta, 1895i: 104  
 laciniatus, Dolichopus, 1910a: 42  
 lacunaris, Anthrax, 1892d: 185  
 lancifer, Gaurax, 1900f: 265  
 lata, Calliphora, 1898i: 334  
 lata, Condidea, 1907a: 75  
 lata, Tachydromia, 1903c: 266  
 laternaria, Verrallina, 1906d: 184  
 laticornis, Ectecephala, 1910a: 46  
 latifasciata, Pareuxesta, 1901k: 376  
 latifrons, Cuterebra, 1898b: 10  
 latipennis, Lauxania, 1898h: 279  
 latisquama, Tinolestes, 1906d: 185  
 lativittatus, Culex, 1906f: 109  
 latus, Holopogon, 1904d: 33  
 latus, Syrphus, 1898i: 322  
 lauta, Anthrax, 1887c: 171  
 lautus, Syrphus, 1898i: 323  
 lepivora, Cuterebra, 1898b: 9  
 leucaniae, Phorocera, 1897b: 104  
 levicula, Anthrax, 1894a: 99  
 levicula, Empis, 1895n: 406  
 leviculus, Aphoebantus, 1894a: 107  
 levis, Ceratopogon, 1901d: 604  
 limata, Aciura, 1899i: 263  
 limata, Admontia, 1902c: 105  
 limata, Pelatachina, 1902c: 107  
 limata, Psilocephala, 1894f: 99  
 limata, Rhamphomyia, 1900i: 417 [1904i: 31]  
 limata, Sturmia, 1902c: 113  
 limata, Symphoromyia, 1894e: 54  
 limatula, Laphystia, 1904h: 180  
 limbata, Anthrax, 1898i: 318  
 litus, Aphoebantus, 1886b: 84  
 livingstoni, Sapromyza, 1898h: 278  
 lobeliae, Exorista, 1897b: 97  
 longa, Xylota, 1898i: 327  
 longicornis, Docosia, 1901d: 597  
 longicornis, Lauxania, 1902f: 178  
 longicornis, Neaera, 1902c: 106  
 longicornis, Nerius, 1904h: 188  
 longiseta, Sciopus, 1902b: 141  
 loripedis, Empis, 1895n: 400  
 loripedis, Rhamphomyia, 1895n: 419  
 lounsburyi, Dacus, 1901i: 27  
 ludius, Anisopogon, 1893a: 20  
 lueola, Servillia, 1898i: 329

lupini, *Phorbia*, 1901f: 206  
 lurida, *Platyura*, 1895l: 199  
 lutea, *Aciura*, 1899j: 264  
 lutea, *Lauxania*, 1902f: 179  
 luteola, *Belvosia*, 1900f: 253  
 luteola, *Desmometopa*, 1902f: 188  
 luteola, *Eupyrgota*, 1898i: 337  
 luteus, *Saropogon*, 1904h: 185  
 lycii, *Ceratitis*, 1901i: 30  
 macrura, *Rhamphomyia*, 1900i: 421 [1904i: 35]  
 maculata, *Acrometopia*, 1902f: 185  
 maculata, *Pseudofersia*, 1899i: 336  
 maculicosta, *Limnobia*, 1905c: 57  
 maculipennis, *Ceratopogon*, 1905c: 64  
 maculosa, *Drosophila*, 1895m: 317  
 maculosa, *Hypostena*, 1895m: 313  
 maculosa, *Spilographa*, 1899j: 261  
 maculosus, *Cyrtopogon*, 1904h: 184  
 maculosus, *Tabanus*, 1902b: 138  
 magna, *Sapromyza*, 1898h: 279  
 magnus, *Ceratopogon*, 1905c: 61  
 major, *Trichobius*, 1899i: 334  
 majuscula, *Coenosia*, 1904c: 34  
 manca, *Empis*, 1895n: 406  
 manca, *Rhamphomyia*, 1895n: 427  
 mancipennis, *Metacosmus*, 1910a: 41  
 marcida, *Psilocephala*, 1893h: 228  
 marcidus, *Aphoebantus*, 1891b: 10(258)  
 marginata, *Phthiria*, 1904h: 173  
 maudae, *Platyura*, 1895l: 199  
 maxima, *Toxophora*, 1886a: 222  
 media, *Ceratopogon*, 1904h: 166  
 mediovittatus, *Stegomyia*, 1906c: 60  
 megachile, *Mallophora*, 1893d: 118  
 melanoscuta, *Phthiria*, 1904h: 172  
 melanotus, *Dacus*, 1909c: 13  
 melanurus, *Culex*, 1902g: 193  
 melissopodis, *Plectops*, 1897b: 57  
 melitaeae, *Demoticus*, 1897b: 121  
 melleus, *Ceratopogon*, 1901d: 604  
 mellipes, *Psilopa*, 1900f: 260  
 mellipes, *Scatophaga*, 1898i: 335  
 mentalis, *Tachinopsis*, 1897b: 120  
 mercedis, *Anthrax*, 1887c: 166  
 microcentrus, *Hippelates*, 1904c: 28  
 mira, *Anthrax*, 1887c: 179  
 mira, *Eusiphona*, 1897b: 49  
 miripes, *Tanypus*, 1905b: 65  
 miscella, *Anthrax*, 1887c: 171  
 miscelli, *Trichophora*, 1897b: 139  
 miscellus, *Lordotus*, 1887b: 116  
 mitsukurii, *Laphria*, 1898i: 316  
 mixtus, *Aphoebantus*, 1891b: 11(259)  
 mobile, *Anthrax*, 1894a: 100  
 modesta, *Symphoromyia*, 1894e: 54  
 modesta, *Tetropsis*, 1910d: 128  
 monilicornis, *Ceratopogon*, 1905c: 63  
 montana, *Bolitophila*, 1901d: 593  
 montana, *Gymnophania*, 1897b: 50  
 montanus, *Gaurax*, 1898d: 48  
 montivaga, *Psilocephala*, 1893h: 226  
 morata, *Psilocephala*, 1893h: 225  
 munda, *Euaresta*, 1899j: 265  
 mundula, *Euaresta*, 1899j: 265  
 muscaria, *Anthrax*, 1892d: 178  
 mutabilis, *Biomya*, 1904c: 37  
 mutabilis, *Ceratopogon*, 1901d: 602  
 mystacea, *Anthomyia*, 1900i: 447 [1904i: 61]  
 nana, *Coloboneura*, 1903c: 267  
 nana, *Mancia*, 1886c: 159  
 nana, *Senotainia*, 1897b: 81  
 nanus, *Culex*, 1903e: 256  
 nasoni, *Admontia*, 1895h: 55  
 nasoni, *Heteropterina*, 1895f: 207  
 nasoni, *Rhamphomyia*, 1895n: 423  
 nebritus, *Epacmus*, 1894a: 104  
 nebulo, *Anthrax*, 1887c: 165  
 nebulosa, *Anthrax*, 1894a: 99  
 nebulosa, *Araba*, 1902d: 200  
 nebulosa, *Cladochaeta*, 1900f: 263  
 nebulosa, *Cordylura*, 1898f: 164  
 nebulosa, *Leria*, 1910d: 129  
 nebulosa, *Macrocera*, 1901d: 594  
 nebulosa, *Pseudistata*, 1908b: 148  
 nebulosa, *Sciasma*, 1897b: 69  
 nebulosus, *Ceratopogon*, 1901d: 606  
 nebulosus, *Gastrops*, 1900c: 34  
 niger, *Pseudapinops*, 1902c: 108  
 nigricans, *Taeniorhynchus*, 1904h: 166  
 nigricans, *Volucella*, 1898i: 324  
 nigricolor, *Cyrtopogon*, 1904h: 183  
 nigricornis, *Urellia*, 1899j: 266  
 nigrimana, *Anthomyza*, 1900f: 264  
 nigrimana, *Lauxania*, 1902f: 179  
 nigripes, *Chlorops*, 1910a: 44  
 nigritarsis, *Simulium*, 1901i: 27  
 nigritulus, *Stenopogon*, 1904h: 179  
 nitens, *Chaetona*, 1899g: 221  
 nitens, *Hypostena*, 1897b: 63  
 nitens, *Stenopogon*, 1904d: 34  
 nitida, *Alophora*, 1897b: 45  
 nitida, *Cuterebra*, 1898b: 10  
 nitidula, *Pegomyia*, 1903b: 103  
 nitidulus, *Chironomus*, 1901d: 608  
 nitidus, *Molophilus*, 1905c: 58  
 nitoris, *Dionaea*, 1898e: 235  
 nitoris, *Thereva*, 1894f: 101  
 nivitarsis, *Culex*, 1904h: 168  
 notata, *Trypeta*, 1899j: 262  
 notatus, *Ocyptamus*, 1902d: 195  
 novella, *Thereva*, 1893g: 200  
 nubeculosa, *Phthiria*, 1904h: 173  
 nubifer, *Tanypus*, 1905c: 66  
 nubifera, *Ceratopogon*, 1905c: 61  
 nubifera, *Scatophaga*, 1901d: 612  
 nubifera, *Tachydromia*, 1899e: 343

nubifera, *Tipula*, 1898i: 305  
nuda, *Leria*, 1910d: 130  
nuda, *Paralimna*, 1902f: 182  
nugator, *Anthrax*, 1887c: 178  
obesus, *Trioxodes*, 1902d: 202  
obscura, *Anthrax*, 1894a: 99  
obscura, *Docosia*, 1901d: 597  
obscura, *Hemeromyia*, 1902f: 190  
obscura, *Misgomyia*, 1908b: 146  
obscura, *Muscopteryx*, 1902c: 116  
obscura, *Oscinis*, 1900f: 266  
obscura, *Pareuxesta*, 1901k: 377  
obscura, *Psilocephala*, 1893h: 229  
obscura, *Spilomyia*, 1902d: 195  
obscura, *Winthemia*, 1897b: 124  
obscurus, *Arctobiella*, 1902f: 188  
obscurus, *Aochletus*, 1902c: 98  
obscurus, *Microphorus*, 1903c: 268  
occidens, *Meghyperus*, 1895n: 435  
occidentalis, *Eugnoriste*, 1896c: 322  
occidentalis, *Meliera*, 1904c: 29  
occidentalis, *Metaplagia*, 1895i: 103  
occidentalis, *Sturmia*, 1897b: 110  
occidentalis, *Tanytus*, 1902c: 92  
occipitalis, *Dilophus*, 1904c: 20  
ocellaris, *Gaediopsis*, 1902c: 118  
ocularius, *Eristalis*, 1898i: 325  
opaca, *Aciura*, 1899j: 263  
opaca, *Alophora*, 1897b: 44  
opaca, *Anorostoma*, 1901d: 614  
opaca, *Laphystia*, 1904h: 180  
opaca, *Megaparia*, 1899g: 218  
opaca, *Paraphyto*, 1897b: 123  
opaca, *Siphophyto*, 1895e: 128  
opacus, *Pheneus*, 1904c: 21  
opacus, *Tabanus*, 1904c: 21  
opifera, *Sarcophaga*, 1892e: 22  
opimus, *Conops*, 1898i: 329  
orbitalis, *Paradidyma*, 1904f: 92  
ordinaria, *Drosophila*, 1904h: 190  
orientalis, *Dichocera*, 1897b: 138  
otiosa, *Anthrax*, 1887c: 182  
otiosa, *Empis*, 1895n: 407  
otiosa, *Rhamphomyia*, 1895n: 425  
otiosa, *Thereva*, 1893g: 199  
pallens, *Anastrepha*, 1904d: 35  
pallens, *Culex*, 1898i: 303  
pallens, *Tanytus*, 1902c: 91  
palliat, *Phytomyza*, 1902f: 191  
palliat, *Chironomus*, 1902c: 95  
palliat, *Macrostomus*, 1902b: 140  
palliat, *Taeniorhynchus*, 1906c: 61  
pallida, *Anthrax nugator* var., 1887c: 179  
pallida, *Demoticus*, 1897b: 121  
pallidula, *Anthrax*, 1894a: 99  
pallidula, *Phaonia*, 1902c: 122  
pallifrons, *Conops*, 1904f: 92  
palloris, *Lasionera*, 1895h: 50  
palloris, *Mantipeza*, 1895n: 392  
palloris, *Pachyrhina*, 1898i: 306  
palpalis, *Echinomyia*, 1902c: 120  
palpalis, *Opsiomyia*, 1898f: 162  
palpalis, *Tephritis*, 1904c: 30  
palpiger, *Lispea*, 1895h: 52  
par, *Orthocladus*, 1901d: 608  
parva, *Exorista*, 1897b: 100  
parva, *Rhamphomyia*, 1895n: 433  
parvicella, *Agromyza*, 1902f: 189  
parvulus, *Dioctria*, 1893c: 80  
parvulus, *Leptomorphus*, 1901d: 597  
patruelis, *Anisopogon*, 1893a: 21  
pauciseta, *Lespesia*, 1897b: 114  
pavida, *Psilocephala*, 1893h: 226  
pavidus, *Aphobantus cervinus* var., 1886b: 87  
pectoralis, *Oscinis*, 1898d: 49  
pectoralis, *Platyura*, 1895l: 199  
pectoris, *Rhamphomyia*, 1895n: 420  
pellucida, *Empis*, 1900i: 408 [1904i: 22]  
pellucida, *Geminaria*, 1894a: 109  
pellucida, *Pelatachina*, 1897b: 65  
pellucida, *Toxophora*, 1886a: 222  
pellucidus, *Epacmus*, 1892a: 10  
pellucidus, *Nebritus*, 1894f: 98  
penitalis, *Panzeria*, 1897b: 89  
pergandei, *Admontia*, 1895h: 54  
pergandei, *Apocephalus*, 1901e: 501  
pergandei, *Ceratopogon*, 1901d: 602  
perlongum, *Zodion*, 1902d: 199  
pernicis, *Efferia*, 1893f: 175  
perplexa, *Anthrax*, 1887c: 176  
petiolata, *Exorista*, 1897b: 98  
petiolata, *Sphegina*, 1910d: 125  
petrolei, *Psilopa*, 1899b: 8  
phaseoli, *Agromyza*, 1899f: 128  
phasioides, *Alophora*, 1897b: 46  
phyciodis, *Sturmia*, 1897b: 109  
picta, *Agromyza*, 1902f: 188  
picticornis, *Sapromyza*, 1904h: 189  
pictipennis, *Cyrtopogon*, 1898i: 311  
pictipes, *Mythicomomyia*, 1902c: 102  
picturata, *Phthiria*, 1904h: 175  
pictus, *Ceratopogon*, 1905c: 60  
pictus, *Sinophthalmus*, 1904h: 191  
pilatei, *Sturmia*, 1897b: 111  
pilicornis, *Ephydra*, 1902f: 184  
piligeronis, *Rhamphomyia*, 1895n: 432  
pilosa, *Pseudatrichia*, 1902c: 102  
pilosella, *Acicephala*, 1898f: 163  
pilosus, *Achaetomus*, 1907a: 75  
pilosus, *Ceratopogon*, 1902c: 87  
pimpla, *Tetragoneura*, 1901d: 595  
piperi, *Demoticus*, 1897b: 122  
placida, *Psilocephala*, 1894f: 99  
plagosa, *Anthrax*, 1887c: 178  
platypus, *Orthocladus*, 1902c: 93  
pleuralis, *Leria*, 1910d: 130



pleuralis, Sepsis, 1904d: 35  
 pleuralis, Sphiximorpha, 1898i: 302  
 plumosa, Cheilosia, 1904c: 25  
 plusiae, Siphona, 1895e: 125  
 polita, Acicephala, 1898f: 163  
 polita, Chaetophleps, 1902c: 107  
 polita, Cuterebra, 1898b: 10  
 polita, Exorista, 1897b: 99  
 polita, Lispa, 1904c: 34  
 polita, Masicera, 1902c: 114  
 polita, Tetanops, 1900d: 22  
 polita, Zabrachia, 1901j: 585  
 politula, Servillia, 1898i: 330  
 politus, Ceratopogon, 1901d: 606  
 politus, Orthocladus, 1902c: 93  
 porcinus, Syrphus, 1898i: 322  
 prattii, Heteromyia, 1902c: 88  
 pretiosa, Anthrax molitor var., 1887c: 168 [1892d: 179; as species]  
 pruinosa, Agromyza, 1902f: 189  
 pruinosa, Microphthalma, 1902d: 200  
 pruinosa, Oedalea, 1903c: 267  
 pruinosa, Psilocephala, 1904f: 91  
 pruinosa, Tachypeza, 1903c: 267  
 pruinus, Ceratopogon, 1905c: 59  
 pruinus, Sciapus, 1904: h 186  
 pseudopterus, Metelasmus, 1907d: 292  
 psychidivora, Tachina, 1904g: 137  
 pubicornis, Brachycoma, 1902c: 116  
 pulchra, Myopa, 1902d: 198  
 pulchripennis, Chironomus, 1902c: 94  
 pulla, Mauromyia, 1897b: 52  
 pullata, Anthrax, 1894a: 98  
 pullata, Chrysopilus, 1898i: 307  
 pullata, Neoempheria, 1904c: 19  
 pullata, Platyura, 1904h: 171  
 pullata, Symphoromyia, 1894e: 56  
 pullatus, Culex, 1904h: 168  
 pullipes, Chlorops, 1898d: 47  
 pulverea, Alophora, 1897b: 46  
 pulverea, Brachycoma, 1897b: 132  
 pulverea, Masicera, 1897b: 115  
 pulvereus, Ceratopogon, 1901d: 600  
 pumilus, Stenopogon, 1904d: 33  
 punctata, Acrometopia, 1902f: 185  
 punctata, Clytiomyia, 1895h: 52  
 punctata, Stictomyia, 1900d: 23  
 puncticeps, Sapromyza, 1902f: 178  
 punctigera, Paroedopa, 1900d: 23  
 punctigera, Tephritis, 1898i: 338  
 punctipennis, Metapogon, 1904h: 182  
 punctipennis, Trigonometopus, 1898h: 280  
 pusilla, Hypostena, 1895h: 58  
 pygophora, Coelosia, 1904h: 170  
 pyralidis, Pseudochaeta, 1897b: 117  
 quadrisetosa, Eufabriciopsis, 1902c: 120  
 quadrisetosa, Helicobia, 1901c: 17  
 quadrivittatus, Culex, 1902e: 293  
 quinaria, Trypeta, 1910b: 308  
 radia, Phthiria, 1904h: 174  
 radifera, Urellia, 1899j: 267  
 rava, Efferia, 1893f: 176  
 raveda, Empis, 1895a: 6  
 raveda, Empis, 1895n: 403  
 raveda, Rhamphomyia, 1895n: 418  
 ravidus, Microphorus, 1895n: 409  
 recurvus, Bombylius, 1902c: 100  
 retiniae, Admontia, 1897b: 54  
 rhodophaga, Neocerata, 1900a: 47  
 rhois, Cecidomyia, 1895d: 348  
 rhynchops, Dilophus, 1904f: 91  
 rileyi, Mythicomomyia, 1893e: 209 [as *Mythiocomomyia rileyi*]  
 robertsoni, Milichia, 1902f: 187  
 robertsonii, Brachystoma, 1895n: 393  
 robusta, Chyliza, 1904c: 28  
 robusta, Myiophasia, 1897b: 51  
 rogatoris, Hemerodromia, 1895n: 392  
 rosivora, Diplosis, 1900a: 46  
 rostrata, Argyrophylax, 1895i: 106  
 rostrata, Chaetophleps, 1898e: 235  
 rubens, Ablautus, 1904h: 178  
 rubens, Eucessia, 1886b: 82  
 rubentis, Achaetoneura, 1895m: 310  
 rubida, Chlorops, 1898d: 46  
 rubida, Epochra, 1899j: 260  
 rubida, Helomyza, 1898i: 336  
 rubidus, Anisopogon, 1893a: 21  
 rubidus, Dioctria, 1893c: 80  
 rubivora, Ceratitis, 1901i: 29  
 rubivora, Phorbia, 1897c: 162  
 rufescens, Chlorops, 1910a: 45  
 rufipes, Mochlosoma, 1902d: 202  
 rufiventris, Hilarella, 1897b: 129  
 rutila, Megarhinus, 1896a: 44  
 sabulosa, Anthrax, 1892d: 186  
 sackenii, Anthrax tegminipennis var., 1887c: 180  
 saligneus, Oligotrophus, 1903g: 1  
 salinarius, Culex, 1904b: 73  
 sanguisuga, Ceratopogon, 1901d: 604  
 sarcophagina, Paraphyto, 1902c: 118  
 scabra, Ceratopogon, 1905c: 62  
 scabra, Chlorops, 1898d: 46  
 schaefferi, Cyphomyia, 1904d: 32  
 schizurae, Sturmia, 1897b: 113  
 schwarzii, Aenigmatias, 1903a: 21  
 schwarzii, Ceratopogon, 1901d: 605  
 schwarzii, Tachydromia, 1895n: 440  
 scitula, Anthrax, 1887c: 172  
 scitulus, Eurycnemus, 1901d: 608  
 scoparia, Empis, 1903c: 269  
 scopifera, Gloma, 1900i: 412 [1904i: 26]  
 scriptus, Aphoebantus, 1891b: 12(260)  
 scutellaris, Asilus, 1898i: 315  
 scutellaris, Epiplatea, 1900d: 25  
 scutellaris, Rhamphomyia, 1895n: 429  
 scutellata, Mythicomomyia, 1902c: 102  
 securifera, Symphoromyia, 1904h: 171

seminuda, Pangonia, 1902b: 137  
 semitaria, Thereva, 1893g: 198  
 semitecta, Dasyllis, 1910d: 124  
 semiustus, Saropogon, 1904h: 186  
 serrata, Ploas, 1894a: 102  
 setigena, Eulasiona, 1897b: 53  
 setigera, Admontia, 1904c: 36  
 setigera, Lampremis, 1903c: 272  
 setigera, Nemoraeta, 1902c: 111  
 setigera, Oedaspis, 1899j: 262  
 setigera, Siphophyto, 1895e: 127  
 setinervis, Exorista, 1910d: 129  
 setinervis, Hypostena, 1898e: 236  
 setipennis, Houghia, 1897e: 118  
 setipennis, Tricogena, 1897e: 130  
 setipes, Ceratopogon, 1905c: 59  
 setipes, Frontina, 1902c: 112  
 setipes, Parallelomma, 1910a: 43  
 setosa, Brachycoma, 1902c: 117  
 setosa, Chaetophleps, 1895h: 51  
 setosa, Gaediopsis, 1897b: 136  
 setosa, Oestrophasia, 1902c: 110  
 setosa, Phyto, 1895i: 99  
 setosa, Rhamphomyia, 1895n: 426  
 setosa, Scatella, 1900i: 462 [1904i: 76]  
 setosa, Tetanocera, 1901d: 615  
 sheldoni, Brachycoma, 1898e: 236  
 sheldoni, Sapromyza, 1898h: 277  
 sigma, Geron, 1902c: 101  
 sigmoides, Dacus, 1901i: 29  
 signatifrons, Lauxania, 1904h: 189  
 signifer, Culex, 1896a: 43  
 signifer, Hydrophorus, 1899e: 344  
 signifera, Hypostena, 1898i: 331  
 signifera, Trypeta, 1894b: 73  
 signipennis, Dicranomyia, 1905c: 56  
 signipennis, Taeniorhynchus, 1904h: 167  
 simile, Phthiria, 1894a: 103  
 similis, Hyperalonia, 1898i: 318  
 similis, Pselaphephila, 1902c: 124  
 similis, Psilopa, 1900c: 33  
 simpla, Hylemyia, 1900i: 450 [1904i: 64]  
 simplex, Eccoptomera, 1904c: 32  
 simplex, Sciophila, 1905c: 67  
 sinuosa, Rivellia, 1904g: 139  
 sinuosus, Tanypus, 1905c: 65  
 skinneri, Trochilodes, 1903b: 103  
 slossonae, Belvosia, 1895m: 312  
 slossonae, Ceratopogon, 1905c: 61  
 slossonae, Cordylura, 1898f: 164  
 slossonae, Exoristoides, 1897b: 91  
 slossonae, Hybos, 1895n: 437  
 slossonae, Lipochaeta, 1896b: 221  
 slossonae, Nostima, 1900c: 35  
 slossonae, Sapromyza, 1898h: 278  
 slossoni, Psilocephala, 1893h: 227  
 slossonii, Cordylura, 1895a: 7  
 smithii, Aedes, 1901g: 260  
 smithii, Ceratopogon, 1901d: 600  
 snodgrassii, Canace, 1901k: 378  
 sorghicola, Diplosis, 1899a: 82  
 specularis, Ceratopogon, 1901d: 601  
 spinipennis, Exorista, 1897b: 95  
 spinipes, Phora, 1895c: 105  
 spiniventris, Hylemya, 1900i: 449 [1904i: 63]  
 spinosa, Celatoria, 1897b: 60  
 spinosa, Chaetona, 1899g: 222  
 spinosa, Eulasiona, 1897b: 53  
 splendida, Alophora, 1902c: 105  
 squamiger, Culex, 1902c: 85  
 squamigera, Anthrax, 1892d: 181  
 squamipes, Ceratopogon, 1902c: 88  
 squamipes, Empis, 1903c: 271  
 squamosus, Aphoebantus, 1891b: 15(263)  
 stellatus, Tanypus, 1902c: 89  
 stellifer, Ceratopogon, 1901d: 604  
 stelligera, Trypeta, 1894b: 74  
 sternalis, Phorocera, 1902c: 111  
 sternalis, Sturmia, 1897b: 109  
 stigmalis, Anthalia, 1903c: 268  
 stigmalis, Ceratopogon, 1902c: 86  
 stigmatica, Euaresta, 1902f: 180  
 stigmatica, Urellia, 1899j: 266  
 strigata, Tipula, 1900i: 402 [1904i: 16]  
 stygia, Limosina, 1897a: 384  
 stylata, Rhamphomyia, 1895n: 432  
 subalbatus, Culex, 1898i: 302  
 subasper, Ceratopogon, 1901d: 606  
 subcaerulea, Sciophila, 1901d: 595  
 subniger, Tabanus, 1906a: 48  
 subnigra, Chlorops, 1910a: 45  
 subopaca, Alophora, 1897b: 47  
 subopaca, Leucostoma, 1897b: 69  
 subulata, Lipoptena, 1907d: 290  
 succincta, Argyramoeba, 1894a: 96  
 sudigeronis, Rhamphomyia, 1895n: 431  
 sulcifrons, Ectecephala, 1910a: 46  
 supina, Anthrax, 1887c: 169  
 syndesmus, Thlipsogaster, 1894a: 108  
 syrtis, Anthrax, 1887c: 173  
 taeniapennis, Chironomus, 1901d: 607  
 taeniola, Agromyza, 1904h: 191  
 tahoensis, Euparyphus, 1902c: 98  
 tantilla, Anthrax, 1892d: 184  
 tapetis, Trypeta, 1894b: 75  
 tardus, Aphoebantus, 1891b: 10(258)  
 tarsalis, Admontia, 1898e: 234  
 tarsalis, Clausicella, 1895h: 56  
 tarsalis, Culex, 1896a: 43  
 telluris, Anthrax, 1892d: 182  
 tenebrosa, Cuterebra, 1898b: 11  
 tenebrosa, Chaetona, 1895a: 6  
 tenebrosa, Empis, 1895n: 404  
 tenebrosa, Empis, 1903c: 270  
 tenebrosa, Phronia, 1904h: 170  
 tenebrosa, Tanypus, 1905c: 66

tenebrosa, Tephritis, 1899j: 264  
 tenebrosa, Tipula, 1900i: 403 [1904i: 17]  
 tenebrosus, Bibio, 1898i: 307  
 tenebrosus, Ceratopogon, 1905c: 64  
 tenebrosus, Platychirus, 1900: 428 [1904i: 42]  
 tenebrosus, Stenopogon, 1904d: 33  
 tenebrosus, Tabanus, 1898i: 310  
 tener, Hippelates, 1900f: 265  
 tenuipes, Bibio, 1902c: 95  
 tergata, Araba, 1895i: 103  
 terminalis, Agromyza, 1895m: 318  
 terminalis, Ceratopogon, 1904f: 90  
 terminalis, Janthinosoma, 1906e: 8,17  
 terminalis, Ceroplatus, 1905c: 69  
 terrena, Anthrax, 1892d: 181  
 tersa, Empis, 1895n: 404  
 tersa, Rhamphomyia, 1895n: 422  
 tersus, Platypalpus, 1895n: 439  
 thecata, Myiobia, 1895i: 105  
 thoracica, Dynatosoma, 1901d: 598  
 tibialis, Acemyia, 1897b: 116  
 tibialis, Cyrtopogon, 1904h: 183  
 tibialis, Muscopteryx, 1902c: 115  
 tibialis, Mythicomys, 1895n: 409  
 tibialis, Polylepta, 1901d: 596  
 tortile, Trypeta, 1894b: 71  
 tortricis, Phorocera, 1897b: 103  
 tortricis, Pseudomythyria, 1895h: 55  
 transitus, Leptochilus, 1886b: 83  
 triangula, Empis, 1900i: 410 [1904i: 24]  
 tricolor, Criorhina, 1900i: 436 [1904i: 50]  
 tricolor, Metadexia, 1899g: 220  
 tridentata, Empis, 1901d: 609  
 trifasciata, Mycetophila, 1904c: 18  
 trifasciata, Sciara, 1904f: 90  
 trigeminus, Tabanus, 1898i: 310  
 trigonus, Tabanus, 1898i: 309  
 triseriata, Sapromyza, 1904f: 95  
 triseta, Scatella, 1902f: 184  
 trisetosa, Exorista, 1902c: 110  
 tritici, Hydrellia, 1903i: 324  
 tritici, Sciara, 1895k: 408  
 trivittatus, Culex, 1902g: 193  
 trochilus, Apomidas, 1892f: 315  
 trochilus, Geron, 1894a: 111  
 trucis, Symphoromyia, 1894e: 55  
 truncus, Blacodes, 1893b: 34  
 tuberculata, Erax, 1904d: 34  
 turbata, Anthrax, 1887c: 168  
 turgida, Gonia, 1897b: 134  
 uncinata, Acidia, 1899j: 260  
 undosa, Trypeta, 1899j: 262  
 undosus, Sabethoides, 1906d: 186  
 unicolor, Ceratopogon, 1905c: 65  
 unicolor, Pseudotrichia, 1900g: 500  
 unimaculata, Phthiria, 1904d: 32  
 unispinosa, Admontia, 1898e: 234  
 univittata, Sapromyza, 1904c: 32

univittatus, Chasmatonotus, 1900i: 395  
 urichii, Melanoconion, 1906c: 61  
 usitata, Clausicella, 1897b: 56  
 vacans, Anthrax molitor var., 1887c: 168 [1892d: 179; as species]  
 valentis, Empis, 1895n: 402  
 valga, Rhamphomyia, 1895n: 428  
 vana, Anthrax, 1887c: 173, 180  
 vandykei, Spogostylum, 1894a: 94  
 varia, Bischofia, 1904a: 12  
 varia, Sapromyza, 1904f: 94  
 varia, Senopterina, 1900d: 25  
 variabilis, Hypostena, 1895h: 57  
 variata, Anthrax, 1892d: 184  
 variceps, Lauxania, 1902f: 178  
 varicolor, Ceratopogon, 1902a: 84  
 varicolor, Plethochaeta, 1901d: 614  
 varicornis, Scatopse, 1902c: 96  
 varicornis, Coenosia, 1900f: 256  
 varicornis, Limnophila, 1898i: 304  
 varifrons, Agromyza, 1902f: 189  
 variipennis, Ceratopogon, 1901d: 602  
 varipalpus, Culex, 1902e: 292  
 varipennis, Acnemia, 1904h: 169  
 varipennis, Chironomus, 1902c: 92  
 varipennis, Cyrtopogon, 1904h: 184  
 varipennis, Tachydromia, 1903c: 266  
 varipennis, Trypeta, 1902f: 180  
 varipes, Conchyliastes, 1904a: 10  
 varipes, Cricotopus, 1902c: 93  
 varipes, Dolichopus, 1900i: 425 [1904i: 39]  
 varipes, Hyetodesia, 1900i: 441 [1904i: 55]  
 varipes, Pseudodinia, 1902f: 187  
 varipes, Psilopa, 1900c: 33  
 varius, Aphoebantus, 1891b: 8(256)  
 vasta, Anthrax, 1892d: 184  
 vasta, Toxophora, 1891c: 199  
 venatoris, Drepanoglossa, 1895e: 127  
 ventralis, Ospricerus, 1898c: 37  
 venusta, Phora, 1895c: 107  
 venustus, Tanypus, 1902c: 91  
 vexator, Flebotomus, 1907b: 102  
 vibrissata, Trypeta, 1898: i 338  
 vigilans, Anthrax, 1887c: 176  
 villicrura, Hyetodesia, 1900i: 443 [1904i: 57]  
 villipes, Rhamphomyia, 1900i: 414 [1904i: 28]  
 violicola, Diplosis, 1900b: 50  
 virga, Dolichopus, 1910a: 41  
 virgata, Empis, 1895n: 408  
 virgata, Notiphila, 1900f: 259  
 virgata, Oscinis, 1898d: 49  
 virgata, Pachyrhina, 1898i: 306  
 virgata, Rhamphomyia, 1895n: 430  
 virgatipes, Asilus, 1898i: 313  
 virgatum, Simulium, 1902c: 97  
 virgatus, Dacus, 1909c: 13  
 virgatus, Helophilus, 1898i: 326  
 virgatus, Leptogaster, 1904h: 177

viridis, *Ceratopogon*, 1901d: 607  
 viridis, *Eristalis*, 1898i: 326  
 viridis, *Lampremis*, 1895n: 395  
 viridula, *Agromyza*, 1902f: 190  
 vitiosa, *Dalmanina*, 1892c: 150  
 vitrea, *Mycetophila*, 1905c: 68  
 vittata, *Docosia*, 1901d: 597  
 vittata, *Drosophila*, 1895m: 318  
 vittata, *Hexamitocera*, 1898f: 165  
 vittata, *Phortica*, 1901d: 618  
 vittatus, *Aphoebantus*, 1886b: 86  
 vittiger, *Zaprionus*, 1901i: 32  
 vittigera, *Hypostena*, 1898i: 332  
 vittigera, *Sapromyza*, 1902f: 178

vittigera, *Zonosema*, 1899j: 261  
 vittipennis, *Calobata*, 1902c: 125  
 vittiventris, *Phthiria*, 1904h: 173  
 vulpecula, *Aphoebantus*, 1894a: 107  
 vulpina, *Anthrax*, 1892d: 183  
 vulpina, *Scatophaga*, 1898f: 162  
 washingtonae, *Degeeria*, 1895i: 104  
 websteri, *Ceratopogon*, 1901d: 603  
 weedii, *Neocota*, 1895n: 434  
 willistonii, *Anthrax*, 1887c: 181  
 willisoni, *Euxesta*, 1900d: 24  
 willisoni, *Lycastirrhyncha*, 1902d: 196  
 zona, *Lordotus*, 1887b: 116  
 zonata, *Gymnodexia*, 1895m: 315

## Acknowledgments

I thank the following for their assistance with various portions of this work: Marc Epstein (for his help with the work relationship of Coquillett and Dyar), Terry Carpenter (for information regarding Evelyn G. Mitchell), Florence Hill (great grandniece of D.W. Coquillett; for her generous permission to use the photo of Coquillett taken while he was in California), Yves Bousquet (for help with the dating of *Faunus*). Jeff Cumming, Torsten Dikow, Jim O'Hara, and Owen Lonsdale are thanked for reviewing the manuscript; and for their thoughtful comments and corrections, which helped improve accuracy and clarity of presentation.

## References

- Agassiz, L. (1846) *Nomenclatoris zoologici index universalis, continens nomina systematica classium, ordinum, familiarum et generum animalium omnium, tam viventium quam fossilium, secundum ordinem alphabeticum unicum disposita, adjectis homonymiis plantarum, nec non variis adnotationibus et emendationibus*. [= Fasc. XII]. "1847". Jent & Gassman, Soloduri [= Solothurn, Switzerland], viii + 393 pp. [29 December]  
 [For dating see Evenhuis (1997: 50–52).]
- Anonymous (1883) [Social and Personal]. *Sacramento Daily Union*, 17 (55)(25 April), [unpaginated]. [25 April]
- Anonymous (1891) Scientists organize. *Los Angeles Herald*, 1891(17 November), 4. [17 November]
- Anonymous (1893a) Department of Agriculture withdraws Coquillett and Koebele. *Pacific Rural Press*, 1893 (14 October), 264. [14 October]
- Anonymous (1893b) Doings of grain and fruit growers. Hot resolutions passed. Southern California Pomological Society and Farmers' Institute close their labors. *The Morning Call* (San Francisco), 1893 (4 November), 2. [4 November]
- Anonymous (1895a) Index. *Transactions of the American Entomological Society*, 22, i–viii. [December]
- Anonymous (1895b) *Constitution, by-laws and list of members of the Southern California Science Association for the year 1894–5*. B.R. Baumgardt & Co., Los Angeles, 24 pp. [31 December+]
- Anonymous (1898) Report of the U.S. National Museum, under the direction of the Smithsonian Institution, for the year ending June 30, 1896. *Annual Report of the Board of Regents of the Smithsonian Institution*, 1896, i–xxiv + 1–1107. [after 8 August]  
 [Date of transmittal.]
- Anonymous (1909a) Mrs. D.W. Coquillett sues entomologist. *The Washington Times*, 1904 (4 February), 4. [4 February]
- Anonymous (1909b) Coquillett suit to be a sensation. Court orders entomologist to support wife pending settlement. *The Washington Times*, 1909 (15 February), 4. [15 February]
- Anonymous (1911a) D.W. Coquillett's death felt by friends here. Assistant Entomologist of Department of Agriculture dies in Atlantic City. *Evening Star, Washington, D.C.*, 1911 (15 July), 10. [15 July]
- Anonymous (1911b) Department men mourning demise of entomologist. Daniel W. Coquillett was inventor of insect destroyer. *The Washington Times*, 1911 (15 July), 14. [15 July]
- Arnaud, P.H. (1963) Types of Tachinidae in the American Museum of Natural History. *Bulletin of the American Museum of Natural History*, 125 (2), 101–138. [1 July]
- Banks, N., Currie, R.P. & Walton, W.R. (1911) Daniel William Coquillette. *Proceedings of the Entomological Society of*



Washington, 13, 196–210. [28 December]

[Although no author is signed to this paper, authorship is deduced from the minutes of the special meeting held by the Entomological Society of Washington at hearing of Coquillett's death, which was printed on the page preceding the biography.]

- Barber, K.N. (1985) A revision of the genus *Pseudodinia* Coquillett (Diptera: Chamaemyiidae). *Proceedings of the Entomological Society of Ontario*, 116, 105–167. [December]
- Bellardi, L. (1861) *Saggio di ditterologia messicana*. Parte II.<sup>A</sup>. Stamperia Reale, Torino [= Turin], 99 + [2] pp. [31 December+]
- Bequaert, J.C. (1965) Family Hippoboscidae. In: Stone, A., Sabrosky, C.W., Foote, R.H., Wirth, W.W. & Coulson, J.R. (Eds.), A catalog of the Diptera of the Nearctic Region. *United States Department of Agriculture, Agricultural Handbook*, 276, pp. 916–921. [23 August]  
[For dating, see Evenhuis (2008).]
- Bigot, J.M.F. (1882) Diptères nouveau ou peu connus. 19<sup>e</sup> partie. XXIX. Genres *Roeselia*, *Actia*, *Melia*, *Phytomyptera* et tribu des Anthomyzidae (Schiner, Rondani, Meade). *Annales de la Société Entomologique de France*, Series 6, 2, 5–21. [28 June]  
[For dating, see Evenhuis (2003b).]
- Bigot, J.M.F. (1886) [Diagnoses nouvelles d'un genre et d'une espèce de l'ordre de diptères.] *Bulletin Bimensuel des Séances de la Société Entomologique de France*, 1886 (12), ciii–civ. [3 July]  
[For dating, see Evenhuis (2003b).]
- Bigot, J.M.F. (1887) [Diagnoses de quelques espèces nouvelles de diptères.] *Bulletin Bimensuel des Séances de la Société Entomologique de France*, 1887 (16), cxxxix–cxliii. [18 September]  
[For dating, see Evenhuis (2003b).]
- Bilyj, B. (1985) New placement of *Tanypus pallens* Coquillett, 1902 nec *Larsia pallens* (Coq.) sensu Roback 1971 (Diptera: Chironomidae) and redescription of the holotype. *The Canadian Entomologist*, 117 (1), 39–42. [January]  
<https://doi.org/10.4039/Ent11739-1>
- Borkent, A. (2014a) World species of biting midges (Diptera: Ceratopogonidae). Version 20 January 2014. Available from: <http://www.inhs.illinois.edu/files/9913/9144/3328/CeratopogonidaeCatalog.pdf> (accessed 13 September 2017)
- Borkent, A. (2014b) World catalog of extant and extinct Corethrellidae. *Zootaxa*, 3796 (3), 453–468. [20 May]  
<https://doi.org/10.11646/zootaxa.3796.3.3>
- Borkent, A. (2014c) World catalog of extant and extinct Chaoboridae. *Zootaxa*, 3796 (3), 469–493. [20 May]  
<https://doi.org/10.11646/zootaxa.3796.3.4>
- Bosc, L.-A.-G. (1792) *Keroplatus*. *Actes de la Société d'Histoire Naturelle de Paris*, 1, 42–43. [31 December+]
- Bousquet, Y. (2016) Litterature coleopterologica (1758–1900): a guide to selected books related to the taxonomy of Coleoptera with publication dates and notes. *ZooKeys*, 583, 1–776. [25 April]  
<https://doi.org/10.3897/zookeys.583.7084>
- Brake, I. (2011) World catalog of the family Carnidae (Diptera, Schizophora). *Myia*, 12, 113–169. [August]
- Brake, I. & Bächli, G. (2008) *World catalogue of insects. Vol. 9. Drosophilidae (Diptera)*. Apollo Books, Steenstrup, 412 pp. [31 May]
- Brauer, F. & Bergenstamm, J.E. von (1889) Die Zweiflügler des Kaiserlichen Museums zu Wien. IV. Vorarbeiten zu einer Monographie der Muscaria Schizometopa (exclusive Anthomyidae). Pars I. *Denkschrift der Akademie der Wissenschaften in Wien*, 56, 69–180. [after 19 December]  
[This volume was announced as “recently” published in the at the 9 January 1890 meeting of the Akademie. Because of the “1889” date on the journal and because there were no meetings between 19 December 1889 and 9 January 1890, I treat this volume of the as published after 19 December but within 1889. See Evenhuis (2014) for details.]
- Brauer, F. & Bergenstamm, J.E. von (1891) Die Zweiflügler des Kaiserlichen Museums zu Wien. V. Vorarbeiten zu einer Monographie der Muscaria Schizometopa (exclusive Anthomyidae). Pars II. , , 58, 305–446. [17 December]  
[For dating, see Evenhuis (2014).]
- Brown, B.V. & LeBrun, E.G. (2010) Ant-decapitating flies, *Apocephalus*, subgenus *Apocephalus* Coquillett (Insecta: Diptera: Phoridae) of Arizona. *Contributions in Science*, 519, 1–24. [20 January]
- Brunetti, E. (1914) Critical review of “genera” in Culicidae. *Records of the Indian Museum*, 10, 15–73. [March]  
<https://doi.org/10.5962/bhl.part.5622>
- Burgess, E. (1872) Diptera. In: Packard, A.S. (Ed.), *Record of American entomology for the year 1871*. Salem Press, Salem, Massachusetts, pp. 119–123. [31 December+]
- Bush, G.L. (1965) The genus *Zomosemata*, with notes on the cytology of two species (Diptera—Tephritidae). *Psyche*, 72, 307–323. [18 January]  
<https://doi.org/10.1155/1965/29703>
- Casey, T.L. (1893) Coleopterological Notices. V [part]. *Annals of the New York Academy of Sciences*, 7, 281–377. [October]  
<https://doi.org/10.1111/j.1749-6632.1893.tb55411.x>
- Chandler, P.J. (1981) The European and North American species of *Epicrypta* Winnertz (Diptera: Mycetophilidae). *Entomologica Scandinavica*, 12, 199–212. [15 July]  
<https://doi.org/10.1163/187631281794709818>
- Cockerell, T.D.A. (1889a) Thistle insects. Sixth report of the Colorado Biological Association. *Custer County Courant*, 1889

(16 January), 1–6. [16 January]

- Cockerell, T.D.A. (1889b) Contributions toward a list of the fauna and flora of Wet Mountain valley, Colorado. I. *West American Scientist*, 6 (47), 103–106. [September]
- Cockerell, T.D.A. (1893) The entomology of the mid-Alpine Zone of Custer County, Colorado. *Transactions of the American Entomological Society*, 20, 305–370. [December]
- Cockerell, T.D.A. (1900) *Scriptotricha* or *Paracantha*? *Annals and Magazine of Natural History*, Series 7, 5, 400 [1 April]  
[Dated from Evenhuis (2003c.)]
- Cole, F.R. (1923) A revision of the North American two-winged flies of the family Therevidae. *Proceedings of the United States National Museum*, 62 (4), 1–138. [10 May]
- Cooke, M. (1883a) *Insects. Injurious and beneficial, their natural history and classification for the use of fruit growers, farmers, gardeners and schools*. H.S. Crocker & Co., Sacramento, 156 pp. [31 December+]  
<https://doi.org/10.5962/bhl.title.49108>
- Cooke, M. (1883b) *Injurious insects of orchard, vineyard, field, garden, conservatory, household, storehouse, domestic animals, etc., with remedies for their extermination*. H.S. Crocker & Co., Sacramento, 472 pp. [31 December+]
- Coquillett, D.W. (1880) On the early stages of some moths. *The Canadian Entomologist*, 12, 43–46. [March]  
<https://doi.org/10.4039/Ent1243-3>
- Coquillett, D.W. (1882) Report of D.W. Coquillett [on the injurious insects of Northern Illinois]. In: Thomas, C., *Eleventh Annual Report of the State Entomologist on the Noxious and Beneficial insects of the State of Illinois. Sixth Annual Report*. H.W. Rokker, Springfield, Illinois, pp. 5–64. [early 1882]
- Coquillett, D.W. (1886a) The North American species of *Toxophora*. *Entomologica Americana*, 1, 221–222. [March]
- Coquillett, D.W. (1886b) Monograph of the Lomatina of North America. *The Canadian Entomologist*, 18, 81–87. [22 July]  
<https://doi.org/10.4039/Ent1881-5>
- Coquillett, D.W. (1886c) The North American genera of Anthracina. *The Canadian Entomologist*, 18, 157–159. [29 October]  
<https://doi.org/10.4039/Ent18157-8>
- Coquillett, D.W. (1886d) Report on the locusts of the San Joaquin Valley, California. In: Riley, C.V., Report of the Entomologist. In: Colman, N.J., *Report of the Commissioner of Agriculture. 1885*. Government Printing Office, Washington, D.C., pp. 207–343. [31 December+]
- Coquillett, D.W. (1887a) Notes on the genus *Exoprosopa*. *The Canadian Entomologist*, 19, 12–14. [14 March]  
<https://doi.org/10.4039/Ent1912-1>
- Coquillett, D.W. (1887b) Synopsis of the North American species of *Lordotus*. *Entomologica Americana*, 3, 115–116. [September]
- Coquillett, D.W. (1887c) Monograph of the species belonging to the genus *Anthrax* from America north of Mexico. *Transactions of the American Entomological Society*, 14, 159–182. [October]  
<https://doi.org/10.2307/25076488>
- Coquillett, D.W. (1889) The corn worm or boll worm in California. *Insect Life*, 1, 331–332. [May]
- Coquillett, D.W. (1890) The dipterous parasite of *Diabrotica soror*. *Insect Life*, 2, 233–236. [February]
- Coquillett, D.W. (1891a) A new *Rhaphiomidas* from California. *West American Scientist*, 7, 84–86. [January]
- Coquillett, D.W. (1891b) Revision of the genus *Aphoebantus*. C.R. Orcutt, San Diego, 11 pp. [pp. 6–16, March]  
[This is the preprint version of the journal version, 1891, in *West American Scientist*, 7, 254–264. [October].]
- Coquillett, D.W. (1891c) New Bombyliidae from California. *West American Scientist*, 7, 197–200. [August]
- Coquillett, D.W. (1891d) New Bombyliidae of the genus *Paracosmus*. *West American Scientist*, 7, 219–222. [September]  
[Published simultaneously, 1891, in *Science and Horticulture*, 1 (5), 219–222.]
- Coquillett, D.W. (1892a) Revision of the bombyliid genus *Epacmus* (*Leptochilus*). *The Canadian Entomologist*, 24, 9–11. [14 January]  
<https://doi.org/10.4039/Ent249-1>
- Coquillett, D.W. (1892b) Notes and descriptions of Bombyliidae. *The Canadian Entomologist*, 24, 123–126. [28 April]  
<https://doi.org/10.4039/Ent24123-5>
- Coquillett, D.W. (1892c) A new *Dalmanina* from California. *Entomological News*, 3, 150–151. [27 May]
- Coquillett, D.W. (1892d) Revision of the species of *Anthrax* from America north of Mexico. *Transactions of the American Entomological Society*, 19, 168–187. [July]
- Coquillett, D.W. (1892e) The dipterous parasite of *Melanoplus devastator* in California. *Insect Life*, 5, 22–24. [September]
- Coquillett, D.W. (1892f) A new genus of Diptera allied to *Rhaphiomidas*. *The Canadian Entomologist*, 24, 314–315. [13 December]  
<https://doi.org/10.4039/Ent24314-12>
- Coquillett, D.W. (1893a) Synopsis of the asilid genus *Anisopogon*. *The Canadian Entomologist*, 25, 20–22. [5 January]  
<https://doi.org/10.4039/Ent2520-1>
- Coquillett, D.W. (1893b) Synopsis of the asilid genus *Blacodes*. *The Canadian Entomologist*, 25, 33–34. [4 February]  
<https://doi.org/10.4039/Ent2533-2>
- Coquillett, D.W. (1893c) Synopsis of the asilid genus *Dioctria*. *The Canadian Entomologist*, 25, 80. [28 February]  
<https://doi.org/10.4039/Ent2580-3>
- Coquillett, D.W. (1893d) Synopsis of the asilid genera *Mallophora* and *Nicocles*. *The Canadian Entomologist*, 25, 118–120.

- [18 May]  
<https://doi.org/10.4039/Ent25118-5>
- Coquillett, D.W. (1893e) An anomalous empid. *Entomological News*, 4, 208–210. [6 June]  
 [Date of receipt at ANSP library.]
- Coquillett, D.W. (1893f) A new asilid genus related to *Erax*. *The Canadian Entomologist*, 25, 175–177. [7 July]  
<https://doi.org/10.4039/Ent25175-7>
- Coquillett, D.W. (1893g) Synopsis of the dipterous genus *Thereva*. *The Canadian Entomologist*, 25, 197–201. [2 August]  
<https://doi.org/10.4039/Ent25197-8>
- Coquillett, D.W. (1893h) Synopsis of the dipterous genus *Psilocephala*. *The Canadian Entomologist*, 25, 222–229. [9 September]  
<https://doi.org/10.4039/Ent25222-9>
- Coquillett, D.W. (1893i) That bug controversy. Prof. Coquillett makes a long-distance reply. *Los Angeles Herald*, 1893 (14 November), 5. [14 November]
- Coquillett, D.W. (1894a) Notes and descriptions of North American Bombyliidae. *Transactions of the American Entomological Society*, 21, 89–112. [March]
- Coquillett, D.W. (1894b) New North American Trypetidae. *The Canadian Entomologist*, 26, 71–75. [13 March]  
<https://doi.org/10.4039/Ent2671-3>
- Coquillett, D.W. (1894c) Two interesting new Diptera from Washington. *Entomological News*, 5, 125–126. [30 March]
- Coquillett, D.W. (1894d) *Brachycoma davidsoni*, n. sp. In: Davidson, A., On the parasites of wild bees in California. *Entomological News*, 5, pp. 172. [31 May]
- Coquillett, D.W. (1894e) Synopsis of the dipterous genus *Symphoromyia*. *Journal of the New York Entomological Society*, 2, 53–56. [June]
- Coquillett, D.W. (1894f) Revision of the dipterous family Therevidae. *Journal of the New York Entomological Society*, 2, 97–101. [September]
- Coquillett, D.W. (1894g) A new *Anthrax* from California. *Journal of the New York Entomological Society*, 2, 101–102. [September]
- Coquillett, D.W. (1895a) [List of Diptera]. In: Slosson, A.T., Additional list of insects taken in alpine region of Mt. Washington. *Entomological News*, 6, pp. 6–7. [4 January]
- Coquillett, D.W. (1895b) A new *Volucella* from Washington. *Entomological News*, 6, 131–132. [29 March]
- Coquillett, D.W. (1895c) A synopsis of the dipterous genus *Phora*. *The Canadian Entomologist*, 27, 103–107. [30 March]  
<https://doi.org/10.4039/Ent27103-4>
- Coquillett, D.W. (1895d) A cecidomyiid that lives on poison oak. *Insect Life*, 7, 348. [March]
- Coquillett, D.W. (1895e) New Tachinidae with a slender proboscis. *The Canadian Entomologist*, 27, 125–128. [1 May]  
<https://doi.org/10.4039/Ent27125-5>
- Coquillett, D.W. (1895f) On the occurrence of the tachinid genus *Heteropterina* Macq. in North America. *Entomological News*, 6, 207–208. [30 May]
- Coquillett, D.W. (1895g) The bombyliid genus *Acreotrichus* in America. *Psyche*, 7, 273. [August]  
<https://doi.org/10.1155/1895/51393>
- Coquillett, D.W. (1895h) Notes and descriptions of Tachinidae. *Journal of the New York Entomological Society*, 3, 49–58. [September]
- Coquillett, D.W. (1895i) New genera and species of Tachinidae. *Journal of the New York Entomological Society*, 3, 97–107. [September]
- Coquillett, D.W. (1895j) Two dipterous insects injurious to cultivated flowers. *Insect Life*, 7, 399–402. [July]
- Coquillett, D.W. (1895k) A new wheat pest (*Sciara tritici* n. sp.). *Insect Life*, 7, 406–408. [July]
- Coquillett, D.W. (1895l) New North American Mycetophilidae. *The Canadian Entomologist*, 27, 199–201. [2 August]  
<https://doi.org/10.4039/Ent27199-8>
- Coquillett, D.W. (1895m) Descriptions of new genera and species. In: Johnson, C.W., Diptera of Florida. *Proceedings of the Academy of Natural Sciences, Philadelphia*, 1895, pp. 307–319. [20 August]
- Coquillett, D.W. (1895n) Revision of the North American Empidae – A family of two-winged insects. *Proceedings of the United States National Museum*, 18, 387–440. [Late 1895]  
<https://doi.org/10.5479/si.00963801.18-1073.387>  
 [Preprints distributed in late 1895; the journal version came out on 25 May 1896.]
- Coquillett, D.W. (1896a) New Culicidae from North America. *The Canadian Entomologist*, 28, 43–44. [3 February]  
<https://doi.org/10.4039/Ent2843-2>
- Coquillett, D.W. (1896b) A new subfamily of Ephydriidae. *Entomological News*, 7, 220–221. [27 August]
- Coquillett, D.W. (1896c) A new dipterous genus related to *Gnoriste*. *Proceedings of the Entomological Society of Washington*, 3, 321–322. [6 October]
- Coquillett, D.W. (1896d) [Description of *Gaurax araneae*, n. sp.]. In: Davidson, A., Parasites of spiders' eggs. *Entomological News*, 7, pp. 320. [5 December]
- Coquillett, D.W. (1897a) [Descriptions of Diptera]. In: Call, R.E., Notes on the flora and fauna of Mammoth Cave, Ky. *The American Naturalist*, 31, pp. 384–387. [May]



- Coquillett, D.W. (1897b) Revision of the Tachinidae of America north of Mexico. A family of parasitic two-winged insects. *United States Department of Agriculture, Division of Entomology, Technical Series*, 7, 1–154. [after 2 June]  
[Date of letter of transmittal; according to the Catalog of Public Documents of the Government of the United States for July 1, 1897 to June 30, 1899, a new index was printed (pp. 149–156) to replace the original incomplete index.]
- Coquillett, D.W. (1897c) [Description of *Phorbia rubivora*, n. sp.]. In: Slingerland, M.V., The raspberry-cane maggot. *The Canadian Entomologist*, 29, pp. 162–163. [8 July]  
<https://doi.org/10.4039/Ent29162-7>
- Coquillett, D.W. (1898a) The buffalo-gnats, or black-flies, of the United States. [A synopsis of the dipterous family Simuliidae.] *United States Department of Agriculture, Division of Entomology, Bulletin, New Series*, 10, 66–69. [early January]  
[Date of letter of transmittal is 15 December 1897, but year on cover is 1898.]
- Coquillett, D.W. (1898b) On *Cuterebra emasculator*, with descriptions of several allied species. *The Canadian Entomologist*, 30, 9–11. [10 January]  
<https://doi.org/10.4039/Ent309-1>
- Coquillett, D.W. (1898c) Synopsis of the asilid genus *Ospriocerus*. *Entomological News*, 9, 37. [31 January]  
[Date of receipt at ANSP library.]
- Coquillett, D.W. (1898d) Notes and descriptions of Oscinidae. *Journal of the New York Entomological Society*, 6, 44–49. [March]
- Coquillett, D.W. (1898e) Additions to my synopsis of the Tachinidae. *The Canadian Entomologist*, 30, 233–237. [12 September]  
<https://doi.org/10.4039/Ent30233-9>
- Coquillett, D.W. (1898f) On the dipterous family Scatophagidae. *Journal of the New York Entomological Society*, 6, 160–165. [September]
- Coquillett, D.W. (1898g) A new dipterous genus belonging to the Therevidae. *Journal of the New York Entomological Society*, 6, 187–188. [September]
- Coquillett, D.W. (1898h) New species of Sapromyzidae. *The Canadian Entomologist*, 30, 277–280. [1 November]  
<https://doi.org/10.4039/Ent30277-11>
- Coquillett, D.W. (1898i) Report on a collection of Japanese Diptera, presented to the U.S. National Museum, by the Imperial University of Tokyo. *Proceedings of the United States National Museum*, 21, 301–340. [4 November]  
<https://doi.org/10.5479/si.00963801.21-1146.301>
- Coquillett, D.W. (1899a) A cecidomyiid injurious to seeds of sorghum. *United States Department of Agriculture, Division of Entomology, Bulletin, New Series*, 18 [1898], 81–82. [7 January]  
[For dating see Coulson *et al.* (1965: 1183).]
- Coquillett, D.W. (1899b) Description of a new *Psilopa*. *The Canadian Entomologist*, 31, 8. [18 January]  
<https://doi.org/10.4039/Ent318b-1>
- Coquillett, D.W. (1899c) A new dipterous family related to the Chironomidae. *Entomological News*, 10, 60–61. [4 March]
- Coquillett, D.W. (1899d) A new trypetid from Hawaii. *Entomological News*, 10, 129–130. [3 May]  
[Date of receipt at ANSP library.]
- Coquillett, D.W. (1899e) Order Diptera. In: Ashmead, W.H. (Ed.), C. Appendices. I. Report upon the insects, spiders, mites, and myriapods collected by Dr. L. Stejneger and Mr. G.E.H. Barrett-Hamilton on the Commander Islands, pp. 328–351. In: *The fur seals and the fur seal islands of the North Pacific ocean*. Part IV. “1898”. Washington, D.C., pp. 341–346. [July]  
[Dating from Evenhuis (1997: 400).]
- Coquillett, D.W. (1899f) Description of *Agromyza phaseoli*, a new species of leaf-mining fly. *Proceedings of the Linnaean Society of New South Wales*, 34, 128–129. [8 August]  
<https://doi.org/10.5962/bhl.part.7658>
- Coquillett, D.W. (1899g) New genera and species of Dexidae. *Journal of the New York Entomological Society*, 7, 218–222. [September]
- Coquillett, D.W. (1899h) Description of a new parasitic tachinid fly from Ceylon. *Indian Museum Notes*, 4, 279. [13 October]
- Coquillett, D.W. (1899i) New genera and species of Nycteribiidae and Hippoboscidae. *The Canadian Entomologist*, 31, 333–336. [15 November]  
<https://doi.org/10.4039/Ent31333-11>
- Coquillett, D.W. (1899j) Notes and descriptions of Trypetidae. *Journal of the New York Entomological Society*, 7, 259–268. [December]
- Coquillett, D.W. (1900a) Two new cecidomyians destructive to buds of roses. *United States Department of Agriculture, Division of Entomology, Bulletin, (New Series)* 22, 44–48. [early January]  
[Date of letter of transmittal is 16 November 1899, but year on cover is 1900.]
- Coquillett, D.W. (1900b) A new violet pest. (*Diplosis violicola* n. sp.). *United States Department of Agriculture, Division of Entomology Bulletin, New Series*, 22, 48–51. [early January]  
[Date of letter of transmittal is 16 November 1899, but year on cover is 1900.]
- Coquillett, D.W. (1900c) New genera and species of Ephydriidae. *The Canadian Entomologist*, 32, 33–36. [9 February]  
<https://doi.org/10.4039/Ent3233-2>



- Coquillett, D.W. (1900d) Notes and descriptions of Ortalidae. *Journal of the New York Entomological Society* 8, 21–25. [March]
- Coquillett, D.W. (1900e) Two new genera of Diptera. *Entomological News*, 11, 429–430. [4 April]  
[Date of receipt at ANSP library.]
- Coquillett, D.W. (1900f) Report on a collection of dipterous insects from Puerto Rico. *Proceedings of the United States National Museum*, 22, 249–270. [12 May]  
<https://doi.org/10.5479/si.00963801.22-1198.249>
- Coquillett, D.W. (1900g) New Scenopinidae from the United States. *Entomological News*, 11, 500–501. [4 June]
- Coquillett, D.W. (1900h) Descriptions of two new species of Diptera from Western Australia. *Proceedings of the Linnaean Society of New South Wales*, 25, 389–390. [22 November]  
<https://doi.org/10.5962/bhl.part.12159>
- Coquillett, D.W. (1900i) Papers from the Harriman Alaska Expedition. IX. Entomological results (3): Diptera. *Proceedings of the Washington Academy of Sciences*, 2, 389–464. [7 December]
- Coquillett, D.W. (1901a) [Some insects of the Hudsonian Zone in New Mexico.—II.] Diptera. *Psyche*, 9, 149–150. [1 January]
- Coquillett, D.W. (1901b) A new genus of Ortalidae. *Entomological News*, 12, 15. [2 January]  
[Date of receipt at ANSP library.]
- Coquillett, D.W. (1901c) Three new species of Diptera. *Entomological News*, 12, 16–18. [2 January]  
[Date of receipt at ANSP library.]
- Coquillett, D.W. (1901d) New Diptera in the U.S. National Museum. *Proceedings of the United States National Museum*, 23, 593–618. [27 March]  
<https://doi.org/10.5479/si.00963801.23-1225.593>
- Coquillett, D.W. (1901e) [Description of *Apocephalus pergandei*, n. sp.]. In: Pergande, T., The ant-decapitating fly. *Proceedings of the Entomological Society of Washington*, 4, pp. 501. [2 July]  
[Journal issue published 16 July; author's separates published 2 July according to the Congressional Series of United States Public Documents, vol. 4549, p. 143.]
- Coquillett, D.W. (1901f) A new anthomyiid injurious to lupines. *Entomological News*, 12, 206–207. [July]
- Coquillett, D.W. (1901g) Three new species of Culicidae. *The Canadian Entomologist*, 33, 258–260. [4 September]  
<https://doi.org/10.4039/Ent33258-9>
- Coquillett, D.W. (1901h) Types of anthomyid genera. *Journal of the New York Entomological Society*, 9, 134–146. [6 September]
- Coquillett, D.W. (1901i) New Diptera from Southern Africa. *Proceedings of the United States National Museum*, 24, 27–32. [27 September]  
<https://doi.org/10.5479/si.00963801.24-1243.27>
- Coquillett, D.W. (1901j) Original descriptions of new Diptera. In: Needham, J.G. & Betten, C., Aquatic insects of the Adirondacks. A study conducted at the entomologic field station, Saranac Inn N.Y. under the direction of Ephraim Porter Felt D.Sc. State entomologist. *Bulletin of the New York State Museum*, 47, pp. 585–586. [September]
- Coquillett, D.W. (1901k) Papers from the Hopkins-Stanford Galapagos Expedition, 1898–1899. II. Entomological results (2): Diptera. *Proceedings of the Washington Academy of Sciences*, 3, 371–379. [7 November]
- Coquillett, D.W. (1902a) Three new nemoaterous Diptera. *Entomological News*, 13, 84–85. [12 May]
- Coquillett, D.W. (1902b) New orthorrhaphous Diptera from Mexico and Texas. *The Canadian Entomologist*, 34, 136–141. [9 June]  
<https://doi.org/10.4039/Ent34195-8>
- Coquillett, D.W. (1902c) New Diptera from North America. *Proceedings of the United States National Museum*, 25, 83–126. [July]  
<https://doi.org/10.5479/si.00963801.25-1280.83>  
[Publication date of the full volume listed as 12 September 1902. Preprints of this article were available earlier; listed as for sale in the July 1902 monthly catalog of United States Public Documents.]
- Coquillett, D.W. (1902d) New cyclorrhaphous Diptera from Mexico and New Mexico. *The Canadian Entomologist*, 34, 195–202. [2 August]  
<https://doi.org/10.4039/Ent34195-8>
- Coquillett, D.W. (1902e) Three new species of *Culex*. *The Canadian Entomologist*, 34, 292–293. [11 November]  
<https://doi.org/10.4039/Ent34292-11>
- Coquillett, D.W. (1902f) New acalyptrate Diptera from North America. *Journal of the New York Entomological Society*, 10, 177–191. [December]
- Coquillett, D.W. (1902g) New forms of Culicidae from North America. *Journal of the New York Entomological Society*, 10, 191–194. [June]
- Coquillett, D.W. (1903a) The occurrence of the phorid genus *Aenigmatias* in America. *The Canadian Entomologist*, 35, 20–22. [5 January]  
<https://doi.org/10.4039/Ent3520-1>
- Coquillett, D.W. (1903b) [Descriptions of new genera and species]. In: Johnson, C.W., Diptera from Beulah, New Mexico. *Transactions of the American Entomological Society*, 29, pp. 102–104. [March]

- Coquillett, D.W. (1903c) The genera of the dipterous family Empididae, with notes on new species. *Proceedings of the Entomological Society of Washington*, 5, 245–272. [15 June]
- Coquillett, D.W. (1903d) A new culicid genus related to *Corethra*. *The Canadian Entomologist*, 35, 189–190. [30 June]  
<https://doi.org/10.4039/Ent35189-7>
- Coquillett, D.W. (1903e) Four new species of *Culex*. *The Canadian Entomologist*, 35, 255–257. [4 September]  
<https://doi.org/10.4039/Ent35255-9>
- Coquillett, D.W. (1903f) *Eucoethra*, a genus of Culicidae. *The Canadian Entomologist*, 35, 272. [3 October]  
<https://doi.org/10.4039/Ent35272-10>
- Coquillett, D.W. (1903g) Description of a new species of *Oligotrophus* from India. *Indian Museum Notes*, 6 (1), 1. [After October]  
 [Date of preface.]
- Coquillett, D.W. (1903h) A new *Anopheles* with unspotted wings. *The Canadian Entomologist*, 35, 310. [6 November]  
<https://doi.org/10.4039/Ent35310-11>
- Coquillett, D.W. (1903i) A new ephydridid from Australia. *Entomological News*, 14, 324. [6 December]  
 [Date of receipt at ANSP library.]
- Coquillett, D.W. (1903j) *Psorophora howardii* (new species). In: Taylor, J.R., Observations on the mosquitos of Havana [part]. *Revista de Medicina Tropical, Havana*, 4, pp. 157–158. [31 December+]  
 [Republication of original description by Coquillett in 1901.]
- Coquillett, D.W. (1904a) Several new Diptera from North America. *The Canadian Entomologist*, 36, 10–12. [4 January]  
<https://doi.org/10.4039/Ent3610-1>
- Coquillett, D.W. (1904b) Notes on *Culex nigrutilus*. *Entomological News*, 15, 73–74. [30 January]  
 [Date of receipt at ANSP library.]
- Coquillett, D.W. (1904c) [Descriptions of new Diptera]. In: Baker, C.F., Reports on Californian and Nevadan Diptera, I. *Invertebrata Pacifica*, 1, pp. 18–40 [10 February]
- Coquillett, D.W. (1904d) A brief history of North American dipterology. *Proceedings of the Entomological Society of Washington*, 6, 53–58. [13 February]
- Coquillett, D.W. (1904e) Diptera from southern Texas, with descriptions of new species. *Journal of the New York Entomological Society*, 12, 31–35. [March]
- Coquillett, D.W. (1904e) A new *Ceratopogon* from Brazil. *Journal of the New York Entomological Society*, 12, 35. [March]
- Coquillett, D.W. (1904f) New Diptera from Central America. *Proceedings of the Entomological Society of Washington*, 6, 90–98. [21 May]
- Coquillett, D.W. (1904g) New Diptera from India and Australia. *Proceedings of the Entomological Society of Washington*, 6, 137–140. [30 July]
- Coquillett, D.W. (1904h) New North American Diptera. *Proceedings of the Entomological Society of Washington*, 6, 166–192. [30 July]
- Coquillett, D.W. (1904i) Diptera of the expedition. In: Ashmead, W.H., Coquillett, D.W., Kincaid, T. & Pergande, T., Harriman Alaska Expedition. With cooperation of the Washington Academy of Sciences. Alaska. Vol. IX. Insects. Part II. Doubleday, Page & Company, New York, pp. 1–78. [31 December+]  
 [A reprinting of Coquillett's 1900 paper on this subject in the *Proceedings of the Washington Academy of Sciences* with a one-page introduction containing a corrigenda and new information since the 1900 paper.]
- Coquillett, D.W. (1905a) A new *Culex* from Australia. *Entomological News*, 16, 116. [3 April]  
 [Date of receipt at ANSP library.]
- Coquillett, D.W. (1905b) A new cecidomyiid on cotton. *The Canadian Entomologist*, 37, 200. [1 June]  
<https://doi.org/10.4039/Ent37200-6>
- Coquillett, D.W. (1905c) New nematoceros Diptera from North America. *Journal of the New York Entomological Society*, 13, 56–69. [June]
- Coquillett, D.W. (1905d) A new subapterous tipulid from New Mexico. *The Canadian Entomologist*, 37, 347. [30 September]  
<https://doi.org/10.4039/Ent37347-10>
- Coquillett, D.W. (1905e) A new dexiid parasite of a Cuban beetle. *The Canadian Entomologist*, 37, 362. [30 September]  
<https://doi.org/10.4039/Ent37362-10>
- Coquillett, D.W. (1906a) A new *Tabanus* related to *punctifer*. *Entomological News*, 17, 48. [2 February]  
 [Date of receipt at ANSP library.]
- Coquillett, D.W. (1906b) On the breaking up of the old genus *Culex*. *Science*, New Series, 23, 312–314. [3 February]
- Coquillett, D.W. (1906c) Five new Culicidae from the West Indies. *The Canadian Entomologist*, 38, 60–62. [5 February]  
<https://doi.org/10.4039/Ent3860-2>
- Coquillett, D.W. (1906d) New Culicidae from the West Indies and Central America. *Proceedings of the Entomological Society of Washington*, 7 [1905], 182–186. [9 March]
- Coquillett, D.W. (1906e) A classification of the mosquitoes of North and Middle America. *United States Department of Agriculture, Bureau of Entomology, Technical Series Bulletin*, 11, 1–31. [after 15 March]  
 [Date of letter of transmittal.]  
<https://doi.org/10.5962/bhl.title.87519>

- Coquillett, D.W. (1906f) A new *Culex* near *curriei*. *Entomological News*, 17, 109. [7 April]  
[Date of receipt at ANSP library.]
- Coquillett, D.W. (1906g) [Letters]: Dr. Dyar's square dealings. *Entomological News*, 17, 224. [6 June]  
[Date of receipt at ANSP library.]
- Coquillett, D.W. (1907a) New genera and species of Diptera. *The Canadian Entomologist*, 39, 75–76. [7 March]  
<https://doi.org/10.4039/Ent3975-3>
- Coquillett, D.W. (1907b) Discovery of blood-sucking Psychodidae in America. *Entomological News*, 18, 101–102. [March]
- Coquillett, D.W. (1907c) A new phorid genus with horny ovipositor. *The Canadian Entomologist*, 39, 207–208. [4 June]  
<https://doi.org/10.4039/Ent39207-6>
- Coquillett, D.W. (1907d) Notes and descriptions of Hippoboscidae and Streblidae. *Entomological News*, 18, 290–292. [July]
- Coquillett, D.W. (1908a) Dr. Dyar's criticism of "Mosquito Life". *The Canadian Entomologist*, 40, 81–83. [6 March]  
<https://doi.org/10.4039/Ent4081-3>
- Coquillett, D.W. (1908b) New genera and species of Diptera. *Proceedings of the Entomological Society of Washington*, 9, 144–148. [25 April]
- Coquillett, D.W. (1909a) Description of a new fruit-fly of the genus *Dacus* from New South Wales. *Proceedings of the Linnaean Society of New South Wales*, 33, 194. [11 March]
- Coquillett, D.W. (1909b) A new stratiomyid from Texas. *The Canadian Entomologist*, 41, 212. [7 July]  
<https://doi.org/10.4039/Ent41212-7>
- Coquillett, D.W. (1909c) Three new Trypetidae from the Pacific Islands. *Entomological News*, 21 [1910], 12–13. [30 December]  
[See Evenhuis *et al.* (1989: 843) for dating]
- Coquillett, D.W. (1910a) New species of North American Diptera. *The Canadian Entomologist*, 42, 41–47. [8 February]  
<https://doi.org/10.4039/Ent4241-2>
- Coquillett, D.W. (1910b) Two new Trypetidae from China. *Entomological News*, 21, 308. [1 July]  
[Date of receipt at ANSP library.]
- Coquillett, D.W. (1910c) The type-species of the North American genera of Diptera. *Proceedings of the United States National Museum*, 37, 499–647. [4 August]  
<https://doi.org/10.5479/si.00963801.37-1719.499>
- Coquillett, D.W. (1910d) New genera and species of North American Diptera. *Proceedings of the Entomological Society of Washington*, 12, 124–131. [6 September]
- Coquillett, D.W. (1910e) Corrections to my paper on type species of the North American genera of Diptera. *The Canadian Entomologist*, 42, 375–378. [11 November]  
<https://doi.org/10.4039/Ent42375-11>
- Coquillett, D.W. (1911) A decision on Meigen's 1800 paper. *The Canadian Entomologist*, 43, 66. [20 February]  
<https://doi.org/10.4039/Ent4366-2>
- Coquillett, D.W. (1924) A new genus and species of Trypetidae infesting asparagus in South Africa (Diptera). *Proceedings of the Entomological Society of Washington*, 26, 64–66. [19 March]
- Coquillette, B.F. (1894) *History of the Coquillette family, compiled and written in the year 1894*. S.P. Stansbury & Co., Chicago, 35 pp. [31 December+]
- Costa, A. (1857) Contribuzione all fauna ditterologica Italiana. *Il Giambattista Vico, Giornale Scientifico*, 2, 438–460. [31 December+]
- Costa, A. (1866) Acquisti fatti durante l'anno 1863. *Annuario della Museo Zoologico. Università di Napoli*, 3, 13–48. [31 December+]
- Coulson, J.R., Sabrosky, C.W. & Muller, I. (1965) Selected bibliography of North American Diptera. *United States Department of Agriculture, Agricultural Handbook*, 287, 1117–1484. [23 August]  
[For dating, see Evenhuis (2008).]
- Craw, A. (1899) Inspection of nursery stock and orchards. *Pacific Rural Press*, 1899 (29 July), 68–69. [29 July]
- Cresson, E.T. Jr. (1911) Daniel William Coquillett. *Entomological News*, 22, 337–338. [6 October]
- Crosskey, R.W. (1967) New generic and specific synonymy in Oriental Tachinidae (Diptera). *Systematic Entomology*, 37 (7–8), 95–108. [August]  
<https://doi.org/10.1111/j.1365-3113.1967.tb00544.x>
- Curtis, J. (1837) *A guide to the arrangement of British insects; being a catalogue of all the names species hitherto discovered in Great Britain and Ireland. 2<sup>nd</sup> Edition. Greatly enlarged*. J. Pigot & Co., London, vi pp., 294 columns. [after June]  
[Date of preface.]
- De Geer, C. (1776) *Mémoires pour servir à l'histoire des insectes*. Tome sixième. P. Hesselberg, Stockholm, viii + 523 pp. [31 December+]
- Dely-Draskovits, Á. (1993) Family Anthomyiidae. In: Soós, Á. & Papp, L. (Eds.), *Catalogue of Palaearctic Diptera. Vol. 13. Anthomyiidae—Tachinidae*. Hungarian Natural History Museum, Budapest, pp. 11–102. [15 December]  
[Dated from Evenhuis (2008).]
- Dick, C.W. (2013) Review of the bat flies of Honduras, Central America (Diptera, Streblidae). *Journal of Parasitology Research*, 2013 (437696), 1–17. [31 December+]

<https://doi.org/10.1155/2013/437696>

- Dick, C.W., Gracioli, G. & Guerrero, R. (2016) Family Streblidae. In: Wolff, M., Nihei, S.S. & Carvalho, C.J.B. de (Eds.), *Catalogue of Diptera of Colombia*. *Zootaxa*, 4122, pp. 784–802. [14 June]
- Dyar, H.G. (1907) Report on the mosquitoes of the coast region of California, with descriptions of new species. *Proceedings of the United States National Museum*, 32, 121–129. [9 February]  
<https://doi.org/10.5479/si.00963801.32-1516.121>
- Dyar, H.G. (1908) Book notice. Mosquito life. By Evelyn Groesbeck Mitchell, A.B., M.S., G.P. Putnam's Sons, New York and London. The Knickerbocker Press. 1907. *The Canadian Entomologist*, 40, 75–76. [6 February]  
<https://doi.org/10.4039/Ent4075-2>
- Dyar, H.G. & Knab, F. (1906a) The larvae of Culicidae as independent organisms. *Journal of the New York Entomological Society*, 14 (4), 169–230. [14 March]  
[Date of reprinted version which appeared earlier than the journal version of the same title and pagination, which was published in December [teste Weber (1907: 24)].]
- Dyar, H.G. & Knab, F. (1906b) Diagnoses of new species of mosquitoes. *Proceedings of the Biological Society of Washington*, 19, 133–141. [25 September]
- Epstein, M.E. (2016) *Moths, myths, and mosquitoes. The eccentric life of Harrison G. Dyar, Jr.* Oxford University Press, New York, xxvi + [6] + 325 pp. [31 December+]
- Erichson, W.F. (1841) Bericht über die wissenschaftlichen Leistungen im Gebiete der Entomologie während des Jahres 1840. *Archiv für Naturgeschichte*, 1841 (2), 145–258. [31 December+]
- Evenhuis, N.L. (1991) World catalog of genus-group names of bee flies (Diptera: Bombyliidae). *Bishop Museum Bulletins in Entomology*, 5, 1–105. [16 August]
- Evenhuis, N.L. (1992) The publication and dating of Hermann Loew's school-program Diptera articles. *Archives of Natural History*, 19 (3), 375–378. [October]  
<https://doi.org/10.3366/anh.1992.19.3.375>
- Evenhuis, N.L. (1997) *Litteratura Taxonomica Dipterorum (1758–1930) being a selected list of the books and prints of Diptera taxonomy from the beginning of Linnaean nomenclature to the end of the year 1930; containing information on the biographies, bibliographies, types, collections, and patronymic genera of the authors listed in this work; including detailed information on publication dates, original and subsequent editions, and other ancillary data concerning the publications listed herein. 2 Vols.* Backhuys Publishers, Leiden, x + 871 pp. [10 October]  
[Date of mailing from publisher.]
- Evenhuis, N.L. (2003a) Dating and publication of the *Encyclopédie Méthodique* (1782–1832), with special reference to the parts of the *Histoire Naturelle* and details on the *Histoire Naturelle des Insectes*. *Zootaxa*, 166 (1), 1–48. [17 March]  
<https://doi.org/10.11646/zootaxa.166.1.1>
- Evenhuis, N.L. (2003b) The complete bibliography of scientific works of Jacques-Marie-Fragille Bigot. *Zootaxa*, 210 (1), 1–36. [6 June]  
<https://doi.org/10.11646/zootaxa.210.1.1>
- Evenhuis, N.L. (2003c) Publication and dating of the journals forming the *Annals and Magazine of Natural History* and the *Journal of Natural History*. *Zootaxa*, 385 (1), 1–68. [16 December]  
<https://doi.org/10.11646/zootaxa.385.1.1>
- Evenhuis, N.L. (2006) Catalog of the Keroplatidae of the world (Insecta: Diptera). *Bishop Museum Bulletin in Entomology*, 13, 1–177. [25 August]  
[Dated from information from publisher.]
- Evenhuis, N.L. (2008) Dates of publication of regional and world Diptera catalogs. *Studia Dipterologica*, 14 (2), 379–403. [29 October]
- Evenhuis, N.L. (2014) Publication and dating of Parts IV–VII of Brauer & Bergenstamm's *Die Zweiflügler des Kaiserlichen Museum zu Wien* (1889–1894). *Zootaxa*, 3790 (3), 495–499. [22 April]  
<https://doi.org/10.11646/zootaxa.3790.3.8>
- Evenhuis, N.L. (2017) Daniel William Coquillett (1856–1911): a life of trials (both court and experimental) and tribulations. *Fly Times*, 58, 14–29. [15 May]
- Evenhuis, N.L. & Greathead, D.J. (1999) *World catalog of bee flies (Diptera: Bombyliidae)*. Backhuys Publishers, Leiden, 756 pp. [10 November]  
[Date of mailing from publisher.]
- Evenhuis, N.L., O'Hara, J.E., Pape, T. & Pont, A.C. (2010b) Nomenclatural studies toward a world catalog of Diptera genus-group names. Part I. André-Jean-Baptiste Robineau-Desvoidy. *Zootaxa*, 2373, 1–265. [26 February]
- Evenhuis, N.L. & Pape, T. (2017) Battling the un-dead: the status of the Diptera genus-group names originally proposed in Johann Wilhelm Meigen's 1800 pamphlet. *Zootaxa*, 4275 (1), 1–74. [8 June]  
<https://doi.org/10.11646/zootaxa.4275.1.1>
- Evenhuis, N.L., Pape, T. & Pont, A.C. (2016) Nomenclatural studies toward a world list of Diptera genus-group names. Part V: Pierre-Justin-Marie Macquart. *Zootaxa*, 4172 (1), 1–211. [30 September]  
<https://doi.org/10.11646/zootaxa.4172.1.1>
- Evenhuis, N.L., Pape, T., Pont, A.C. & Thompson, F.C. (2010a) Flying after Linnaeus: Diptera names since *Systema Naturae*



- (1758). In: Polaszek, A. (Ed.), *Systema Naturae 250 – the Linnaean Ark*. CRC Press, Boca Raton, FL, pp. 75–82. [23 February]  
<https://doi.org/10.1201/EBK1420095012-c7>
- Evenhuis, N.L. & Pont, A.C. (2004) The Diptera genera of Jacques-Marie-Fragile Bigot. *Zootaxa*, 751, 1–94. [3 December]
- Evenhuis, N.L. & Pont, A.C. (2013) Nomenclatural studies toward a world catalog of Diptera genus-group names. Part III. Christian Rudolph Wilhelm Wiedemann. *Zootaxa*, 3638, 1–75p. [16 April]
- Evenhuis, N.L., Pont, A.C. & Whitmore, D. (2015) Nomenclatural studies toward a world list of Diptera genus-group names. Part IV: Charles Henry Tyler Townsend. *Zootaxa*, 3978 (1), 1–362. [25 June]  
<https://doi.org/10.11646/zootaxa.3978.1.1>
- Evenhuis, N.L., Thompson, F.C., Pont, A.C. & Pyle, L.B. (1989) Literature cited. In: Evenhuis, N.L. (Ed.), *Catalog of the Diptera of the Australasian and Oceanian regions. Bishop Museum Special Publication*, 86, pp. 809–991. [23 August]  
 [For dating see Evenhuis (2008).]
- Fabricius, J.C. (1794) *Entomologica systematics emendata et aucta. Secundum classes, ordines, genera, species adjectis synonymis, locis, observationibus, descriptionibus. Tome IV*. C.G.F. Proft, Hafniae [= Copenhagen], [6] + 472 + [5] pp. [31 December+]
- Fabricius, J.C. (1798) *Supplementum entomologiae systematicae*. Proft et Storch, Hafniae [= Copenhagen], [4] + 572 pp. [20 May]  
 [For dating see Evenhuis (1997).]  
<https://doi.org/10.5962/bhl.title.65803>
- Fallén, C.F. (1810) *Specim. entomolog. novam Diptera disponendi methodum exhibens quod Conf. Ampl. Facult. Phil. Lund, publicae disquisitioni subjiciunt ... In Lyceo Carolino die IX Junii MDCCCX*. Berlingianis, Lundae [= Lund], 26 pp. [9 June]
- Fallén, C.F. (1823) *Agromyzides Sveciae. Quarum descriptionem Venia Ampl. Facult. Philos. Acad. Lund. In Lyceo Carolino d. XX Maji MDCCCXXIII*. Berlingianis, Lundae [= Lund], 10 pp. [20 May]
- Felt, E.P. (1908) Studies in Cecidomyiidae II. Appendix D. In: Felt, E.P., Twenty-third report of the State Entomologist on injurious and other insects of the State of New York, 1907. *Bulletin of the New York State Museum*, 124, 286–422. [15 January]
- Fischer von Waldheim, G. (1808) *Tableaux synoptiques de zoognosie. Publiés à l'usage de ses élèves à l'Université Impériale de Moscou*. Université Impériale, Moscou [= Moscow], [66] + 186 pp. [after 28 November]  
 [For dating see Evenhuis (1997) Note: the year in Evenhuis (1997) was incorrectly cited as “1809”.]
- Foote, R.H. (1960) A revision of the genus *Trupanea* in America north of Mexico (Diptera, Tephritidae). *United States Department of Agriculture, Technical Bulletin*, 1214, 1–29. [April]
- Foote, R.H. (1965) Family Cecidomyiidae (Itonididae). In: Stone, A., Sabrosky, C.W., Foote, R.H., Wirth, W.W. & Coulson, J.R. (Eds.), *A catalog of the Diptera of the Nearctic Region. United States Department of Agriculture, Agricultural Handbook*, 276, pp. 241–295. [23 August]  
 [For dating, see Evenhuis (2008).]
- Frick, K.E. (1957) Nomenclatural changes and type designations of some New World Agromyzidae (Diptera). *Annals of the Entomological Society of America*, 50 (2), 198–205. [1 March]  
<https://doi.org/10.1093/aesa/50.2.198>
- Gagné, R.J. (1986) Revision of *Prodiplosis* (Diptera: Cecidomyiidae) with descriptions of three new species. *Annals of the Entomological Society of America*, 79 (1), 235–245. [January]  
<https://doi.org/10.1093/aesa/79.1.235>
- Gagné, R.J. & Jaschhof, M. (2014) A catalog of the Cecidomyiidae (Diptera) of the world. 3<sup>rd</sup> Edition. Digital Version 2. 493 pp. Available from: [https://www.ars.usda.gov/SP2UserFiles/Place/80420580/Gagne\\_2014\\_World\\_Cecidomyiidae\\_Catalog\\_3rd\\_Edition.pdf](https://www.ars.usda.gov/SP2UserFiles/Place/80420580/Gagne_2014_World_Cecidomyiidae_Catalog_3rd_Edition.pdf) (accessed 10 September 2017)
- Gaimari, S.D. (2012) A new genus and species of Chamaemyiidae (Diptera: Lauxanioidea) from South America feeding on *Ceroplastes* wax scales (Hemiptera: Coccidae), and status of the genus *Ortalidina* as a chamaemyiid. *Zootaxa*, 3342, 39–50. [12 June]
- Geoffroy, E.L. (1762) *Histoire abrégée des insectes qui se trouvent aux environs de Paris; dans laquelle ces animaux sont rangés suivant un ordre méthodique*. Tome second. Durand, Paris, 690 pp., pls. 11–22. [31 December+]  
<https://doi.org/10.5962/bhl.title.65744>
- Gistel, J.N.F.X. (1856) *Die Mysterien der europäischen Insectenwelt. Ein geheimer Schlüssel für Sammler aller Insecten-Ordnungen und Stände, behufs des Fangs, des Aufenthalts-Orts, der Wohnung, Tag- und Jahreszeit u.s.w., oder autoptische Darstellung des Insectenstaats in seinem Zusammenhange zum Bestehen des Naturhaushaltes überhaupt und insbesondere in seinem Einflusse auf die phanerogamische und cryptogamische Pflanzenbevölkerung Europa's. Zum ersten Male nach fünfundzwanzigjährigen eigenen Erfahrungen zusammengestellt und herausgegeben*. Tobias Dannheimer, Kempten, xii + 530 + [2] pp. [18 February]  
 [For dating see Evenhuis (1997: 305).]
- Gray, J.R. (1839) Catalogue of the slender-tongued saurians, with descriptions of many new genera and species [part]. *Annals of Natural History*, 2, 331–337. [1 January]  
 [For dating see Evenhuis (2003c).]

<https://doi.org/10.1080/00222933909512395>

- Grogan, W.L. Jr. & Wirth, W.W. (1975) A revision of the Nearctic species of *Clinohoelea* Kieffer (Diptera: Ceratopogonidae). *Great Basin Naturalist*, 35 (3), 275–287. [September]
- Guimarães, J.H. (1971) Family Tachinidae (Larvaevoridae). *A Catalogue of the Diptera of the Americas South of the United States*, 104, 1–333. [6 December]
- Guimarães, J.H. (1997) *Systematic database of Diptera of America south of the United States: family Culicidae*. Ed. Plêiade, São Paulo, 286 pp. [June]
- Guimarães, L.R. (1968) Family Hippoboscidae. *A Catalogue of Diptera of the Americas South of the United States*, 99, 1–17. [30 September]
- Haliday, A.H. (1838) New British insects in Mr. Curtis' Guide. *Annals of Natural History*, 2, 112–121. [1 April]  
[For dating see Evenhuis (2003c).]  
<https://doi.org/10.1080/00222933809512345>
- Hall, J.C. (1981) A review of the North and Central American species of *Paravilla* Painter (Diptera: Bombyliidae). *University of California Publications in Entomology*, 92, i–x + 1–190 + [191–199]. [January]
- Hall, J.C. & Evenhuis, N.L. (1980) Family Bombyliidae. In: Griffiths, G.C.D. (Ed.), *Flies of the Nearctic Region. Vol. V. Part 13. No. 1*. E. Schweizerbart, Stuttgart, pp. 1–96. [June]
- Hall, J.C. & Evenhuis, N.L. (1981) Family Bombyliidae. In: Griffiths, G.C.D. (Ed.), *Flies of the Nearctic Region. Vol. V. Part 13. No. 2*. E. Schweizerbart, Stuttgart, pp. 97–184. [11 November]  
[Dated from receipt at BMNH library.]
- Hall, J.C. & Evenhuis, N.L. (1982) Family Bombyliidae. In: Griffiths, G.C.D. (Ed.), *Flies of the Nearctic Region. Vol. V. Part 13. No. 3*. E. Schweizerbart, Stuttgart, pp. 185–280. [before 22 November]  
[Dated from information from editor.]
- Hall, J.C. & Evenhuis, N.L. (1984) Family Bombyliidae. In: Griffiths, G.C.D. (Ed.), *Flies of the Nearctic Region. Vol. V. Part 13. No. 4*. E. Schweizerbart, Stuttgart, pp. 281–320. [before 9 June]  
[Dated from information from editor.]
- Hall, J.C. & Evenhuis, N.L. (1986) Family Bombyliidae. In: Griffiths, G.C.D. (Ed.), *Flies of the Nearctic Region. Vol. V. Part 13. No. 5*. E. Schweizerbart, Stuttgart, pp. 321–592. [21 July]  
[Dated from postmark of copy sent from publisher to authors].
- Hall, J.C. & Evenhuis, N.L. (1987) Family Bombyliidae. In: Griffiths, G.C.D. (Ed.), *Flies of the Nearctic Region. Vol. V. Part 13. No. 6*. E. Schweizerbart, Stuttgart, pp. 593–656. [31 July]  
[Dated from postmark of copy sent from publisher to authors].
- Hall, J.C. & Evenhuis, N.L. (2004) Family Bombyliidae. In: Griffiths, G.C.D. (Ed.), *Flies of the Nearctic Region. Vol. V. Part 13. No. 7*. E. Schweizerbart, Stuttgart, pp. 657–716. [18 November]  
[Dated from postmark of copy sent from publisher to authors]
- Hendel, F. (1908) Nouvelle classification des mouches a deux ailes (Diptera L.). D'après un plan tout nouveau par J.G. Meigen, Paris, an VIII (1800 v.s.). Mit Kommentar herausgeben von Friedrich Hendel. *Verhandlungen der k.-k. Zoologisch-Botanischen Gesellschaft in Wien*, 58, 43–69. [22 April]
- Hendel, F. (1917) Beiträge zur Kenntnis der acalyptraten Musciden. *Deutsche Entomologische Zeitschrift*, 1917, 33–47. [1 July]
- Herting, B. & Dely-Draskovits, Á. (1993) Family Tachinidae. In: Soós, Á. & Papp, L. (Eds.), *Catalogue of Palaearctic Diptera. Vol. 13. Anthomyiidae—Tachinidae*. Hungarian Natural History Museum, Budapest, pp. 118–458. [15 December]  
[Dated from Evenhuis (2008).]
- Horn, G.H. (1895) Coleoptera of Baja California. *Proceedings of the California Academy of Sciences*, Series 2, 4, 302–449. [31 December+]
- Howard, L.O. (1898) [On the Department of Insects]. In: Report of the U.S. National Museum, under the direction of the Smithsonian Institution, for the year ending June 30, 1896. *Annual Report of the Board of Regents of the Smithsonian Institution*, 1896, 313–314. [after 8 August]  
[Date of transmittal.]
- Howard, L.O., Dyar, H.G. & Knab, F. (1915) The mosquitoes of North and Central America and the West Indies. Volume three. Systematic description (in two parts). Part I. *Carnegie Institution of Washington Publication*, 159 (3), vi + 523 pp. [1 October]  
[Date of publication stamped on cover.]
- Howard, L.O., Dyar, H.G. & Knab, F. (1917) The mosquitoes of North and Central America and the West Indies. Volume four. Systematic description (in two parts). Part II. *Carnegie Institution of Washington Publication*, 159 (4), 525–1064. [31 March]  
[Date of publication stamped on cover.]
- Huckett, H.C. & Vockeroth, J.R. (1965) Family Anthomyiidae (Muscidae, in part). In: Stone, A., Sabrosky, C.W., Wirth, W.W., Foote, R.H. & Coulson, J.R. (Eds.), A catalog of the Diptera of the Americas north of Mexico. *United States Department of Agriculture, Agriculture Handbook*, 276, pp. 826–869. [23 August]  
[Dated from Evenhuis (2008); Vockeroth was the author of the Scathophaginae.]
- Hull, F.M. (1962) Robber flies of the world. The genera of the family Asilidae. *Bulletin of the United States Museum*, 224, 1–

907. [25 June]  
<https://doi.org/10.5479/si.03629236.224>
- Hull, F.M. (1973) Bee flies of the world. The genera of the family Bombyliidae (Insecta: Diptera). *Bulletin of the United States Museum*, 286, 1–687. [12 November]  
 [Dated from Evenhuis & Greathead (1999: 582).]
- International Commission on Zoological Nomenclature (1910) Opinion 28. Shall the *Nouvelle classification* of Meigen, 1800, be given precedence over Meigen's *Versuch*, 1803? *Smithsonian Special Publication*, 1989, 66–67. [October]
- International Commission on Zoological Nomenclature (1954) Opinion 256. Emendation to “*Phlebotomus*” of the generic name “*Flebotomus*” Rondani, 1840 (Class Insecta, Order Diptera) under the plenary powers. *Opinions and Declarations of the International Commission on Zoological Nomenclature*, 5, 199–229. [10 August]
- International Commission on Zoological Nomenclature (1963a) Opinion 652. *Dasiops* Rondani, 1856 (Insecta, Diptera); designation of a type species under the plenary powers. *Bulletin of Zoological Nomenclature*, 20, 114–116. [11 April]
- International Commission on Zoological Nomenclature (1963b) Opinion 678. The suppression under the plenary powers of the pamphlet published by Meigen, 1800. *Bulletin of Zoological Nomenclature*, 20, 339–342. [21 October]
- International Commission on Zoological Nomenclature (1999) *International Code of Zoological Nomenclature*. 4<sup>th</sup> Edition. International Trust for Zoological Nomenclature, London, xxix + 306 pp. [31 December+]
- International Commission on Zoological Nomenclature (2010) Opinion 2262 (Case 3468). *Clusiodes* Coquillett, 1904 (Insecta, Diptera, Clusiidae): usage conserved by designation of *Heteroneura albimana* Meigen, 1830 as the type species. *Bulletin of Zoological Nomenclature*, 67, 344–345. [20 December]  
<https://doi.org/10.21805/bzn.v67i4.a15>
- Jenkins, J. & Turner, W.J. (1989) Revision of the *Baccharis*-infesting (Asteraceae) fruit flies of the genus *Tephritis* (Diptera: Tephritidae) in North America. *Annals of the Entomological Society of America*, 82, 674–685. [November]  
<https://doi.org/10.1093/aesa/82.6.674>
- Johnson, C.W. (1913) Insects of Florida. *Bulletin of the American Museum of Natural History*, 32, 37–90. [21 March]
- Johnson, D.E. & Johnson, L.M. (1959) Notes on the genus *Lordotus* Loew, with descriptions of new species (Diptera: Bombyliidae). *Great Basin Naturalist*, 19, 10–26. [30 May]
- Knight, K.L. & Stone, A. (1977) *A catalog of the mosquitoes of the world (Diptera: Culicidae)*. 2<sup>nd</sup> Edition. Thomas Say Foundation Publication 6. Entomological Society of America, College Park, Maryland, xi + 611 pp. [after 1 June]  
 [Date of preface.]
- Knutson, L.V., Orth, R.E., Fisher, T.W. & Murphy, W.L. (1985) Catalog of the Sciomyzidae (Diptera) of America north of Mexico. *Entomography*, 4, 1–53. [31 July]
- Kolenati, F.A. (1857) Synopsis prodroma der Nycertibien. *Wiener Entomologische Monatschrift*, 1, 61–62. [August]
- Korneyev, V.A. (2014) Pyrgotid flies assigned to *Apyrgota*. I. New species and synonyms in *Eupyrgota* (s. str.) (Diptera, Pyrgotidae), with the description of a new subgenus. *Vestnik Zoologii*, 48 (2), 111–128. [April]  
<https://doi.org/10.2478/vzoo-2014-0012>
- Latreille, P.A. (1797) *Précis des caractères génériques des insectes, disposés dans un ordre naturel*. Prévôt, Paris and F. Bordeaux, Brive, xiii + [1] + 201 + [7] pp. [20 January]  
 [Dated from Bousquet (2016: 322).]  
<https://doi.org/10.5962/bhl.title.58411>
- Latreille, P.A. (1802) *Histoire naturelle, générale et particulière, des crustacés et des insectes. Ouvrage faisant suite à l'histoire naturelle générale et particulière, composée par Leclerc de Buffon, et rédigée par C.S. Sonnini, membre de plusieurs sociétés savantes. Tome troisième. Familles naturelles des genres. “An X”*. Dufart, Paris, xii + 456 pp. [pp. i–xii + 13–467 + [1], 6 November]  
 [Dated from Evenhuis (1997).]  
<https://doi.org/10.5962/bhl.title.15764>
- Latreille, P.A. (1804) *Nouveau dictionnaire d'histoire naturelle appliquée aux arts, à l'agriculture, à l'économie rurale et domestique, à la médecine, etc. par une société de naturalistes et d'agriculteurs. Tome vingt-quatrième. Tableaux méthodiques d'histoire naturelle*. Déterville, Paris, 238 pp. [7 March]  
 [Dated from Evenhuis (1997: 198).]
- Latreille, P.A. (1805) *Histoire naturelle, générale et particulière, des crustacés et des insectes. Ouvrage faisant suite à l'histoire naturelle générale et particulière, composée par Leclerc de Buffon, et rédigée par C.S. Sonnini, membre de plusieurs sociétés savantes. Tome quatorzième. “An XIII”*. Dufart, Paris, 432 pp., pls. 104–112. [6 November]  
 [Dated from Evenhuis (1997).]  
<https://doi.org/10.5962/bhl.title.15764>
- Latreille, P.A. (1809) *Genera crustaceorum et insectorum secundum ordinem naturalem in familias disposita, iconibus exemplisque plurimis explicata. Tomus quartus et ultimus*. A. Koenig, Parris et Argentorati [= Paris and Strasbourg], 399 pp. [25 February]  
 [Dated from Bousquet (2016: 323).]  
<https://doi.org/10.5962/bhl.title.65741>
- Le Peletier, A.L.M. & Audinet-Serville, J.G. (1828) *Encyclopédie méthodique, ou par ordre de matières; par une société de gens de lettres, de savans et d'artistes; précédée d'un vocabulaire universel, servant de table pour tout l'ouvrage, ornée*



- des portraits de Mm. Diderot & d'Alembert, premiers éditeurs de l'Encyclopédie. Histoire naturelle. Entomologie, ou histoire naturelle des crustacés, des arachnides et des insectes. Tome Dixième. Livraison 100. Mme. Veuve Agasse, Paris, 489 pp. [pp. 345–832 + [1], 13 December]  
[Dated from Evenhuis (2003a).]
- Leach, W.E. (1817) *On the genera and species of eproboscideous insects*. Neill & Co., Edinburgh, 20 pp. [August]  
[Dated from Evenhuis (1997).]
- Lichtenstein, A.A. (1800) Beschreibung eines neu entdeckten Wasserinsekts. *Archiv für Zoologie und Zootomie*, 1 (1), 168–175. [before 28 September]  
[Dated from Evenhuis & Pont (2013).]
- Lioy, P. (1864) I ditteri distribuiti secondo un nuovo metodo di classificazione naturale [part]. *Atti dell'Imperial Regio Istituto Veneto di Scienze, Lettere ed Arti*, Serie 3, 9, 1087–1126. [22 June]  
[Dated from Thompson *et al.* (1999).]
- Loew, H. (1850) Ueber den Bernstein und die Bernsteinfauna. In: *Programm der Königlichen Realschule zu Meseritz womit zu der am 27. und 28. September 1850 stattfindenden öffentlichen Prüfung alle Gönner und Freunde der Anstalt, insbesondere die Eltern und Angehörigen sämtlicher Schüler ergebenst einladet der Director*. F.W. Lorenz, Meseritz [= Międzyrzecz, Poland], pp. 1–44. [27 September]  
[Dated from Evenhuis (1992).]  
<https://doi.org/10.5962/bhl.title.98386>
- Loew, H. (1862a) Novae Helomyzidarum in Europa viventium species. *Wiener Entomologische Monatsschrift*, 6, 126–128. [April]
- Loew, H. (1862b) Diptera Americae septentrionalis indigena. Centuria secunda. *Berliner Entomologische Zeitschrift*, 6, 185–232. [May]
- Loew, H. (1862c) *Die europäischen Bohrfliegen (Trypetidae)*. W. Junk, Wien [= Vienna]. 128 pp. [after 24 June]  
[Date of preface.]
- Loew, H. (1863) Diptera Americae septentrionalis indigena. Centuria tertia. *Berliner Entomologische Zeitschrift*, 7, 1–55. [June]  
<https://doi.org/10.1002/mmnd.18630070104>
- Loew, H. (1864) Ueber die europäischen Arten der Gattung *Diastata*. *Berliner Entomologische Zeitschrift*, 8, 357–368. [December]  
<https://doi.org/10.1002/mmnd.18640080314>
- Loew, H. (1868) Die amerikanischen Ulidina. *Berliner Entomologische Zeitschrift*, 11b[1867], 283–326. [January]
- Loew, H. (1869) *Beschreibungen der europäischen Dipteren. Von Johann Wilhelm Meigen. Erster Band. Systematische Beschreibung der bekannten europäischen zweiflügeligen Insecten. Achter Theil oder zweiter Supplementband*. H.W. Schmidt, Halle, xvi + 310 + [1] pp. [29 April]  
[Dated from Evenhuis (1997: 591).]
- Loew, H. (1872) Diptera Americae septentrionalis indigena. Centuria decima. *Berliner Entomologische Zeitung*, 16, 49–124. [March]  
<https://doi.org/10.1002/mmnd.18720160110>
- Loew, H. (1873) Monographs of the Diptera of North America. Part III. *Smithsonian Miscellaneous Collections*, 11 (256), i–vii + 1–351 + I–XIII. [December]
- Lonsdale, O. (2009) Case 3468. *Clusiodes* Coquillett, 1904 (Diptera, Clusiidae): proposed conservation of usage by designation of *Heteroneura albimana* Meigen, 1830 as the type species. *Bulletin of Zoological Nomenclature*, 66 (2), 144–146. [30 June]  
<https://doi.org/10.21805/bzn.v66i2.a3>
- Lonsdale, O. & Marshall, S.A. (2006) Redefinition of the Clusiinae and Clusiodinae, description of the new subfamily Sobarocephalinae, revision of the genus *Chaetoclusia* and a description of *Procerosoma* gen. n. (Diptera: Clusiidae). *European Journal of Entomology*, 103, 163–182. [30 January]  
<https://doi.org/10.14411/eje.2006.020>
- Lonsdale, O. & Marshall, S.A. (2007) Redefinition of *Clusiodes* and *Hendelia* (Diptera: Clusiidae: Clusiodinae), with a review of *Clusiodes*. *Studia Dipterologica*, 14, 117–159. [20 December]
- Lynch Arribáizaga, F. (1891) Dipterología Argentina. *Revista del Museo de la Plata*, 1 [1890–1891], 345–377. [early 1891]  
[Dated from Coulson *et al.* (1965: 1330).]
- Macquart, P.J.M. (1826) Insectes diptères du Nord de la France. Tome II. Asiliques, bombyliers, xylotomes, leptides, stratiomydes, xylophagites et tabaniens. *Recueil des Travaux de la Société d'Amateurs des Sciences, de l'Agriculture et des Arts à Lille*, 1825, 324–499. [11 November]  
[The reprinted version, L. Danel, Lille, pp. 3–178, came out simultaneously. For dating see Evenhuis (1997: 510).]
- Macquart, P.J.M. (1834) *Histoire naturelle des insectes. Diptères. Tome Premier*. N.E. Roret, Lille, 232 pp. [February]  
[Dated from its review in the *Bulletin Bibliographique des Ouvrages Publiés en France sur les Sciences*, 1834.]  
<https://doi.org/10.5962/bhl.title.14274>
- Macquart, P.J.M. (1835) *Histoire naturelle des insectes. Diptères. Tome Deuxième*. N.E. Roret, Paris, 703 + [2] pp. [31 March] [See Evenhuis (1997: 512) for dating. The original has a two-page errata. A subsequent printing included a revised six-



page errata but otherwise no change in text.]

<https://doi.org/10.5962/bhl.title.14274>

- Macquart, P.J.M. (1840) *Diptères exotiques nouveaux ou peu connus. Tome deuxième. 1<sup>re</sup> Partie*. N.E. Roret, Paris, 135 pp., 21 pls. [31 December+]  
[The journal version in the *Mémoires de la Société Royale des Sciences, de l'Agriculture et des Arts, de Lille*, 1840, 283–413 came out on 7 April 1841; see Evenhuis (1997: 513) for dating. Evidence for the issuance of this separate in 1840 aside from the “1840” on the title page is that it was included in the reviews of entomological literature for 1840 in *Archiv für Naturgeschichte*.]
- Macquart, P.J.M. (1844) *Diptères exotiques nouveaux ou peu connus. Tome deuxième. 3<sup>e</sup> Partie. “1843”*. Roret, Paris, 304 pp., 36 pls. [February]  
[The journal version in the *Mémoires de la Société Royale des Sciences, de l'Agriculture et des Arts, de Lille*, 1842, 162–460 came out on 5 August; see Evenhuis (1997: 513) for dating.]  
<https://doi.org/10.5962/bhl.title.15792>
- Macquart, P.J.M. (1846) *Diptères exotiques ou peu connus. Supplément. Mémoires de la Société des Sciences, Agriculture et des Arts, Lille*, 1844, 133–364. [22 July]  
[See Evenhuis (1997: 514) for dating.]
- Mathis, W.N. & Barraclough, D.A. (2011) World catalog and conspectus on the family Diastatidae (Diptera: Schizophora). *Myia*, 12, 235–266. [August]
- Mathis, W.N. & Rung, A.B. (2011) World catalog and conspectus on the family Periscelididae (Diptera: Schizophora). *Myia*, 12, 341–377. [August]
- Mathis, W.M. & Zatwarnicki, T. (1995) World catalog of shore flies (Diptera: Ephydriidae). *Memoirs on Entomology, International*, 4, 1–423. [1 October]
- Mathis, W.N. & Zatwarnicki, T. (2013) A revision of the shore-fly genus *Hydrochasma* Hendel (Diptera, Ephydriidae). *ZooKeys*, 363, 1–161. [16 December]  
<https://doi.org/10.3897/zookeys.363.6482>
- Meigen, J.W. (1800) *Nouvelle classification des mouches à deux ailes (Diptera L.) d'après un plan tout nouveau. Par J.G. Meigen. “An VIII (1800 v.s.)”*. J.J. Fuchs, Paris, 40 pp. [before 22 September]  
[For dating see Evenhuis & Pape (2017: 67).]  
<https://doi.org/10.5962/bhl.title.119764>
- Meigen, J.W. (1803) Versuch einer neuen Gattungs-Eintheilung der europäischen zweiflügligen Insekten. *Magazin für Insektenkunde*, 2, 259–281. [after 17 May]  
[Dated from Thompson *et al.* (1999: 476).]
- Meigen, J.W. (1818) *Systematische Beschreibung der bekannten europäischen zweiflügeligen Insekten. Erster Theil*. F.W. Forstmann, Aachen, xxxvi + 332 + [1] pp. [October]  
[Dated from Evenhuis (1997).]
- Meigen, J.W. (1822) *Systematische Beschreibung der bekannten europäischen zweiflügeligen Insekten. Dritter Theil*. Schultz-Wundermann, Hamm, x + 416 pp., pls. 22–32. [before September]  
[Dated from Evenhuis (1997).]
- Meigen, J.W. (1824) *Systematische Beschreibung der bekannten europäischen zweiflügeligen Insekten. Vierter Theil*. Schultz-Wundermann, Hamm, xii + 428 pp., pls. 33–41. [after 24 September]  
[Date of the *Vorrede*. Pages 362–368 are misprinted as 562–568.]
- Meigen, J.W. (1826) *Systematische Beschreibung der bekannten europäischen zweiflügeligen Insekten. Fünfter Theil*. Schulz, Hamm, xii + 412 pp., pls. 42–54. [after 1 August]  
[Date of preface.]
- Meigen, J.W. (1830) *Systematische Beschreibung der bekannten europäischen zweiflügeligen Insekten. Sechster Theil*. Schulz, Hamm, xi + 401 + [3] pp. [after 1 September]  
[Date of advertisement bound at the back of the work with the index. There appear to be two printings of this work. The original printing has roman numerated prefatory pages only up to page iv. Other editions have an extra 8-page signature of pages v–xi.]
- Meigen, J.W. (1838) *Systematische Beschreibung der bekannten europäischen zweiflügeligen Insekten. Siebenter Theil oder Supplementband*. Schulz, Hamm, xii + 434 + [1] pp., pls. 67–74. [21 September]  
[Date recorded in *Allgemeine Bibliographie für Deutschland* No. 38.]
- Melander, A.L. (1902) A monograph of the North American Empididae. Part I. *Transactions of the American Entomological Society*, 28, 195–367. [July]
- Melander, A.L. (1918) The dipterous genus *Drapetis* Meigen (Family Empididae). *Annals of the Entomological Society of America*, 11 (2), 183–221. [21 August]  
<https://doi.org/10.1093/aesa/11.2.183>
- Mik, J. (1881) Dipterologische Mitteilungen. I. Ueber einige Dipteren aus der Sammlung Dr. Emil Gobert's in Mont-de-Marsan. *Verhandlungen der Zoologische-Botanischen Gesellschaft in Wien*, 30 (2) [1880], 587–610. [5 May]  
[Dated from receipt at the Akademie der Wissenschaften in Wien.]
- Miller, R.M. (1976) *The taxonomy and biology of the Nearctic species of Homoneura (Diptera: Lauxaniidae)*. Doctoral

- dissertation, Iowa State University, Ames, Iowa, v + 247 pp. [31 December+].
- Mitchell, E.G. (1907) *Mosquito life: the habits and life cycles of the known mosquitoes of the United States; methods for their control; and keys for easy identification of the species in their various stages. An account based on the investigations of the late James William Dupree, M.D., Surgeon-General of Louisiana and upon original observations of the writer.* G.P. Putnam's Sons, New York and London, xxii + 281 pp. [25 November]  
[Date received by copyright office at Library of Congress; letter of 10 December from John B. Smith to Mitchell thanks her for book she sent to him in November (Patterson 2009: 71–72).]
- Mitchell, E.G. (1908) A reply to Mr. Dyar. *The Canadian Entomologist*, 40, 93–98. [6 March]  
<https://doi.org/10.4039/Ent4093b-3>
- Mohrig, W., Heller, K., Hippha, H., Vilkamaa, P. & Menzel, F. (2013) Revision of the black fungus gnats (Diptera: Sciaridae) of North America. *Studia Dipterologica*, 19 (1/2) [2012], 141–286. [15 July]
- Mohrig, W. & Kauschke, E. (2017) New black fungus gnats (Diptera, Sciaridae) of North America. Part IV. Genera *Eugnoriste* Coquillett and *Keilbachia* Mohrig. *Zootaxa*, 4319 (1), 53–76. [11 September]  
<https://doi.org/10.11646/zootaxa.4319.1.3>
- Nartshuk, E.P. & Tschirnhau, M. von (2012) New generic synonyms in the Chloropidae (Diptera, Acalyptratae), with additional taxonomic notes. *Zootaxa*, 3267, 44–54. [12 April]
- Neave, S.A. (1940) *Nomenclator zoologicus. A list of the names of genera and subgenera in zoology from the tenth edition of Linnaeus 1758 to the end of 1935. In four volumes. Vol. III. M–P.* Zoological Society of London, London, 1063 pp. [19 June]  
[Date received at BMNH.]
- Newman, E. (1838) Entomological notes. *Entomological Magazine*, 5, 372–402. [April]
- Newman, E. (1841) Entomological notes [part]. *The Entomologist*, 1, 220–223. [December]  
<https://doi.org/10.5962/bhl.part.9070>
- Norrbom, A.L., Carroll, L.E., Thompson, F.C., White, I.M. & Freidberg, A. (1999) Systematic database of names. In: Thompson, F.C. (Ed.), *Fruit Fly Expert Identification System and Systematic Information Database. Myia*, 9 [1998], 65–251. [22 February]  
[Dated from information from the publisher.]
- O'Hara, J.E. (2012) Review of *Euthera* (Diptera: Tachinidae) in North America with the description of a new species. *The Canadian Entomologist*, 144 (2), 206–215. [April]  
<https://doi.org/10.4039/tce.2012.23>
- O'Hara, J.E., Cerretti, P., Pape, T. & Evenhuis, N.L. (2011) Nomenclatural studies toward a world list of Diptera genus-group Names. Part II: Camillo Rondani. *Zootaxa*, 3141, 1–268. [23 December]
- O'Hara, J.E. & Wood, D.M. (2004) Catalogue of the Tachinidae (Diptera) of America north of Mexico. *Memoirs on Entomology, International*, 18, i–iv + 1–410. [3 January]
- Oosterbroek, P. & Theowald, Br. (1992) Family Tipulidae. In: Soós, Á. & Papp, L. (Eds.), *Catalogue of Palaearctic Diptera. Vol. 1. Trichoceridae—Nymphomyiidae.* Hungarian Natural History Museum, Budapest, pp. 56–179. [20 April]  
[Dated from Evenhuis (2008).]
- Osten Sacken, C.R. (1877) Western Diptera: descriptions of new genera and species of Diptera from the region west of the Mississippi, and especially from California. *Bulletin of the United States Geological and Geographical Survey of the Territories*, 3, 189–354. [30 April]  
<https://doi.org/10.5962/bhl.title.57939>
- Osten Sacken, C.R. (1878) Catalogue of the described Diptera of North America. Second edition. *Smithsonian Miscellaneous Collections*, 270, i–xlvi + 1–276. [October]
- Packard, A.S. (1869) *Guide to the study of Insecta, and a treatise on those injurious and beneficial to crops; for the use of colleges, farm-schools, and agriculturalists.* Naturalist's Book Agency, Salem, Massachusetts, viii + 702 pp. [31 December+]
- Painter, R.H. (1940) Notes on type specimens and descriptions of new North American Bombyliidae. *Transactions of the Kansas Academy of Sciences*, 42 [1939], 267–301. [21 February]  
[Dated from reprint with date of publication stamped on the wrapper.]
- Pape, T. (1996) Catalogue of the Sarcophagidae of the world (Insecta: Diptera). *Memoirs on Entomology, International*, 8, 1–558. [30 July]
- Pape, T. & Thompson, F.C. (Eds.) (2013) *Systema Dipterorum*. Version 10.5. Available from: <http://www.diptera.org/> (accessed 8 September 2017)
- Patterson, G.M. (2009) *The mosquito crusades. A history of the American anti-mosquito movement from the Reed Commission to the Firwst Earth Day.* Rutgers University Press, Princeton, xii + 271 pp. [31 December+]
- Peck, L.V. (1988) Family Syrphidae. In: Soós, Á. & Papp, L. (Eds.), *Catalogue of Palaearctic Diptera. Vol. 8. Syrphidae—Conopidae.* Akadémiai Kiadó, Budapest, pp. 11–230. [20 September]  
[Dated from Evenhuis (2008).]
- Poggi, R. (2008) Le date di stampa dei periodici editi dalla Società Entomologica Italiana dal 1869 al 2007. *Memorie della Società Entomologica Italiana*, 87, 157–188. [15 December]  
<https://doi.org/10.4081/memorieSEI.2008.157>

- Pokorny, E. (1893) Bemerkungen und Zusätze zu Prof. G. Strobl's "Die Anthomyinen Steiermarks". *Verhandlungen der k.k. Zoologisch-Botanischen Gesellschaft zu Wien*, 43, 526–544. [December]  
<https://doi.org/10.5962/bhl.part.26131>
- Poole, R.W. (1996) Diptera. In: Poole, R.W. & Gentili, P. (Eds.), *Nomina Insecta Nearctica. A checklist of the insects of North America. Vol. 3. Diptera, Lepidoptera, Siphonaptera*. Entomological Information Services, Rockville, Maryland, pp. 15–604. [22 November]  
 [Date recorded in *BioAbstracts/RRM*.]
- Ratzeburg, J.T.C. (1840) *Die Forst-Insecten oder Abbildung und Beschreibung der in den Wäldern Preussens und der Nachbarstaaten als schädlich oder nützlich bekannt gewordenen Insecten; in systematischer Folge und mit besondere Rücksicht auf die Vertilgung der Schädlichen. Vol. II. Die Falter*. Nicolai, Berlin, viii + 252 pp. [14 September]  
 [Dated from Evenhuis (1997).]
- Reinert, J., Harbach, R.E. & Sallum, M.A.M. (2005) Checklist of aedine mosquito species (Diptera, Culicidae, Aedini) occurring in Middle and South America (south of the United States) reflecting current generic and subgeneric status. *Revista Brasileira de Entomologia*, 49 (2), 249–252. [June]  
<https://doi.org/10.1590/S0085-56262005000200009>
- Riley, C.V. (1884) [General Notes.] *Entomology. The American Naturalist*, 18, 74–81. [January]
- Riley, C.V. (1889) Report of the Entomologist. In: *Report of the Secretary of Agriculture for 1889*. Government Printer, Washington, D.C., pp. 331–361. [after 10 December]  
 [Date of letter of transmittal.]
- Roback, S.S. (1971) The adults of the subfamily Tanypodinae (= Pelopiinae) in North America (Diptera: Chironomidae). *Academy of Natural Sciences of Philadelphia, Monograph*, 17 [1970], 1–410. [8 March]
- Robineau-Desvoidy, J.B. (1827) Essai sur la tribu des culicidés. *Mémoires de la Société d'Histoire Naturelle, Paris*, 3, 390–413, 1 pl. [October]
- Robineau-Desvoidy, J.-B. (1830) Essai sur les myodaires. *Mémoires présentés par divers savans à l'Académie Royale des Sciences de l'Institut de France, Sciences Mathématiques et Physiques, Série 2*, 2, 813 pp. [6 June]  
 [Date recorded as received in *Bibliographie de la France*.]
- Robineau-Desvoidy, J.B. (1863) *Histoire naturelle des diptères des environs de Paris. Oeuvre posthume du Dr Robineau-Desvoidy publiée par les soins de sa famille, sous la direction de M. H. Monceaux. Tome Premier*. Masson et fils, Paris, Wagner, Leipzig, and Williams & Norgate, London. xvi + 1143 pp. [11 January]  
 [Announced as published by Monceaux at the 11 January meeting of the Société.]
- Rondani, C. (1840) *Sopra alcuni nuovi generi di insetti ditteri. Memoria seconda per servire alla ditterologia italiana*. Donati, Parma, 27 + [1] pp, 1 pl. [October]  
 [Recorded in the October issue of *Biblioteca Italiana* for 1840.]
- Rondani, C. (1844) [Observations des phénomènes périodiques. Phénomènes périodiques naturels. Règne animal. Italie.] Observations de C. Rondani (Parmesane). *Nouveaux Mémoires de l'Académie Royale des Sciences et Belles-Lettres de Bruxelles*, 17, 104–106. [31 December+]
- Rondani, C. (1845) Descrizione di due generi nuovi di insetti ditteri. Memoria duodecima per servire alla ditterologia italiana. *Nuovi Annali delle Scienze Naturali e Rendiconto delle Sessioni della Società Agraria e dell'Accademia delle Scienze dell'Istituto di Bologna, Series 2*, 3, 25–36, pl. I. [15 February]
- Rondani, C. (1848) Esame di varie specie d'insetti ditteri brasiliani. *Studi Entomologici*, 1 (1), 63–112, pl. III bis. [9 February]  
 [Date that sample articles from the first part of volume 1 were sent to prospective subscribers.]
- Rondani, C. (1856) *Dipterologiae italicae prodromus. Vol. I. Genera italica ordinis dipterorum ordinatim disposita et distincta et in familias et stirpes aggregata*. A. Stocchi, Parmae [= Parma], 226 + [2] p. [10 September]  
 [Dated from advertisement from publisher in *Stettiner Entomologische Zeitung*.]  
<https://doi.org/10.5962/bhl.title.8160>
- Rondani, C. (1861) *Dipterologiae italicae prodromus. Vol. IV. Species italicae ordinis dipterorum in genera characteribus definita, ordinatim collectae, methodo analitica distinctae, et novis vel minus cognitis descriptis. Pars tertia: Muscidae, Tachininarum complementum*. A. Stocchi, Parmae [= Parma], 174 pp. [31 December+]
- Rondani, C. (1862) *Dipterologiae italicae prodromus. Vol. V. Species italicae ordinis dipterorum in genera characteribus definita, ordinatim collectae, methodo analitica distinctae, et novis vel minus cognitis descriptis. Pars quarta. Muscidae, Phasiinae—Dexinae—Muscinae—Stomoxidinae*. P. Grazioli, Parmae [= Parma], 239 pp. [31 December+]
- Rondani, C. (1868) Diptera italica non vel minus cognita descripta vel annotata observationibus nonnullis additis. Fasc. III. *Atti della Società Italiana di Scienze Naturali*, 11, 21–54. [June]
- Rondani, C. (1875) Species italicae ordinis dipterorum (Muscaria Rndn.) collectae et observatae. Stirps XXIII Agromyzinae. *Bullettino della Società Entomologica Italiana*, 7, 166–191. [30 October]  
 [Dated from Poggi (2008).]
- Rübsaamen, E.H. (1894) Die aussereuropäischen Trauermücken des Königl. Museums für Naturkunde zu Berlin. *Berliner Entomologische Zeitschrift*, 39, 17–42. [May]  
<https://doi.org/10.1002/mmnd.18940390105>
- Rübsaamen, E.H. (1908) 1. Sciariden und Zooecidien. In: Schultze, L. (Ed.), *Zoologische und anthropologische Ergebnisse einer Forschungsreise im westlichen und zentralen Südafrika ausgeführt in den Jahren 1903–1905 mit Unterstützung der*



- Kgl. Preussischen Akademie der Wissenschaften zu Berlin. Erster Band. Systematik und Tiergeographie. Zweite Lieferung. *Denkschrift der Medizinisch-Naturwissenschaftlichen Gesellschaft zu Jena*, 13, 449–458. [April]  
[Dated from *Naturae Novitates*.]
- Sabrosky, C.W. (1950) A synopsis of the chloropid genera *Chaetochlorops* and *Eugaurax*. *Journal of the Washington Academy of Sciences*, 40 (6), 183–188. [15 June]
- Sabrosky, C.W. (1959) Flies of the genus *Odinia* in the Western Hemisphere (Diptera: Odiniidae). *Proceedings of the United States National Museum*, 109, 223–236. [29 May]  
<https://doi.org/10.5479/si.00963801.109-3414.223>
- Sabrosky, C.W. (1981) A partial revision of the genus *Eucelatoria* (Diptera, Tachinidae), including important parasites of *Heliothis*. *United States Department of Agriculture, Technical Bulletin*, 1635, i–iv, 1–18. [July]
- Sabrosky, C.W. (1999) Family group names in Diptera. An annotated catalog. *Myia*, 10, 1–360. [before 4 April]
- Sabrosky, C.W. & Arnaud, P.H. (1965) Family Tachinidae (Larvaevoridae). In: Stone, A., Sabrosky, C.W., Foote, R.H., Wirth, W.W. & Coulson, J.R. (Ed.), A catalog of the Diptera of the Nearctic Region. *United States Department of Agriculture, Agricultural Handbook*, 276, pp. 961–1108. [23 August]  
[For dating, see Evenhuis (2008).]
- Sahlberg, J. (1886) *Lynchia fumipennis*, n. sp. en på *Pandion haliaëtus* lefvande hippoboscid. *Meddelanden af Societatis pro Fauna et Flora Fennica*, 13, 149–152. [31 December+]
- Say, T. (1823) Descriptions of dipterous insects of the United States [part]. *Journal of the Academy of Natural Sciences of Philadelphia*, 3, 9–32. [April]
- Say, T. (1830) Descriptions of North American insects [part]. *Journal of the Academy of Sciences of Philadelphia*, 6, 183–188. [August]
- Schiner, J.R. (1860) [Heft 2]. In: *Fauna Austriaca. Die Fliegen. (Diptera). Nach der analytischen Methode bearbeitet von J. Rudolf Schiner. Mit der Charakteristik sämtlicher europäischer Gattungen, der Beschreibung aller in Deutschland vorkommenden Arten und dem Verzeichnisse der beschriebenen europäischen Arten. Theil I*. G. Gerold's Sohn, Wien [= Vienna], pp. 78–184, pl. 1. [November]  
[For dating, see Evenhuis (1997: 695).]
- Schiner, J.R. (1861) *Fauna austriaca. Die Fliegen (Diptera). Nach der analytischen Methode bearbeitet, mit der Charakteristik sämtlicher europäischer Gattungen, der Beschreibung aller in Deutschland vorkommenden Arten und der Aufzählung aller bisher beschriebenen europäischen Arten. I. Theil. [Heft 3/4]*. C. Gerold's Sohn, Wien [= Vienna], 184 pp. [pp. 185–368, 3 April]  
[Dated from Evenhuis (1997: 695).]
- Schiner, J.R. (1862) Vorläufiger Commentar zum dipterologischen Theile der “Fauna austriaca” [part]. *Wiener Entomologische Monatschrift*, 6 (12), 428–436. [December]
- Schiner, J.R. (1864) *Catalogus systematicus Dipteriorum Europae*. Societatis Zoologico-Botanicae, Vindobonae [= Vienna], 115 pp. [after May]  
[Date of preface.]  
<https://doi.org/10.5962/bhl.title.39977>
- Scudder, S.H. (1882) Nomenclator zoologicus. An alphabetical list of all generic names that have been employed by naturalists for recent and fossil names from the earliest times to the close of the year 1879. I. Supplemental list of genera in zoology. List of generic names employed in zoology and paleontology to the close of the year 1879, chiefly supplemental to those catalogued by Agassiz and Marschall, or indexed in the Zoological Record. *Bulletin of the United States National Museum*, 19 [i], i–xxi, 1–376. [August]  
[Recorded in the August issue of *American Journal of Science*.]
- Sherborn, C.D. (1929) *Index animalium sive index nominum quae ab A.D. MDCCLVIII generibus et speciebus animalium imposita sunt. Sectio secunda. A Kalendis Ianuariis, MDCCCI usque ad finem Decembris, MDCCCL*. Longmans, Green & Co. & British Museum (Natural History), London, 240 pp. [pp. 4691–4930, June]
- Shimer, H. (1871) Additional notes on the striped squash beetle. *The American Naturalist*, 5, 217–220. [June]  
<https://doi.org/10.1086/270745>
- Silva, F.L. da (2011) Chironomidae types at the Museum of Comparative Zoology, Boston. *Chironomus*, 24, 18–22. [November]  
<https://doi.org/10.5324/cjcr.v0i24.1308>
- Sinclair, B.J. (2008) *The systematics of the New World Clinocera Meigen (Diptera: Empididae: Clinocerinae)*. NRC Research Press, Ottawa, Ontario, viii + 245 pp. [10 October]
- Skartveit, J. & Nel, A. (2017) Revision of fossil Bibionidae (Insecta: Diptera) from French Oligocene deposits. *Zootaxa*, 4225 (1), 1–83. [24 January]  
<https://doi.org/10.11646/zootaxa.4225.1.1>
- Skevington, J.H. & Thompson, F.C. (2012) Review of New World *Sericomyia* (Diptera: Syrphidae), including description of a new species. *The Canadian Entomologist*, 144, 216–247. [April]  
[Available online 1 March 2012 without journal pagination (instead with pages 1–32), and with a disclaimer that the original electronic version is unpublished according to ICZN Code Art. 8.2. The link below is to a later version with journal pagination I here date as April to be consistent with the dating of the printed journal version.]



<https://doi.org/10.4039/tce.2012.24>

- Splitter, H.W. (1956) The development of science in Los Angeles and the Southern California area (1850–1900). *Historical Society of Southern California Quarterly*, 1956, 99–140. [June]  
<https://doi.org/10.2307/41168579>
- Steffan, W.A. (1965) Notes on the synonymy of *Bradysia tritici* (Coquillett) and *Lycoriella mali* (Fitch). *Pacific Insects*, 7, 290. [31 August]
- Steffan, W.A. (1968) New North American Sciaridae (Diptera). 1. A new species of *Scatopsiara* and lectotype designation of *Eugnoriste occidentalis* Coquillett. *Pacific Insects*, 10 (1), 37–41. [25 May]
- Steffan, W.A. (1977) Source material of *Toxorhynchites* (Diptera: Culicidae). *Mosquito Systematics*, 9 (1), 58–72. [March]
- Steffan, W.A. (1980) Type-specimens of *Toxorhynchites* (Diptera: Culicidae) at the National Museum of Natural History. *Mosquito Systematics*, 12 (4), 379–385. [December]
- Steyskal, G.C. (1963) A second North American species of *Traginops* Coquillett (Diptera, Odiniidae). *Proceedings of the Entomological Society of Washington*, 65 (1), 51–54. [29 April]
- Steyskal, G.S. (1968) Family Otitidae (Ortaliidae; including Pterocallidae, Ulidiidae). *A Catalogue of the Diptera of the Americas South of the United States*, 54, 1–31. [21 April]
- Stone, A. & Knight, K.L. (1955) Type specimens of mosquitoes in the United States National Museum: I, The genera *Armigeres*, *Psorophora*, and *Haemagogus* (Diptera, Culicidae). *Journal of the Washington Academy of Sciences*, 45 (9), 282–289. [September]
- Stone, A. & Knight, K.L. (1956a) Type specimens of mosquitoes in the United States National Museum: II, The genus *Aedes* (Diptera, Culicidae). *Journal of the Washington Academy of Sciences*, 46 (7), 213–218. [July]
- Stone, A. & Knight, K.L. (1956b) Type specimens of mosquitoes in the United States National Museum: III, The genera *Anopheles* and *Chagasia* (Diptera, Culicidae). *Journal of the Washington Academy of Sciences*, 46 (9), 276–280. [September]
- Stone, A. & Knight, K.L. (1957a) Type specimens of mosquitoes in the United States National Museum: VI, The genera *Armigeres*, *Psorophora*, and *Haemagogus* (Diptera, Culicidae). *Journal of the Washington Academy of Sciences*, 47 (2), 42–59. [February]
- Stone, A. & Knight, K.L. (1957b) Type specimens of mosquitoes in the United States National Museum: VI, Miscellaneous genera, addenda, and summary (Diptera, Culicidae). *Journal of the Washington Academy of Sciences*, 47 (6), 196–202. [June]
- Sublette, J.E. (1966) Type specimens of Chironomidae (Diptera) in the U.S. National Museum. *Journal of the Kansas Entomological Society*, 39, 580–607. [2 December]
- Theobald, F.V. (1901) *A monograph of the Culicidae or mosquitoes. Vol. 1.* British Museum (Natural History), London, xviii + 424 pp. [23 November]  
[Dated from Evenhuis (1997).]
- Theobald, F.V. (1903) *A monograph of the Culicidae or mosquitoes. Vol. 3.* British Museum (Natural History), London, xvii + 359 pp. [25 July]  
[Dated from Evenhuis (1997).]
- Thomas, C. (1881) *Tenth report of the State Entomologist on the noxious and beneficial insects of the State of Illinois.* H.W. Rokker, Springfield, Illinois, 238 + vi pp. [early 1881]  
[Letter of transmittal dated 30 December 1880.]
- Thompson, F.C., Evenhuis, N.L. & Sabrosky, C.W. (1999) Bibliography of the family-group names of Diptera. *Myia*, 10, 361–574. [before 7 April]  
[Date copies mailed by F.C. Thompson.]
- Thompson, F.C. & Mathis, W.N. (1980) Haliday's generic names of Diptera first published in Curtis' *A Guide to ... British Insects* (1837). *Journal of the Washington Academy of Sciences*, 70 (2), 80–89. [June]
- Townsend, C.H.T. (1892a) Description of a *Sarcophaga* bred from *Helix*. *Psyche*, 6, 220–221. [30 January]  
<https://doi.org/10.1155/1892/12524>
- Townsend, C.H.T. (1892b) Notes on North American Tachinidae sens. str. with descriptions of new genera and species. Paper III. *Transactions of the American Entomological Society*, 19, 88–132. [June]
- Townsend, C.H.T. (1908) The taxonomy of the muscoidean flies, including descriptions of new genera and species. *Smithsonian Miscellaneous Collections*, 51 (2), 1–138. [before 30 June]
- Townsend, C.H.T. (1913) Criticism and muscoid taxonomy. *Insecutor Inscitiae Menstruus*, 1 (9), 115–117. [15 September]
- Townsend, C.H.T. (1925) The inside history of North American myiology. *Journal of the New York Entomological Society*, 33, 1–10. [March]
- Underwood (1903) A new mosquito. *Science*, Series 2, 18, 182–184. [7 August]
- Verrall, G.H. (1901) *British Flies. Vol. VIII. Platypozidae, Pipunculidae, and Syrphidae of Great Britain.* Gurney & Jackson, London, 691 pp. [1 January]
- Vockeroth, J.R. (1969) Revision of the genera of the Syrphini (Diptera: Syrphidae). *Memoirs of the Entomological Society of Canada*, 101, 5–176. [January]  
<https://doi.org/10.4039/entm10162fv>
- Vockeroth, J.R. (1990) Revision of the Nearctic species of *Platycheirus* (Diptera, Syrphidae). *The Canadian Entomologist*, 122,

659–766. [February]

<https://doi.org/10.4039/Ent122659-7>

- Wade, J.S. (1936) The officers of our society for fifty years (1884–1934). *Proceedings of the Entomological Society of Washington*, 38, 99–145. [June]
- Walker, F. (1849a) *List of specimens of dipterous insects in the collection of the British Museum. Part III*. British Museum, London, pp. [i–iii] + 485–687. [30 June]  
[For dating, see Evenhuis (1997: 800).]
- Walker, F. (1849b) *List of specimens of dipterous insects in the collection of the British Museum. Part IV*. British Museum, London, pp. [i–iii] + 688–1112. [8 December]  
[For dating, see Evenhuis (1997: 800).]
- Walker, F. (1851) *Insecta Britannica. Diptera. Vol. I*. Reeve & Bentham, London, vi + 313 + [1] pp. [31 December+]
- Walker, F. (1852) Diptera (Part III). In: *Insecta Saundersiana: or characters of undescribed insects in the collection of William Wilson Saunders, Esq., F.R.S., F.L.S., &c. Vol. I*. Van Voorst, London, pp. 157–252. [before 2 August]
- Waltl, J. (1835) Neue Arten von Diptera aus der Umgegend von München, benannt und beschrieben von Meigen, aufgefunden von Dr. J. Waltl. *Faunus (Gistel's)*, 2, 66–72. [7 December]  
[Dated from *Allgemeine Zeitung* (München), 1835, No. 341, page 2008.]
- Walton, W.R. (1914) On the work of the late Daniel W. Coquillett and others. *Journal of the New York Entomological Society*, 22, 159–164. [June]
- Webb, D.W., Gaimari, S.D., Hauser, M., Holston, K.C., Metz, M.A., Irwin, M.E., Kampmeier, G.H.E. & Algin, K. (2013) An annotated catalogue of the New World Therevidae (Insecta: Diptera: Asiloidea). *Zootaxa*, 3600 (1), 1–105. [11 January]  
<https://doi.org/10.11646/zootaxa.3600.1.1>
- Weber, S.E. (1907) *Mutation in mosquitoes. Discussion and communications. Contribution to knowledge in animal evolution—II. Vol. I. No. 2*. Published by the author, Lancaster, Pennsylvania, 28 pp. [25 September]
- Wenzel, R.L. (1970) Family Streblidae. *A Catalogue of the Diptera of the Americas South of the United States*, 100, 1–25. [26 November]
- Wetmore, C.J. (1888) *Directory of the grape growers and wine makers of California*. J.D. Young, State Printer, Sacramento, 62 pp. [after 27 March]  
[Date of letter of transmittal.]
- Wiedemann, C.R.W. (1821) *Diptera exotica. Pars I. Tabulis aeneis duabus. 2<sup>nd</sup> Edition*. [No publisher], Kiliae [= Kiel], xix + 224 pp., 2 pls. [August]  
[Dated from *Revue Encyclopédique*.]  
<https://doi.org/10.5962/bhl.title.14404>
- Williston, S.W. (1888) *A synopsis of the families and genera of North American Diptera, exclusive of the genera of the Nematocera and Muscidae, with bibliography and new species, 1878–88*. J.T. Hathaway, New Haven, Connecticut, 84 pp. [31 December+]
- Williston, S.W. (1892) A new species of *Criorhina* and notes on synonymy. *Entomological News*, 3, 145–146. [27 May]
- Williston, S.W. (1896) On the Diptera of St. Vincent (West Indies). *Transaction of the Entomological Society of London*, 1896, 253–446. [30 September]  
<https://doi.org/10.1111/j.1365-2311.1896.tb00965.x>
- Williston, S.W. (1906) The classification of the Culicidae. *The Canadian Entomologist*, 38, 384–388. [10 December]  
<https://doi.org/10.4039/Ent38384-12>
- Winn, A.F. & Beaulieu, G. (1915) A preliminary list of the insects of the Province of Quebec. Part II—Diptera (two-winged flies). *Supplement to the 7th Report of the Quebec Society for the Protection of Plants*, Montreal, Quebec, 1915, 107–159. [after 15 May]  
[Date of introduction.]
- Wirth, W.W. & Jones, R.H. (1957) The North American species of *Culicoides variipennis* (Diptera, Heleidae). *United States Department of Agriculture, Technical Bulletin*, 1170, 1–35. [October]
- Wirth, W.W., Sedman, Y.S. & Weems, H.V. Jr. (1965) Family Syrphidae. In: Stone, A., Sabrosky, C.W., Foote, R.H., Wirth, W.W. & Coulson, J.R., A catalog of the Diptera of the Nearctic Region. *United States Department of Agriculture, Agricultural Handbook*, 276, pp. 557–625. [23 August]
- Wood, D.M. (1985) A taxonomic conspectus of the Blondeliini of North and Central America and the West Indies (Diptera: Tachinidae). *Memoirs of the Entomological Society of Canada*, 132, 1–130. [December]  
<https://doi.org/10.4039/entm117132fv>
- Wulp, F.M. van der (1890) Fam. Muscidae [part]. In: Godman, F.D. & Salvin, O. (Eds.), *Biologia Centrali-Americana, or contributions to the knowledge of the fauna and flora of Mexico and Central America. Class Insecta. Order Diptera. Vol. II*. Taylor & Francis, London, pp. 201–208. [August]
- Wulp, F.M. van der (1898) Fam. Muscidae [part]. In: Godman, F.D. & Salvin, O. (Eds.), *Biologia Centrali-Americana, or contributions to the knowledge of the fauna and flora of Mexico and Central America. Class Insecta. Order Diptera. Vol. II*. Taylor & Francis, London, pp. 377–384. [31 October]  
[Dated from Evenhuis (1997).]
- Wulp, F.M. van der (1899) Fam. Muscidae [part]. In: Godman, F.D. & Salvin, O. (Eds.), *Biologia Centrali-Americana, or*

- contributions to the knowledge of the fauna and flora of Mexico and Central America. Class Insecta. Order Diptera. Vol. II.* Taylor & Francis, London, pp. 409–416. [December]
- Yang, C.-K. & Cheng, X. (1998) Syrphidae. In: Xue, W. & Chao, C. (Eds.), *Flies of China. Vol. I. "1996"*. Liaoning Science and Technology Press, Shenyang, pp. 118–223. [May]
- [Dated from Pont & Xue (2007).]
- Yang, D., Zhang, K.-Y., Yao, G. & Zhang, J.-H. (2007) *World catalog of Empididae (Insecta: Diptera)*. China Agricultural University Press, Beijing, vi + 599 pp. [1 June]
- Yang, D., Zhu, Y.-J., Wang, M.-Q. & Zhang, L.-L. (2006) *World catalog of Dolichopodidae (Insecta: Diptera)*. China Agricultural University Press, Beijing, vii + 704 pp. [1 December]
- Zetterstedt, J.W. (1849) *Diptera Scandinaviae disposita et descripta. Tomus octavus seu supplementum, continens conspectum synopticum familiarium, generum et specierum, addenda, corrigenda et emendata tomis septem prioribus*. Officina Lundbergiana, Lundae [= Lund], 432 pp. [pp. 2935–3366, 12 September]
- [Dated from Evenhuis (1997: 840).]

## APPENDIX I. Bibliography of Works by Daniel William Coquillett

The works listed here are gleaned from a number of sources and, despite my best attempts, some of the earlier works and newspaper articles listed here but quoted from elsewhere have not been verified through personal examination or the verification of others and are marked with an asterisk (\*). Although it is likely that more small notes exist in various California newspapers dating from the 1880s and 1890s, I list here all those I have been able to find during this study using existing resources.

1876

- The oology of Illinois: by an amateur naturalist*. Printed by D.W. Coquillett, Woodstock, Illinois, 36 pp. [31 December+]
- [A 1917 review in *The Oologist* 34: 135–136 states that there were only two known copies at the time. Coquillett had apparently given one copy to his USNM colleague, A.N. Caudell, which was the source for this review.]

1879

- \*Currant borers. *The Germantown Telegraph* (Philadelphia), 49.
- \*Currant borers. *Crawford Avalanche* (Grayling, Michigan), 1879(16 July), 3. [16 July]
- [Reprint of original article in *The Germantown Telegraph*.]

1880

- \*The American lackey moth, *Clisiocampa americana*. *The Germantown Telegraph* (Philadelphia), 50(9) [28 February]
- \*The locust-tree borer, *Xyleutes robiniae*: its natural history and means for its destruction. *The Germantown Telegraph* (Philadelphia), 50(12) [20 March]
- On the early stages of some moths. *The Canadian Entomologist*, 12, 43–46. [March]
- On describing larvae. *The Canadian Entomologist*, 12, 108. [May]
- \*The clear-winged *Sesia*, *Sesia diffinis*: its natural history. *The Germantown Telegraph* (Philadelphia), 50(30). [24 July]
- \*Plant-lice. *The Germantown Telegraph* (Philadelphia), 50(30). [24 July]
- \*The lime-tree geometer, *Hibernia tiliaria*: its natural history and means for its destruction. *The Germantown Telegraph* (Philadelphia), 50(32). [7 August]
- \*The imported cabbage-butterfly, *Pieris rapae*: its natural history and means for its destruction. *The Germantown Telegraph* (Philadelphia), 50(46). [6 November] [Reprinted, 1881, in: *Iowa Farmer*, 4(8).]
- \*Grape-rot and mildew. *The Germantown Telegraph* (Philadelphia), 50. [31 December+]

1881

- The early stages of some moths. *Papilio*, 1: 6–8. [15 January]
- \*The cabbage-butterfly. *The Germantown Telegraph* (Philadelphia), 51(3). [15 January]
- \*The imported carpet beetle, *Anthrenus scrophulariae*: its natural history and means for destroying it. *The Germantown Telegraph* (Philadelphia), 51(6). [5 February]
- \*Wood-eating beetles. *The Germantown Telegraph* (Philadelphia), 51(8). [19 February]
- Description of the larva of *Teras permutana*. *Papilio*, 1, 30. [19 February]
- Grape-rot and mildew. *The Comet* (Jackson, Mississippi), 4 (17), 4. [26 February]
- [Reprint of original article, 1880, in the *The Germantown Telegraph*.]
- On the early stages of *Plusia precatationis* Guenée. *The Canadian Entomologist*, 13, 21–23. [February]
- \*Bark-lice. *The Germantown Telegraph* (Philadelphia), 51(10). [5 March]
- Notes and descriptions of a few lepidopterous larvae. *Papilio*, 1, 56–57. [26 April]

\*Hot water as an insecticide. *The Germantown Telegraph* (Philadelphia), 51(21). [21 May]  
 On the early stages of *Hypena scabra* Fabr. *The Canadian Entomologist*, 13, 137–138. [July]  
 Larvae of Lepidoptera, pp. 145–186. In: Thomas, C., *Tenth report of the State Entomologist on the noxious and beneficial insects of the State of Illinois* H.W. Rokker, Springfield, Illinois, 238 + vi pp. [early 1881]  
 [Letter of transmittal dated 30 December 1880.]

1882

A correction. *The Canadian Entomologist*, 14, 60. [March]  
 Report of D.W. Coquillett [on the injurious insects of Northern Illinois], pp. 5–64. In: Thomas, C., *Eleventh Annual Report of the State Entomologist on the Noxious and Beneficial insects of the State of Illinois*. Sixth annual report. H.W. Rokker, Springfield, Illinois, 104 + ii pp. [early 1882]  
 The life-history of *Eustrotia carneola*. *Papilio*, 2, 57–58. [April]  
 On the early stages of two plume-moths. *Papilio*, 2, 61–62. [April]

1883

Descriptions of a few leaf-eating coleopterous larvae. *The Canadian Entomologist*, 15, 21–23. [9 March]  
 Notes on the early stages of *Xylotrechus annosus*, Say. *The Canadian Entomologist*, 15, 31–32. [9 March]  
 [Notes on Lepidoptera]. On two closely-allied *Tarache* larvae.—*Tarache erastroides*, Guen. *Papilio*, 3, 84. [April]  
 Notes on the early stages of *Calopteron reticulatum*, Fabr. *The Canadian Entomologist*, 15, 97–98. [19 May]  
 On the early stages of the dipterous fly *Chrysopila folda*, Loew. *The Canadian Entomologist*, 15, 112–113. [16 June]  
 Notes on the early stages of *Lixus macer* Leconte. *The Canadian Entomologist*, 15, 113. [16 June]  
 The leaf-rollers of Illinois. *Papilio*, 3(5–6), 97–103. [June]

1885

\*[Observations on grasshopper attacks]. *Anaheim Gazette*, 1885(26 July) [26 July]  
 The grasshopper visitation. *Pacific Rural Press*, 1885(1 August), 89. [1 August]  
 Systematic position of the genus *Apiocera*. *Psyche*, 4, 243–244. [4 August]

1886

The North American species of *Toxophora*. *Entomologica Americana*, 1, 221–222. [March]  
 Report on the locusts of the San Joaquin Valley, California, pp. 289–303. In: Riley, C.V., Report of the Entomologist, pp. 207–343, In: Colman, N.J., *Report of the Commissioner of Agriculture*. 1885. Government Printing Office, Washington, D.C., 640 pp. [12 July]  
 [Also reprinted separately, 1886, labeled as “Author’s edition”, 17 pp.]  
 Monograph of the Lomatina of North America. *The Canadian Entomologist*, 18, 81–87. [22 July]  
 The North American genera of Anthracina. *The Canadian Entomologist*, 18, 157–159. [29 October]  
 Production and manufacture of buhach. *United States Department of Agriculture, Division of Entomology Bulletin*, 12, 7–16. [31 December+]  
 Experiments with cottony cushion scale. *Pacific Rural Press*, 1886(14 August), 130. [14 August]  
 \*[Remedies for cottony-cushion scale]. *Los Angeles Times*, 1886.

1887

Notes on the genus *Exoprosopa*. *The Canadian Entomologist*, 19, 12–14. [14 March]  
 The red scale and the gas remedy. *Pacific Rural Press*, 1887(9 April), 318. [9 April]  
 Notes on remedies for the cottony-cushion scale, pp. 552–557. In: *Report of the Commissioner of Agriculture*. 1886. Government Printing Office, Washington, D.C., 719 pp. [early 1887]  
 [Letter of transmittal dated 15 November 1886.]  
 Synopsis of the North American species of *Lordotus*. *Entomologica Americana*, 3, 115–116. [September]  
 Monograph of the species belonging to the genus *Anthrax* from America north of Mexico. *Transactions of the American Entomological Society*, 14, 159–182. [October]  
 \*[Computation for length of gas treatment should be credited to Mr. Morse]. *Los Angeles Herald*, 1887. [31 December+]

1888

Cabbage lice. *Pacific Rural Press*, 1888(21 January), 43. [21 January]  
 Report on the gas treatment for scale-insects, pp. 123–142. In: *Report of the Commissioner of Agriculture*. 1887. Government



Printing Office, Washington, D.C., 724 pp. [early 1888]  
 [Letter of transmittal dated 15 November 1887.]  
 Further notes on *Icerya*. *Pacific Rural Press*, 1888(24 March), 258. [24 March]  
 Scale insects in the Fiji Islands. *Pacific Rural Press*, 1888(31 March), 277. [31 March]  
 Supplementary report on the gas treatment for scale insects. *Insect Life*, 1, 41–42. [August]  
 Gas treatment for *Icerya*. *Pacific Rural Press*, 1888 (13 October), 313. [13 October]  
 Increased ravages of *Icerya* in California. *Insect Life*, 1, 110 [October]  
 A California enemy to walnuts. *Insect Life*, 1, 156–157. [November]  
 Improved methods in chemical fumigation, pp. 174–178. In: Lelong, B.M., *Third Biennial Report of the State Board of Horticulture of the State of California, for the thirty-eighth and thirty-ninth fiscal years*. J.D. Young, Sacramento, 302 pp. [after 2 July]  
 [Recommendations for the destruction of insect pests]. Cottony-cushion scale (on citrus trees), pp. 273–274. In: Lelong, B.M., *Third Biennial Report of the State Board of Horticulture of the State of California, for the thirty-eighth and thirty-ninth fiscal years*. J.D. Young, Sacramento, 302 pp. [after 2 July]

## 1889

Report of agents. Report on the various methods for destroying scale-insects, pp. 123–133. In: Riley, C.V., Report of the Entomologist, pp. 53–144. In: Colman, N.J., *Report of the Commissioner of Agriculture. 1888*. Government Printing Office, Washington, D.C., 708 pp. [early 1889]  
 The scale destroyer. *Pacific Rural Press*, 1889(5 January), 4. [5 January]  
 Notes on Acrididae in Los Angeles, Cal. *Insect Life*, 1, 228–229. [January]  
 Hydrocyanic acid gas treatment for scale insects. *Insect Life*, 1, 286 [March]  
 A beetle pest which is now threatening the prune trees. *Daily Alta California*, 1889(2 June), 9. [2 June]  
 Farm and Orchard. The best remedy of destroying locusts. *Sacramento Daily Record-Union*, 1889(22 June), 3. [22 June]  
 The Australian lady-bird. *Insect Life*, 1: 377. [June]  
 Application to prevent *Icerya* from ascending trees. *Insect Life*, 1, 378. [June]  
 New food-plant and enemy of *Icerya*. *Insect Life*, 2, 49. [August]  
 \*Resin wash for the red scale. *Orange News*, 1889(11 September) [11 September]  
 Red scale parasite. *California Fruit Grower*, 1889(21 September), 3. [21 September]  
 Wash for the red orange scale. *Pacific Rural Press*, 1889(21 September), 247. [21 September]  
 The imported Australian lady-bird, *Vedalia cardinalis*. *Insect Life*, 2, 70–74. [September]  
 The mealy bugs of the United States. *West American Scientist*, 6, 121–123. [October]  
 The gas process for scale insects. *Insect Life*, 2: 122. [October]  
 How the resin wash kills. *Rural Californian*, 12(12), 582. [December].  
 Insect pests and their extermination—injurious insects and remedies, pp. 13–18. In: Lelong, B.M. (Ed.), *Official report of the Eleventh Fruit Growers' Convention of the State of California, held under the auspices of the State Board of Horticulture, at National City, San Diego County, commencing Tuesday, April 16, and ending Friday, April 18, 1889*. J.D. Young, State Printer, Sacramento, 161 pp. [31 December+]  
 Insect pests (resumed), pp. 73–77. In: Lelong, B.M. (Ed.), *Official report of the Eleventh Fruit Growers' Convention of the State of California, held under the auspices of the State Board of Horticulture, at National City, San Diego County, commencing Tuesday, April 16, and ending Friday, April 18, 1889*. J.D. Young, State Printer, Sacramento, 161 pp. [31 December+]

## 1890

Injurious insects and remedies, pp. 333–337. In: Cooper, E., *Annual Report of the State Board of Horticulture of the State of California, for 1889*. J.D. Young, Sacramento, 536 pp. [early 1890]  
 Nature's method for subduing insect pests, pp. 394–397. In: Cooper, E., *Annual Report of the State Board of Horticulture of the State of California, for 1889*. J.D. Young, Sacramento, 536 pp. [early 1890]  
 The use of hydrocyanic acid gas for the destruction of the red scale. *Insect Life*, 2, 202–207. [February]  
 The dipterous parasite of *Diabrotica soror*. *Insect Life*, 2, 233–236. [February]  
 A curious case of insect litigation. *Insect Life*, 2, 252–253. [February]  
 Food of the Scydmaenidae. *Insect Life*, 2, 278. [March]  
 The *Vedalia cardinalis*. *The Planters' Monthly*, 9, 244–246. [June]  
 [*Anthrax molitor* Loew on a lepidopterous pupa], p. 353. In: Riley, C.V., *Anthrax parasitic on cut-worms*. *Insect Life*, 2, 353–354. [July]  
 The new scale remedy. *California Fruit Grower*, 1890(22 February), 119. [22 February]  
 \*The San José scale. *Weekly Blade* (Santa Ana), 1890(6 March). [6 March]  
 Hydrocyanic-acid gas for red scale. *Scientific American Supplement*, 752, 108. [31 May]  
 [*Lestophonus*] *Insect Life*, 2, 377–378. [June]

Fumigation for scale-insects. *Insect Life*, 3, 72. [September]  
 The cypress twig borer (*Argyresthia cupressella* Wism.). *Insect Life*, 3, 116–117. [November]  
 \*Scale-eaters at the South. *Pacific Rural Press*, 1890(8 November). [8 November]  
 \*Concerning laws relating to insect pests. *The Rural Californian*, 1890. [December]  
 \*Another foe of the *Icerya*. *Pacific Rural Press*, 1890(27 December). [27 December]  
 New coccids from California and one of their chalcid parasites. *West American Scientist*, 7, 43–45. [September]  
 \*Report on various methods for destroying the red scale of California. *United States Department of Agriculture, Division of Entomology Bulletin*, 22, 9–18. [after January]  
 [Date of letter of transmittal from C.V. Riley.]

1891

A new *Rhaphiomidas* from California. *West American Scientist*, 7, 84–86. [January]  
 Report on various methods for destroying scale insects. *United States Department of Agriculture, Division of Entomology Bulletin*, 23, 19–36. [after 3 January]  
 [Date of letter of transmittal from C.V. Riley.]  
 Revision of the genus *Aphoebantus*. C.R. Orcutt, San Diego, pp. 6–16. [March]  
 [This is the preprint version of the journal version, 1891, in *West American Scientist*, 7, 254–264. [October].]  
 Variations in the braconid genus *Lysiphlebus*. *Insect Life*, 3, 313–315. [April]  
 Another parasitic rove beetle. *Insect Life*, 3, 318–319. [April]  
 The *Icerya* in Honolulu. *Insect Life*, 3, 329–330. [April]  
*Chrysopa californica*, p. 289. In: Cooper, E., *Annual Report of the State Board of Horticulture of the State of California, for 1890*. J.D. Young, Sacramento, 522 pp. [early 1891]  
 [Date of letter of transmittal is 30 December 1890.]  
 A new scale insect from California. *Insect Life*, 3, 382–384. [June]  
 The California peach-tree borer. *Insect Life*, 3, 392–393. [June]  
 New Bombyliidae from California. *West American Scientist*, 7, 197–200. [August]  
 History of the hydrocyanic acid gas treatment for destroying scale insects. *Insect Life*, 3, 457–460. [August]  
 Prof. Riley on the history of the gas treatment. *Pacific Rural Press*, 1891(19 September), 245. [19 September]  
 New Bombyliidae of the genus *Paracosmus*. *West American Scientist*, 7, 219–222. [September]  
 [Published simultaneously, 1891, in *Science and Horticulture*, 1(5), 219–222.]  
 Predaceous habit of Histeridae. *Insect Life*, 4, 76. [October]  
 A California thrips on the potato. *Insect Life*, 4, 79. [October]  
 \*Some pests of the horticulturalist. *The Rural Californian*, 1891(December). [December]  
 A California twig-borer: is it *Anarsia*? *Insect Life*, 4, 206–207. [December]  
 Report on the gas treatment for scale-insects, pp. 137. In: French, C., *A handbook of the destructive insects*. Part I. R.S. Brain, Government Printer, Melbourne, 153 + iii pp. [31 December+]  
 [A reprinting of the 1889 paper of the same title.]

1892

Revision of the bombyliid genus *Epacmus* (*Leptochilus*). *The Canadian Entomologist*, 24, 9–11. [14 January]  
 Report upon scale insects of California. *United States Department of Agriculture, Division of Entomology Bulletin*, 26, 13–35. [after 3 January]  
 [Date of letter of transmittal from C.V. Riley.]  
 Report on the locust invasion of California in 1891. *United States Department of Agriculture, Division of Entomology Bulletin*, 27, 34–57. [after 19 January]  
 [Date of letter of transmittal from C.V. Riley.]  
 \*Our newly imported bugs. *California Fruit Grower*, 1892(28 January). [28 January]  
 Mr. Koebele's mission. *Pacific Rural Press*, 1892(6 February), 125. [6 February]  
 Notes on the habits of some California Coleoptera. *Insect Life*, 4, 260–262. [March]  
 Red scale parasite. *Pacific Rural Press*, 1892(9 April), 328. [9 April]  
 Notes and descriptions of Bombyliidae. *The Canadian Entomologist*, 24, 123–126. [28 April]  
 A new *Dalmannia* from California. *Entomological News*, 3, 150–151. [27 May]  
 A new fumigator for scale-insects. *Insect Life*, 4, 328–329. [June]  
 The dipterous parasite of *Melanoplus devastator* in California. *Insect Life*, 5, 22–24. [September]  
 Prof. Coquillett dissents. *Pacific Rural Press*, 1892(19 November), 420. [19 November]  
 A new genus of Diptera allied to *Rhaphiomidas*. *The Canadian Entomologist*, 24, 314–315. [13 December]  
 Revision of the species of *Anthrax* from America north of Mexico. *Transactions of the American Entomological Society*, 19, 168–187. [July]

1893

Synopsis of the asilid genus *Anisopogon*. *The Canadian Entomologist*, 25, 20–22. [5 January]  
 Synopsis of the asilid genus *Blacodes*. *The Canadian Entomologist*, 25, 33–34. [4 February]  
 Synopsis of the asilid genus *Dioctria*. *The Canadian Entomologist*, 25, 80. [28 February]  
 Report on some of the beneficial and injurious insects of California. *United States Department of Agriculture, Division of Entomology Bulletin*, 30, 9–33. [after 25 March]  
 [Date of letter of transmittal from C.V. Riley.]  
 Synopsis of the asilid genera *Mallophora* and *Nicocles*. *The Canadian Entomologist*, 25, 118–120. [18 May]  
 An anomalous empid. *Entomological News*, 4, 208–210. [6 June]  
 [Date of receipt at ANSP library.]  
 A new asilid genus related to *Erax*. *The Canadian Entomologist*, 25, 175–177. [7 July]  
 Synopsis of the dipterous genus *Thereva*. *The Canadian Entomologist*, 25, 197–201. [2 August]  
 Synopsis of the dipterous genus *Psilocephala*. *The Canadian Entomologist*, 25, 222–229. [9 September]  
 Report on the Australian insects sent by Albert Koebele to Ellwood Cooper and B.M. Lelong. *Insect Life*, 5, 251–254. [April]  
 On the pollination of *Yucca whipplei* in California. *Insect Life*, 5, 311–314. [July]  
 More on the steel-blue bug. *Los Angeles Herald*, 1893 (26 July), 6. [26 July]  
 That new Australian ladybird. *Pacific Rural Press*, 1893(5 August), 106. [5 August]  
 Coquillett's coy response. *Los Angeles Herald*, 1893(18 August), 5. [18 August]  
 Prof. Coquillett in charge. *Los Angeles Herald*, 1893(22 August), 5. [22 August]  
 \*Those blessed bugs again. *Pacific Rural Press*, 1893(30 September). [30 September]  
 The Department of Agriculture withdraws Coquillett and Koebele. *Pacific Rural Press*, 1893(14 October), 264. [14 October]  
 Prof. Coquillett's handy pins. The disappearance of the Australian bugs accounted for. *Los Angeles Herald*, 1893 (28 October), 5. [28 October]  
 That bug controversy. Prof. Coquillett makes a long-distance reply. *Los Angeles Herald*, 1893(14 November), 5. [14 November]  
 That present status of the recent Australian importations. [Report] A. *Insect Life*, 6, 24–26. [November]  
 Hydrocyanic acid gas as an insecticide. *Insect Life*, 6, 176–180. [December]

1894

Notes and descriptions of North American Bombyliidae. *Transactions of the American Entomological Society*, 21, 89–112. [March]  
 New North American Trypetidae. *The Canadian Entomologist*, 26, 71–75. [13 March]  
 Two interesting new Diptera from Washington. *Entomological News*, 5, 125–126. [30 March]  
*Brachycoma davidsoni*, n. sp. In: Davidson, A., On the parasites of wild bees in California. *Entomological News*, 5, 172. [31 May]  
 Synopsis of the dipterous genus *Symphoromyia*. *Journal of the New York Entomological Society*, 2, 53–56. [June]  
 Revision of the dipterous family Therevidae. *Journal of the New York Entomological Society*, 2, 97–101. [September]  
 A new *Anthrax* from California. *Journal of the New York Entomological Society*, 2, 101–102. [September]  
 Report on some of the injurious insects of California. *United States Department of Agriculture, Division of Entomology Bulletin*, 32, 22–31. [after 14 April]  
 [Date of letter of transmittal from C.V. Riley.]  
 The San José scale in Virginia. *Insect Life*, 6, 253–254. [February]  
 Preliminary report on suppressing the San José scale in Virginia. *Insect Life*, 6, 324–326. [May]  
 The patent on the hydrocyanic-acid gas process declared invalid. *Insect Life*, 7, 257–258. [December]

1895

[List of Diptera], pp. 6–7. In: Slosson, A.T., Additional list of insects taken in alpine region of Mt. Washington. *Entomological News*, 7, 4–7. [January]  
 Is *Cyrtoneura caesia* an injurious insect? *Insect Life*, 7, 338–339. [March]  
 A new *Volucella* from Washington. *Entomological News*, 6, 131–132. [29 March]  
 A synopsis of the dipterous genus *Phora*. *The Canadian Entomologist*, 27, 103–107. [30 March]  
 A cecidomyiid that lives on poison oak. *Insect Life*, 7, 348. [March]  
 New Tachinidae with a slender proboscis. *The Canadian Entomologist*, 27, 125–128. [1 May]  
 On the occurrence of the tachinid genus *Heteropterina* Macq. in North America. *Entomological News*, 6, 207–208. [30 May]  
 Canker-worms. *United States Department of Agriculture, Division of Entomology Circular*, (Second Series) 9, 4 pp. [after 24 May]  
 [Date of letter of transmittal.]  
 Two dipterous leaf-miners in garden vegetables. *Insect Life*, 7, 381–384. [July]  
 Two dipterous insects injurious to cultivated flowers. *Insect Life*, 7, 399–402. [July]  
 A new wheat pest (*Sciara tritici* n. sp.). *Insect Life*, 7, 406–408. [July]

New North American Mycetophilidae. *The Canadian Entomologist*, 27, 199–201. [2 August]  
 Descriptions of new genera and species, pp. 307–319. In: Johnson, C.W., Diptera of Florida. *Proceedings of the Academy of Natural Sciences, Philadelphia*, 1895, 303–340. [20 August]  
 On the tachinid genus *Acroglossa* Will. *Psyche*, 7, 261–262. [August]  
 The bombyliid genus *Acreotrichus* in America. *Psyche*, 7, 273. [August]  
 Notes and descriptions of Tachinidae. *Journal of the New York Entomological Society*, 3, 49–58. [September]  
 New genera and species of Tachinidae. *Journal of the New York Entomological Society*, 3, 97–107. [September]  
 Revision of the North American Empidae. *Proceedings of the United States National Museum*, 18, 387–440. [Late 1895]  
 [Preprints distributed in late 1895; the journal version came out on 25 May 1896.]

1896

New Culicidae from North America. *The Canadian Entomologist*, 28, 43–44. [3 February]  
 List of the mosquitoes of the United States, pp. 22–24. In: Howard, L.O. & Marlatt, C.L., The principle household insects of the United States. Mosquitoes and fleas. *United States Department of Agriculture, Entomology Division, Bulletin*, (New Series) 4, 130 pp. [after 7 July]  
 [Date of letter of transmittal.]  
 A new subfamily of Ephyridae. *Entomological News*, 7, 220–221. [27 August]  
 A new dipterous genus related to *Gnoriste*. *Proceedings of the Entomological Society of Washington* 3: 321–322. [6 October]  
 [List of Diptera], pp. 263–264. In: Slosson, A.T., Additional list of insects taken in alpine region of Mt. Washington. *Entomological News*, 7, 262–265. [November]  
 [Description of *Gaurax araneae*, n. sp.], p. 320. In: Davidson, A., Parasites of spiders' eggs. *Entomological News*, 7, 319–320. [5 December]

1897

The walnut span worm. *United States Department of Agriculture, Division of Entomology, Bulletin*, (New Series) 7, 64–66. [after 7 January]  
 [Date of letter of transmittal.]  
 [Descriptions of Diptera], pp. 384–387. In: Call, R.E., Notes on the flora and fauna of Mammoth Cave, Ky. *The American Naturalist*, 31, 377–392. [May]  
 Revision of the Tachinidae of America north of Mexico. A family of parasitic two-winged insects. *United States Department of Agriculture, Division of Entomology, Technical Series*, 7, 1–154. [after 2 June]  
 [Date of letter of transmittal; according to the Catalog of Public Documents of the Government of the United States for July 1, 1897 to June 30, 1899, a new index was printed (pp. 149–156) to replace the original incomplete index.]  
 [Description of *Phorbia rubivora*, n. sp.], pp. 162–163. In: Slingerland, M.V., The raspberry-cane maggot. *The Canadian Entomologist*, 29, 162–163. [8 July]  
 [List of Diptera], pp. 239–240. In: Slosson, A.T., Additional list of insects taken in alpine region of Mt. Washington. *Entomological News*, 8, 237–240. [December]

1898

Report on a collection of Japanese Diptera, presented to the U.S. National Museum, by the Imperial University of Tokyo. *Proceedings of the United States National Museum*, 21, 301–340. [4 November]  
 The buffalo-gnats, or black-flies, of the United States. [A synopsis of the dipterous family Simuliidae.] *United States Department of Agriculture, Division of Entomology, Bulletin* (New Series) 10, 66–69. [early January]  
 [Date of letter of transmittal is 15 December 1897, but year on cover is 1898.]  
 On the habits of the Oscinidae and Agromyzidae, reared at the United States Department of Agriculture. *United States Department of Agriculture, Division of Entomology, Bulletin*, (New Series) 10, 70–79. [early January]  
 [Date of letter of transmittal is 15 December 1897, but year on cover is 1898.]  
 On *Cuterebra emasculator*, with descriptions of several allied species. *The Canadian Entomologist*, 30, 9–11. [10 January]  
 On the dipterous genus *Eusiphona*. *The Canadian Entomologist*, 30, 53. [5 March]  
 Additions to my synopsis of the Tachinidae. *The Canadian Entomologist*, 30, 233–237. [12 September]  
 New species of Sapromyzidae. *The Canadian Entomologist*, 30, 277–280. [1 November]  
 Synopsis of the asilid genus *Osipriocerus*. *Entomological News*, 9, 37. [31 January]  
 [Date of receipt at ANSP library.]  
 Notes and descriptions of Oscinidae. *Journal of the New York Entomological Society*, 6, 44–49. [March]  
 On the dipterous family Scatophagidae. *Journal of the New York Entomological Society*, 6, 160–165. [September]  
 A new dipterous genus belonging to the Therevidae. *Journal of the New York Entomological Society*, 6, 187–188. [September]  
 Description of some lepidopterous larvae. *Journal of the New York Entomological Society*, 6, 249–250. [December]  
 1899



- A cecidomyiid injurious to seeds of sorghum. *United States Department of Agriculture, Division of Entomology, Bulletin*, (New Series) 18[1898], 81–82. [7 January]  
 [For dating see Coulson *et al.* (1965: 1183).]  
 Description of a new *Psilopa*. *The Canadian Entomologist*, 31: 8. [18 January]  
 A new dipterous family related to the Chironomidae. *Entomological News*, 10, 60–61. [4 March]  
 A new trypetid from Hawaii. *Entomological News*, 10, 129–130. [3 May]  
 [Date of receipt at ANSP library.]  
 Order Diptera, pp. 341–346. In: Ashmead, W.H. (Ed.), C. Appendices. I. Report upon the insects, spiders, mites, and myriapods collected by Dr. L. Stejneger and Mr. G.E.H. Barrett-Hamilton on the Commander Islands, pp. 328–351. In: *The fur seals and the fur seal islands of the North Pacific ocean*. Part IV. “1898”. Washington, D.C., 384 pp. [July]  
 [Dating from Evenhuis (1997: 400).]  
 Order Siphonaptera, pp. 346. In: Ashmead, W.H., [Appendix] I. Reports upon the insects, spiders, mites, and myriapods collected by D. L. Stejneger and Mr. G.E.H. Barrett-Hamilton on the Commander Islands, pp. 321–351. In: Jordan, D.S., *The fur seals and fur seal islands of the North Pacific Ocean*. Part 4. Government Printing Office, Washington, D.C., 384 pp. [July]  
 [Dating from Evenhuis (1997: 400).]  
 Description of *Agromyza phaseoli*, a new species of leaf-mining fly. *Proceedings of the Linnaean Society of New South Wales*, 34, 128–129. [8 August]  
 On the early stages of some California Lepidoptera. *Journal of the New York Entomological Society*, 7, 209–212. [September]  
 New genera and species of Dexidae. *Journal of the New York Entomological Society*, 7, 218–222. [September]  
 Description of a new parasitic tachinid fly from Ceylon. *Indian Museum Notes*, 4, 279. [13 October]  
 New genera and species of Nycteribiidae and Hippoboscidae. *The Canadian Entomologist*, 31, 333–336. [15 November]  
 Notes and descriptions of Trypetidae. *Journal of the New York Entomological Society*, 7, 259–268. [December]
- 1900
- Two new cecidomyians destructive to buds of roses. *United States Department of Agriculture, Division of Entomology, Bulletin*, (New Series) 22, 44–48. [early January]  
 [Date of letter of transmittal is 16 November 1899, but year on cover is 1900.]  
 A new violet pest. (*Diplosis violicola* n. sp.). *United States Department of Agriculture, Division of Entomology, Bulletin*, (New Series) 22, 48–51. [early January]  
 [Date of letter of transmittal is 16 November 1899, but year on cover is 1900.]  
 New genera and species of Ephydriidae. *The Canadian Entomologist*, 32, 33–36. [9 February]  
 Synoptic tables of the North American mosquitoes, pp. 4–7. In: Howard, L.O., How to distinguish the different mosquitoes of North America. *United States Department of Agriculture, Division of Entomology Circular*, (Second Series) 40, 7 pp. [after 20 February]  
 [Date of letter of transmittal.]  
 Notes and descriptions of Ortalidae. *Journal of the New York Entomological Society*, 8, 21–25. [March]  
 Two new genera of Diptera. *Entomological News*, 11, 429–430. [4 April]  
 [Date of receipt at ANSP library.]  
 Report on a collection of dipterous insects from Puerto Rico. *Proceedings of the United States National Museum*, 22, 249–270. [12 May]  
 New Scenopinidae from the United States. *Entomological News*, 11, 500–501. [4 June]  
 Synoptic tables of the North American mosquitoes. *United States Department of Agriculture, Division of Entomology, Bulletin*, (New Series) 25, 19–22. [after 24 July]  
 [Date of letter of transmittal.]  
 Descriptions of two new species of Diptera from Western Australia. *Proceedings of the Linnaean Society of New South Wales*, 25, 389–390. [22 November]  
 Diptera of the Harriman Alaska Expedition. *Proceedings of the Washington Academy of Sciences*, 2, 389–464. [7 December]
- 1901
- [Some insects of the Hudsonian Zone in New Mexico.—II.] Diptera. *Psyche*, 9, 149–150. [1 January]  
 A new genus of Ortalidae. *Entomological News*, 12, 14. [2 January]  
 [Date of receipt at ANSP library.]  
 Three new species of Diptera. *Entomological News*, 12, 16–18. [2 January]  
 [Date of receipt at ANSP library.]  
 New Diptera in the U.S. National Museum. *Proceedings of the United States National Museum*, 23, 593–618. [27 March]  
 A systematic arrangement of the families of the Diptera. *Proceedings of the United States National Museum*, 23, 653–658. [2 May]  
 Descriptions of three lepidopterous larvae. *Journal of the New York Entomological Society*, 9, 85–86. [June]

[Description of *Apocephalus pergandei*, n. sp.], p. 501. In: Pergande, T., The ant-decapitating fly. *Proceedings of the Entomological Society of Washington*, 4, 497–502. [2 July]

[Journal issue published 16 July; author's separates published 2 July according to the Congressional Series of United States Public Documents, vol. 4549, p. 143.]

A new anthomyiid injurious to lupines. *Entomological News*, 12, 206–207. [July]

Three new species of Culicidae. *The Canadian Entomologist*, 33, 258–260. [4 September]

Types of anthomyid genera. *Journal of the New York Entomological Society*, 9, 134–146. [6 September]

New Diptera from Southern Africa. *Proceedings of the United States National Museum*, 24, 27–32. [27 September]

Original descriptions of new Diptera, pp. 585–586. In: Needham, J.G. & Betten, C., Aquatic insects of the Adirondacks. A study conducted at the entomologic field station, Saranac Inn N.Y. under the direction of Ephraim Porter Felt D.Sc. State entomologist. *Bulletin of the New York State Museum*, 47, 383–612. [September]

Papers from the Hopkins-Stanford Galapagos Expedition, 1898–1899. II. Entomological results (2): Diptera. *Proceedings of the Washington Academy of Sciences*, 3, 371–379. [7 November]

1902

[List of Diptera], pp. 7–8. In: Slosson, A.T., Additional list of insects taken in alpine region of Mt. Washington. *Entomological News*, 13, 5–8. [January]

[Identifications of Diptera], p. 76. In: Caudell, A.N., Some insects from the summit of Pike's Peak, found on snow. *Proceedings of the Entomological Society of Washington*, 5, 74–82. [28 April]

Three new nemoatcerous Diptera. *Entomological News*, 13, 84–85. [12 May]

[Some insects of the Hudsonian Zone in New Mexico.—VIII.] Diptera. *Psyche*, 9, 346–347. [May]

New orthorrhaphous Diptera from Mexico and Texas. *The Canadian Entomologist*, 34, 136–141. [9 June]

New forms of Culicidae from North America. *Journal of the New York Entomological Society*, 10, 191–194. [June]

New cyclorrhaphous Diptera from Mexico and New Mexico. *The Canadian Entomologist*, 34, 195–202. [2 August]

New Diptera from North America. *Proceedings of the United States National Museum*, 24, 83–126. [12 September]

Note on a noctuid larva. *Journal of the New York Entomological Society*, 10, 169. [September]

Three new species of *Culex*. *The Canadian Entomologist*, 34, 292–293. [11 November]

[List of Diptera], pp. 319–320. In: Slosson, A.T., Additional list of insects taken in alpine region of Mt. Washington. *Entomological News*, 13, 319–321. [December]

New acalyptrate Diptera from North America. *Journal of the New York Entomological Society*, 10, 177–191. [December]

1903

The occurrence of the phorid genus *Aenigmatias* in America. *The Canadian Entomologist*, 35, 21–22. [5 January]

[Descriptions of new genera and species], pp. 102–104. In: Johnson, C.W., Diptera from Beulah, New Mexico. *Transactions of the American Entomological Society*, 29, 101–106. [March]

The genera of the dipterous family Empididae, with notes on new species. *Proceedings of the Entomological Society of Washington*, 5, 245–272. [15 June]

A new culicid genus related to *Corethra*. *The Canadian Entomologist*, 35, 189–190. [30 June]

*Culex consobrinus* again. *The Canadian Entomologist*, 35, 218. [1 August]

Four new species of *Culex*. *The Canadian Entomologist*, 35, 255–257. [4 September]

Notes on *Culex kelloggii* Theobald. *The Canadian Entomologist*, 35, 261. [4 September]

*Eucorethra*, a genus of Culicidae. *The Canadian Entomologist*, 35, 272. [3 October]

Description of a new species of *Oligotrophus* from India. *Indian Museum Notes*, 6 (1), 1. [after October]

[Date of preface.]

A new *Anopheles* with unspotted wings. *The Canadian Entomologist*, 35, 310. [6 November]

A new ephydriid from Australia. *Entomological News*, 14, 324. [6 December]

[Date of receipt at ANSP library.]

Synoptic table of the Havana mosquitoes, pp. 112–113. In: Taylor, J.R., Observations on the mosquitos of Havana [part]. *Revista de Medicina Tropical* (Havana), 4, 111–120. [31 December+]

*Psorophora howardii* (new species), pp. 157–158. In: Taylor, J.R., Observations on the mosquitos of Havana [part]. *Revista de Medicina Tropical* (Havana), 4, 155–164. [31 December+]

[Republication of original description by Coquillett in 1901.]

1904

Several new Diptera from North America. *The Canadian Entomologist*, 36, 10–12. [4 January]

Notes on *Culex nigrutilus*. *Entomological News*, 15, 73–74. [30 January]

[Date of receipt at ANSP library.]

The genera of the dipterous family Empididae (addenda). *Proceedings of the Entomological Society of Washington*, 6, 51–52.

[13 February]

- A brief history of North American Dipterology. *Proceedings of the Entomological Society of Washington*, 6, 53–58. [13 February]
- [Descriptions of new Diptera], pp. 18–40. In: Baker, C.F., Reports on Californian and Nevadan Diptera, I. *Invertebrata Pacifica*, 1, 17–40. [10 February]
- Diptera from southern Texas, with descriptions of new species. *Journal of the New York Entomological Society*, 12, 31–35. [March]
- A new *Ceratopogon* from Brazil. *Journal of the New York Entomological Society*, 12, 35. [March]
- New Diptera from Central America. *Proceedings of the Entomological Society of Washington*, 6, 90–98. [21 May]
- New Diptera from India and Australia. *Proceedings of the Entomological Society of Washington*, 6, 137–140. [30 July]
- New North American Diptera. *Proceedings of the Entomological Society of Washington*, 6, 166–192. [30 July]
- Notes on a syrphid fly *Pipiza radicum* Walsh and Riley. *Proceedings of the Entomological Society of Washington*, 6, 200. [12 November]
- Diptera of the expedition, pp. 1–78. In: Ashmead, W.H., Coquillett, D.W., Kincaid, T. & Pergande, T., *Harriman Alaska Expedition*. With cooperation of the Washington Academy of Sciences. Alaska. Volume IX. Insects. Part II. Doubleday, Page & Company, New York, ix + 284 pp. [31 December+]
- [A reprinting of Coquillett's 1900 paper on this subject in the *Proceedings of the Washington Academy of Sciences* with a one-page introduction containing a corrigenda and new information since the 1900 paper.]

1905

- New nematoceros Diptera from North America. *Journal of the New York Entomological Society*, 13, 56–69. [June]
- A new *Culex* from Australia. *Entomological News*, 16, 116. [3 April]
- [Date of receipt at ANSP library.]
- A new cecidomyiid on cotton. *The Canadian Entomologist*, 37, 200. [1 June]
- A new subapterous tipulid from New Mexico. *The Canadian Entomologist*, 37, 347. [30 September]
- A new dextiid parasite of a Cuban beetle. *The Canadian Entomologist*, 37, 362. [30 September]

1906

- The Linnaean genera of Diptera. *Proceedings of the Entomological Society of Washington*, 7[1905], 66–68. [10 January]
- New Culicidae from the West Indies and Central America. *Proceedings of the Entomological Society of Washington*, 7[1905], 182–186. [9 March]
- A classification of the mosquitoes of North and Middle America. *United States Department of Agriculture, Bureau of Entomology, Technical Series Bulletin*, 11, 1–31. [after 15 March]
- [Date of letter of transmittal.]
- [Letters]: Dr. Dyar's square dealings. *Entomological News*, 17, 224. [June]
- On the breaking up of the old genus *Culex*. *Science*, (New Series) 23, 312–314. [23 February]
- A new *Culex* near *curriei*. *Entomological News*, 17, 109. [March]
- A new *Tabanus* related to *punctifer*. *Entomological News*, 17, 48. [2 February]
- [Date of receipt at ANSP library.]
- Five new Culicidae from the West Indies. *The Canadian Entomologist*, 38, 60–62. [5 February]

1907

- Notes and descriptions of Hippoboscidae and Streblidae. *Entomological News*, 18, 290–292. [July]
- Elimination and the first species rule. *Science*, (New Series) 25, 308–309. [22 February]
- Elimination and the first reviser. *Science*, (New Series) 25, 625–626. [19 April]
- New genera and species of Diptera. *The Canadian Entomologist*, 39, 75–76. [7 March]
- A new phorid genus with horny ovipositor. *The Canadian Entomologist*, 39, 207–208. [4 June]
- Discovery of blood-sucking Psychodidae in America. *Entomological News*, 18, 101 [March]

1908

- Doctor Dyar's criticism of "Mosquito Life". *The Canadian Entomologist*, 40, 81 [6 March]
- New genera and species of Diptera. *Proceedings of the Entomological Society of Washington*, 9, 144–148. [25 April]
- Meigen's first paper on Diptera. *The Canadian Entomologist*, 40, 457–458. [8 December]

1909

Three new Trypetidae from the Pacific Islands. *Entomological News*, 21[1910], 12–13. [30 December]  
 [See Evenhuis *et al.* (1989: 843) for dating]  
 Rediscovery of the bibionid genus *Eupeitinus*. *Entomological News*, 20, 106. [5 March]  
 [Date of receipt at ANSP library.]  
 Description of a new fruit-fly of the genus *Dacus* from New South Wales. *Proceedings of the Linnaean Society of New South Wales*, 33, 194. [11 March]  
 A new stratiomyid from Texas. *The Canadian Entomologist*, 41, 212. [7 July]

1910

New species of North American Diptera. *The Canadian Entomologist*, 42, 41–47. [8 February]  
 Two new Trypetidae from China. *Entomological News*, 21, 308. [1 July]  
 [Date of receipt at ANSP library.]  
 The type species of the North American genera of Diptera. *Proceedings of the United States National Museum*, 37, 499–647. [4 August]  
 New genera and species of North American Diptera. *Proceedings of the Entomological Society of Washington*, 12, 124–131. [6 September]  
 Corrections to my paper on type species of the North American genera of Diptera. *The Canadian Entomologist*, 42, 64–66. [11 November]

1911

A decision on Meigen's 1800 paper. *The Canadian Entomologist*, 43, 65. [20 February]

1924

A new genus and species of Trypetidae infesting asparagus in South Africa (Diptera). *Proceedings of the Entomological Society of Washington*, 26, 64–66. [19 March]

## APPENDIX II. Taxa Named for Daniel William Coquillett

### Genus-Group Names—6

#### Diptera—4

*Coquillettia* Williston, 1896  
*Coquillettidia* Dyar, 1905  
*Coquillettina* Walton, 1915  
*Coquillettomyia* Felt, 1908  
*Coquillettomyiina* Mamaev, 1968

#### Hemiptera—1

*Coquillettia* Uhler, 1890

#### Hymenoptera—1

*Coquillettapis* Viereck, 1909

### Species-Group Names—84

#### Coleoptera—4

*Aphodius coquilletti* Linell, 1896  
*Eusattus coquilletti* Linell, 1899  
*Gymnopyge coquilletti* Linell, 1896  
*Leptura coquilletti* Linell, 1896

#### Diptera—51

*Ablautus coquilletti* Wilcox, 1935  
*Agromyza coquilletti* Malloch, 1913  
*Apocephalus coquilletti* Malloch, 1912  
*Asilus coquillettii* Hine, 1909  
*Bombylius coquilletti* Williston, 1899



*Brevitrichia coquillettii* Kelsey, 1969  
*Ceratopogon coquillettii* Kieffer, 1917  
*Ceropsilopa coquillettii* Cresson, 1922  
*Chaetoepalpus coquilleti* Vimmer & Soukup, 1940  
*Chrysops coquillettii* Hine, 1904  
*Criorhina coquillettii* Williston, 1892  
*Cyrtophloeoba coquillettii* Aldrich, 1926  
*Diamesa coquillettii* Sublette, 1966  
*Didea coquillettii* Williston, 1891  
*Dolichopus coquillettii* Aldrich, 1893  
*Dynatosoma coquillettii* Landrock, 1918  
*Erax coquillettii* Hine, 1919  
*Euhybus coquillettii* Melander, 1928  
*Hypaspistomyia coquillettii* Hendel, 1907  
*Janthinosoma coquillettii* Theobald, 1907  
*Laphria coquillettii* McAtee, 1919  
*Lauxania coquillettii* Hendel, 1908  
*Lepidanthrax coquillettii* Evenhuis & Greathead, 1999  
*Leschenaultia coquillettii* Toma & Guimarães, 2002  
*Lithocosmus coquillettii* Cockerell, 1909  
*Melangyna coquillettii* Sedman, 1965  
*Mutilloptera coquillettii* Hendel, 1917  
*Neopogon coquillettii* Bezzi, 1910  
*Phthiria coquillettii* Johnson, 1902  
*Phytomyza coquillettii* Spencer, 1986  
*Pipunculus coquillettii* Kertész, 1907  
*Platypalpus coquillettii* Melander, 1924  
*Proctacanthus coquillettii* Hine, 1911  
*Pseudeuanta coquillettii* Aldrich, 1921  
*Pseudomyiospila coquillettii* Vimmer, 1939  
*Rivellia coquillettii* Hendel, 1914  
*Saropogon coquillettii* Back, 1909  
*Scaptomyza coquillettii* Wheeler & Takada, 1966  
*Stilobezzia coquillettii* Kieffer, 1917  
*Surcoufia coquillettii* Kröber, 1922  
*Synoris coquillettii* Aldrich, 1926  
*Syrphus coquillettii* Goot, 1964  
*Tabanus coquillettii* Shiraki, 1918  
*Tipula coquillettii* Enderlein, 1912  
*Tipula coquillettiana* Alexander, 1924  
*Trichopticus coquillettii* Malloch, 1920  
*Uranotaenia coquillettii* Dyar & Knab, 1906  
*Villa coquillettii* Painter, 1965  
*Xylota coquillettii* Hervé-Bazin, 1914  
*Zaphne coquillettii* Griffiths, 1998  
*Zenillia coquillettii* Aldrich & Webber, 1924

#### Hemiptera—4

*Deltocephalus coquillettii* Van Duzee, 1890  
*Heraeus coquillettii* Barber, 1914  
*Telamona coquillettii* Goding, 1894  
*Thamnotettix coquillettii* Van Duzee, 1890

#### Hymenoptera—20

*Prosapis coquillettii* Cockerell, 1896  
*Nomada coquillettii* Cockerell, 1903  
*Pompilus coquillettii* Provancher, 1887  
*Tachysphex coquillettii* Rohwer, 1911  
*Amauronematus coquillettii* Marlatt, 1896  
*Aphycus coquillettii* Howard, 1898  
*Ashmeadiella coquillettii* Titus, 1904

*Coelioxys coquilleti* Crawford, 1914  
*Sciapteryx coquilleti* Rohwer, 1912  
*Pseudomasaris coquilleti* Rohwer, 1911  
*Encarsia coquilleti* Howard, 1895  
*Entedon coquilleti* Riley, 1889  
*Gorytes coquilleti* Fox, 1895  
*Meteorus coquilleti* Ashmead, 1889  
*Psen coquilleti* Rohwer, 1910  
*Signiphora coquilleti* Ashmead, 1899  
*Stigmus fulvipes coquilleti* Rohwer, 1917  
*Temelucha coquilleti* Dasch, 1979  
*Trichoteras coquilleti* Ashmead, 1897  
*Triepeolus coquilleti* Cockerell, 1905

#### Lepidoptera—2

*Acontia coquillettii* Smith, 1900  
*Ethmia coquillettella* Busck, 1907

#### Neuroptera—1

*Brachynemurus coquilleti* Currie, 1898

#### Orthoptera—2

*Ligurotettix coquilleti* McNeill, 1897  
*Trimerotropis coquilleti* McNeill 1900

### APPENDIX III. List of Works Treating *Paracantha Coquillett, 1899f* as a Valid Taxon

Twenty-five works by at least ten different authors in the last 50 years spanning no less than 10 years.

- Cory, J.S. & Myers, J.H. (2000) Direct and indirect ecological effects of biological control. *Trends in Ecology & Evolution*, 15 (4), 137–139.
- Foote, R.H. (1978). New genera and species of Neotropical Tephritidae (Diptera). *Journal of the Washington Academy of Sciences*, 1978, 27–32.
- Freidberg, A. (2002) Systematics of Schistopterini (Diptera: Tephritidae: Tephritinae), with descriptions of new genera and species. *Systematic Entomology*, 27 (1), 1–29.
- Goeden, R.D. & Ricker, D.W. (1987) Phytophagous insect faunas of the native thistles, *Cirsium brevistylum*, *Cirsium congonii*, *Cirsium occidentale*, and *Cirsium tioganum*, in southern California. *Annals of the Entomological Society of America*, 80 (2), 152–160.
- Guretzky, J.A. & Louda, S.M. (1997) Evidence for natural biological control: insects decrease survival and growth of a native thistle. *Ecological Applications*, 7 (4), 1330–1340.
- Headrick, D.H. & Goeden, R.D. (1990a) Description of the immature stages of *Paracantha gentilis* (Diptera: Tephritidae). *Annals of the American Entomological Society*, 83, 220–229.
- Headrick, D.H. & Goeden, R.D. (1990b) Life history of *Paracantha gentilis* Hering (Diptera: Tephritidae). *Annals of the American Entomological Society*, 83, 776–785.
- Headrick, D.H. & Goeden, R.D. (1999) Behavior of flies in the subfamily Tephritinae. In: Aluja, M. & Norrbom, A.L. (Eds.), *Fruit flies (Tephritidae). Phylogeny and evolution of behavior*. CRC Press, Boca Raton, Florida, pp. 674–704.
- Korneyev, V.A. (1995) New records and synonymy in Xyphosiini and Tephritini (Diptera: Tephritidae: Tephritinae) from the Far East Russia. *Russian Entomological Journal*, 4 (1/4), 115–125.
- Lamp, W.O. & McCarty, M.K. (1982) Predispersal seed predation of a native thistle, *Cirsium canescens*. *Environmental Entomology*, 11 (4), 847–851.
- Lavigne, R.J. (1976). Rangeland Insect-Plant Associations on the Pawnee Site 1, 2. *Annals of the Entomological Society of America*, 69 (4), 753–763.
- Louda, S.M., Arnett, A.E., Rand, T.A. & Russell, F.L. (2003) Invasiveness of some biological control insects and adequacy of their ecological risk assessment and regulation. *Conservation Biology*, 17 (1), 73–82.
- Louda, S.M., Kendall, D., Connor, J. & Simberloff, D. (1997) Ecological effects of an insect introduced for the biological control of weeds. *Science*, 277 (5329), 1088–1090.
- Norrbom, A.L., Carroll, L.E., Thompson, F.C., White, I.M. & Freidberg, A. (1999) Systematic database of names. In: Thompson, F.C. (Ed.), *Fruit Fly Expert Identification System and Systematic Information Database*. *Myia*, 9[1998], 65–251.
- Norrbom, A.L., Sutton, B.D., Steck, G.J., Alvarado, N.N., Landa, E.Y., Puma, B.L. & Salazar, F. A. (2013) New host plant and

- distribution records for Peruvian Tephritinae (Diptera: Tephritidae). *Revista Peruana de Entomología*, 48 (2), 19–28.
- Palmisano, S. & Fox, L.R. (1997) Effects of mammal and insect herbivory on population dynamics of a native Californian thistle, *Cirsium occidentale*. *Oecologia*, 111 (3), 413–421.
- Pemberton, R.W., Turner, C.E. & Rosenthal, S.S. (1985) New host records for tephritid flies (Diptera) from *Cirsium* and *Saussurea* thistles (Asteraceae) in California. *Proceedings of the Entomological Society of Washington*, 87 (4), 790–794.
- Rand, T.A. & Louda, S.M. (2012) Exotic weevil invasion increases floral herbivore community density, function, and impact on a native plant. *Oikos*, 121 (1), 85–94.
- Stegmaier, C.E. (1967) Notes on a Seed-Feeding Tephritidae, *Paracantha Forficula*, (Diptera) in Florida. *The Florida Entomologist*, 50(3), 157–160.
- Stoffolano, J.G., Acaron, A. & Conway, M. (2008) “Bubbling” or droplet regurgitation in both sexes of adult *Phormia regina* (Diptera: Calliphoridae) fed various concentrations of sugar and protein solutions. *Annals of the Entomological Society of America*, 101 (5), 964–970.
- Suwa, T. & Louda, S.M. (2012) Combined effects of plant competition and insect herbivory hinder invasiveness of an introduced thistle. *Oecologia*, 169 (2), 467–476.
- Urbauer, D. & Pruess, K.P. (1973) Drift of Terrestrial Arthropods in an Irrigation Canal Following a Wide-Area Application of DLV Malathion. *Journal of Economic Entomology*, 66 (6), 1267–1268.
- Ward, L.A., Wilson, C., Saenz, C., Harrell, L.K., Steck, G.J. & Wharton, R. (2013) New host plant and distribution records of Tephritidae (Diptera) from Texas, with notes on parasitism of Tephritidae by Opiinae (Hymenoptera: Braconidae). *Proceedings of the Entomological Society of Washington*, 115 (1), 96–102.
- Willson, M.F., Anderson, P. K. & Thomas, P.A. (1983) Bracteal exudates in two *Cirsium* species as possible deterrents to insect consumers of seeds. *American Midland Naturalist*, 1983, 212–214.
- Zwölfer, H. (1988) Evolutionary and ecological relationships of the insect fauna of thistles. *Annual Review of Entomology*, 33(1), 103–122.